



EXTERNAL ROLLER BLINDS

by
TAYLOR

OFFICES & SHOWROOMS | 0861-1-TAYLOR (829567)

CPT: 10 Hoist Avenue, Montague Gardens | +27 (0) 21 552-5080 | sales@taylorblinds.co.za
JHB: 83 Voorraadskip St, Honeydew Ext 20 | +27 (0) 11 794-1743 | ordersjhb@taylorblinds.co.za

www.taylorblinds.co.za

TAYLOR
BLINDS & SHUTTERS Est.1959



VISIBILITY



PRIVACY



DARKENING



INCLEMENT
WEATHER



GLARE
REDUCTION



HEAT
REDUCTION



UV
FILTERING



ENERGY
SAVING

LOCKSCREEN

Special side guide channels locks the fabric in place, to perform well in wind and eliminate any gap between fabric and guide where light and wind would otherwise enter. Suitable for external sun protection for windows and sliding doors or inward stacking doors as well as patio screens for protection from sun, wind and rain. Together with a block out fabric they are effective at providing darkness and complete privacy. Offered in manual or motorised solutions



LOCKSCREEN 105

SPECIFICATIONS

Box size:	105mm
Guide size:	45x34mm (Wide x Deep)
End bar:	55x28mm (High x Deep)
Shaft:	63/78mm Galvanised Steel

PRODUCT SIZE LIMITATIONS

Width:	4000mm (up to 3000mm high)
Height:	3500mm (up to 3000mm wide)
SQM:	12m ²

ADDITIONAL COMPONENTS

Bottom Bar Angle
Side Angles
Top Angle

SOMFY MOTORS

Refer to Pricelist

OPERATION OPTIONS: MANUAL OR MOTORISED

Awning Gear: 6:1

LOCKSCREEN 125

SPECIFICATIONS

Box size:	125mm
Guide size:	45x34mm (Wide x Deep)
End bar:	55x25mm (High x Deep)
Shaft:	85mm Galvanised Steel

PRODUCT SIZE LIMITATIONS

Width:	5000mm (up to 3000mm high)
Height:	5000mm (up to 3000mm wide)
SQM:	15m ²

ADDITIONAL COMPONENTS

Bottom Bar Angle
Side Angles
Top Angle

SOMFY MOTORS

Refer to Pricelist

OPERATION OPTIONS: MOTORISED

Awning Gear: Not available

LOCKSCREEN 125XL

SPECIFICATIONS

Box size:	125mm
Guide size:	45x34mm (Wide x Deep)
End bar:	55x25mm (High x Deep)
Shaft:	100x78mm Aluminium

PRODUCT SIZE LIMITATIONS

Width:	6000mm
Height:	3000mm
SQM:	18m ²

ADDITIONAL COMPONENTS

Bottom Bar Angle
Side Angles
Top Angle

SOMFY MOTORS

Refer to Pricelist

OPERATION OPTIONS: MOTORISED

Awning Gear: Not available

LOCKSCREEN MAX

PLEASE NOTE this is a special import to achieve bigger sizes than is possible with standard models. Box size 150mm.





VISIBILITY



PRIVACY



INCLEMENT
WEATHER



ENERGY
SAVING



GLARE
REDUCTION



HEAT
REDUCTION



UV
FILTERING

BRACKET SCREEN

Our Roller Blinds are here for your outdoor needs too! We are able to provide you with bracket solution external roller blinds, with or without the cassette. The open brackets are for sheltered locations only. An optional pelmet can be added for moderate protection from weather and concealment from view, but for maximum protection a full Cassette Screen should be considered. Manual bungy cord tie-downs are included to prevent the fabric from swaying in mild wind. Optional side channel or cable guides provide additional protection from wind.



BRACKET SCREEN S

SPECIFICATIONS

Bracket size:	60x80x100mm Bracket
Guide (optional):	Standard Aluminium 30x30 (Wide x Deep) or 3mm Stainless Steel Cable
End bar:	40x20mm Aluminium
Shaft:	63mm Galvanised Steel

BRACKET SCREEN S TECHNICAL DRAWING

Heads of adjustable bolts stick past brackets 6mm each side. Suggested finish width as tight size less 15mm for reveal fix with motor, and less 20mm with gear. Finished height from floor to top of brackets. Manual & Motorised

PRODUCT SIZE LIMITATIONS

Width:	4000mm (Up to 3000mm High)
Height:	4000mm (Up to 3000mm Wide)
SQM:	12m ²

SOMFY MOTORS


Refer to Pricelist

ADDITIONAL COMPONENTS

Channel Guide: 30x30mm Aluminium
Cable Guide
Pelmet: 120x40x3mm Aluminium Angle
105mm Cassette

OPERATION OPTIONS: MANUAL OR MOTORISED

Awning Gear: 4:1



BRACKET SCREEN L

SPECIFICATIONS

Bracket size:	80x100x120mm Bracket
Guide (optional):	Standard Aluminium 30x30 (Wide x Deep) or 3mm Stainless Steel Cable
End bar:	40x20mm
Shaft:	85mm galvanised steel

BRACKET SCREEN L TECHNICAL DRAWING

Heads of adjustable bolts stick past brackets 6mm each side. Suggested finish width as tight size less 15mm for reveal fix. Finished height from floor to top of brackets. Manual & Motorised options - refer to pricelist.

PRODUCT SIZE LIMITATIONS

Width:	5350mm
Height:	5000mm
SQM:	18.75m ²

SOMFY MOTORS


Refer to Pricelist

ADDITIONAL COMPONENTS

Channel Guide: 30x30mm Aluminium
Cable Guide
Pelmet: 120x40x3mm Aluminium Angle
105mm Cassette
125mm Cassette

OPERATION OPTIONS: MANUAL OR MOTORISED

Awning Gear: 9:1





BRACKET SCREEN XL

SPECIFICATIONS

Bracket size:	80x100x120mm Bracket
Guide (optional):	Standard Aluminium 30x30 (Wide x Deep) or 3mm Stainless Steel Cable
End bar:	40x20mm extruded aluminium
Shaft:	100x78mm extruded aluminium

BRACKET SCREEN XL TECHNICAL DRAWING

Heads of adjustable bolts stick past brackets 6mm each side. Suggested finish width as tight size less 15mm for reveal fix. Finished height from floor to top of brackets.

PRODUCT SIZE LIMITATIONS


Width:	6000mm
Height:	7000mm
SQM:	30m ²

OPERATION OPTIONS: MOTORISED

Awning Gear: 9:1

SOMFY MOTORS

Refer to Pricelist




FACE-FIX




REVEAL / SOFFIT FIX

Angle for gaps needs to be specified on order (additional charges apply)
Consult pricelist for recommended angle for screen model ordered




TIE DOWN DETAIL



REVEAL FIX DETAIL FOR GUIDES


Angle for gaps needs to be specified on order (additional charges apply)
Consult pricelist for recommended angle for guide type




COLOUR CHART

EXTERNAL INSTALLATION ONLY


C-SCREEN 4005 COLOURS




SOLTIS 86 COLOURS



SOLTIS 92 COLOURS



CANVAS COLOURS



SUNWORKER COLOURS




COLOUR CHART

INTERNAL INSTALLATION ONLY

SOLTIS 99 COLOURS



SOLTIS B99 COLOURS



ALUMINIUM BRACKET STANDARD COLOURS



DELIVERY LEAD TIMES:

- 1 – Standard colours on shelf **4-5 WEEKS** excluding transport to customer.
 - 2 – Standard colours but not on shelf **4-5 WEEKS**, no surcharge excluding transport to customer.
 - 3 – Non-standard colours, not on shelf: on request and at surcharge.
- Large Volume Contract Orders to be time determined based on contract and product requirement.

ADDITIONAL COMPONENT COLOURS

Items listed may have limited colours available.
Please contact us should you have any queries.

QUALITY. INNOVATION. TRUST.

WHO ARE WE?

Taylor Blinds and Shutters are pioneering and savvy – merging contemporary design and functionality to provide stylish, elegant and practical window and door shutters and blind solutions. As South Africa's leading shutter and blind producer, Taylor is committed to collaborating with you to reinvent your home, office or retail space.

TAYLOR-MADE SOLUTIONS

When it comes to interior design, we respect that everyone has their own unique style – this inspires us. We work closely with homeowners, designers, developers and architects to provide bespoke, tailor-made and made-to-measure solutions for your unique space and individual taste.

QUICK TURNAROUND

Taylor is renowned for its manufacturing lead times offering clients only a 10 working days wait from order to completion of your new shutter or blind. We also ensure that our products are delivered and installed on time, every time.

COLOUR CUSTOMISATION

Taylor is dedicated to providing clients with the perfect solution for your individual décor needs. Taylor's Aluminium shutters are available in 5 standard colours, however any customised colour is possible with an additional 5 days of production and surcharge. Taylor's Blind Collection offers a very wide variety of fabric and colour palettes.

SECURITY WITH STYLE

If you are looking for security shutters with the best safety features while not compromising on the aesthetics of your space, then Taylor Shutters are your solution. Taylor's ShutterGuard® Aluminium Security Shutters are the best sellers and are made from tough and trusted Aluminium.

The newly launched renovated shutter design delivers on its security job, all the while doing it in style. With the classic lines of the popular American style shutter look, these shutters protect your home and your style.

Contact Taylor and we will measure, advise and present you with our range of quality products and colour options that will complement and enhance your décor.



www.taylorblinds.co.za

OFFICES & SHOWROOMS | 0861-1-TAYLOR (829567)

CPT: 10 Hoist Avenue, Montague Gardens | +27 (0) 21 552-5080 | sales@taylorblinds.co.za
JHB: 83 Voorraadskip St, Honeydew Ext 20 | +27 (0) 11 794-1743 | ordersjhb@taylorblinds.co.za