



Magnum Compounding LLC
490 W 84 St, Hialeah, FL 33014
Phone: (786) 622-2301
Fax: (786) 622-2319
Toll Free: (855) 403-6028

**LET'S DO THIS
TOGETHER**

COMPOUNDED DRUG INFORMATION

Product Name: Benzocaine, Lidocaine, Tetracaine Cream

Formulation Type: Non-Sterile Compounded Preparation (Topical Anesthetic Preparations)

ACTIVE INGREDIENTS (per mL)

Ingredients	Concentration	Pharmacologic Class	Function
Benzocaine	8, 20%	Ester local anesthetic	Provides topical numbness by blocking nerve signals
Lidocaine	6, 8, 12%	Amide local anesthetic	Blocks sodium channels to inhibit nerve conduction
Tetracaine	4, 6, 12%	Ester local anesthetic	Potent anesthetic providing deeper topical analgesia

DESCRIPTION

This compounded topical anesthetic preparation contains a combination of local anesthetics designed to provide temporary numbing of the skin. These medications are commonly used prior to dermatologic, cosmetic, or minor medical procedures to reduce discomfort. Compounded medications are prepared by a licensed pharmacy pursuant to a valid prescription to meet the specific needs of individual patients.

MECHANISM OF ACTION

Local anesthetics inhibit voltage-gated sodium channels in neuronal membranes. By blocking sodium influx, they prevent the initiation and propagation of nerve impulses responsible for pain sensation. The combination of multiple anesthetics may provide enhanced anesthetic effect and duration.

INDICATIONS

This compounded anesthetic preparation may be prescribed for:

- Dermatologic procedures
- Laser treatments
- Cosmetic procedures
- Minor surgical procedures
- Needle procedures

Treatment goals and duration should be determined by the prescribing healthcare provider.

DIRECTIONS FOR USE: Use only as directed by your healthcare provider.

Typical instructions may include:

1. Apply a thin layer to the affected area.

If you have any questions or concerns regarding your medication, please do not hesitate to contact us.



Magnum Compounding LLC
490 W 84 St, Hialeah, FL 33014
Phone: (786) 622-2301
Fax: (786) 622-2319
Toll Free: (855) 403-6028

**LET'S DO THIS
TOGETHER**

2. Allow sufficient time for anesthetic effect before procedure.
3. Remove excess medication before procedure if instructed.
4. Do not apply excessive amounts.

POTENTIAL SIDE EFFECTS

Common side effects may include:

- Skin irritation
- Redness
- Temporary numbness
- Mild burning sensation

Rare but serious side effects may include:

- Dizziness
- Confusion
- Seizures
- Cardiac arrhythmias
- Allergic reactions

Patients should seek immediate medical attention if systemic symptoms occur.

WARNINGS AND PRECAUTIONS

Important Safety Warning: Local Anesthetic Toxicity

Excessive application or prolonged exposure may lead to systemic absorption of local anesthetics.

Systemic toxicity may include:

- Central nervous system effects
- Seizures
- Cardiovascular complications

Use only under medical supervision.

STORAGE

Store at room temperature (20–25°C / 68–77°F). Protect from excessive heat and light.

Follow USP <795> Beyond-Use Date (BUD) guidelines.

LEGAL & SAFETY DISCLAIMER:

This compounded medication is prepared by Magnum Compounding LLC pursuant to a valid prescription from a licensed healthcare provider for an individual patient when commercially available options are not suitable.

Compounded medications have not been evaluated or approved by the U.S. Food and Drug Administration (FDA)

If you have any questions or concerns regarding your medication, please do not hesitate to contact us.



Magnum Compounding LLC
490 W 84 St, Hialeah, FL 33014
Phone: (786) 622-2301
Fax: (786) 622-2319
Toll Free: (855) 403-6028



for safety, efficacy, or quality and are prepared in accordance with applicable standards, including USP <795> Non-Sterile Compounding guidelines. Magnum Compounding LLC does not diagnose medical conditions or determine treatment plans. Patients should use this medication only as directed by their prescribing healthcare provider and under appropriate medical supervision. If any unexpected symptoms, adverse reactions, or signs of hypersensitivity occur, discontinue use and seek medical attention promptly. Patients should consult their healthcare provider with any questions regarding use, risks, precautions, or duration of therapy.

REFERENCES

- United States Pharmacopeia (USP) <795> Non-Sterile Compounding
- StatPearls Drug Monographs: Local Anesthetics
- FDA Drug Label Database
- Goodman & Gilman's The Pharmacological Basis of Therapeutics

If you have any questions or concerns regarding your medication, please do not hesitate to contact us.