P-ASA2L

SAFETY DATA SHEET

DATE: JANUARY 1, 2026

PETROCHEM - ANTI-SETTLING ADDITIVE 2 (LIQUID)

1. IDENTIFICATION

Product Code: P-ASA2L
Product Name: Anti-Settling Additive 2 (Liquid)
Recommended Use: Oilfield cementing additive
Manufacturer: PETROCHEM USA, INC.
Address: 13921 SW 97 Avenue, Miami, FL 33176 USA
Telephone: 305-439-4747
Emergency Contact: CHEMTREC 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification:

Eye Irritation Category 2B



Signal Word: WARNING
Hazard Statements:

Causes eye irritation.
May cause mild skin irritation.

PRECAUTIONARY STATEMENT(S):

Prevention:

Wash thoroughly after handling.
Wear protective gloves and eye protection.
Response:

If in eyes: Rinse cautiously with water for several minutes.
If irritation persists: Get medical advice/attention.
If on skin: Wash with soap and water.
Storage:

Store in a cool, dry, well-ventilated area.
Disposal:

Dispose of contents/container in accordance with applicable regulations.
HNOC:

Spilled material may create a slip hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name: Proprietary Polymer Blend

CAS Number: Trade Secret

Composition: 100%

Notes:

Specific chemical identities and concentrations are withheld as trade secrets in accordance with OSHA 29 CFR 1910.1200(i).

4. FIRST AID MEASURES

Inhalation: Move to fresh air. Seek medical attention if symptoms develop or persist.

Skin Contact: Wash with soap and water.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion: Rinse mouth. Seek medical advice if symptoms occur.

Symptoms: Eye irritation, mild skin irritation.

Physician: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Water spray, foam, dry chemical, CO2

Specific Hazards: Thermal decomposition may produce carbon oxides

Firefighting Equipment: Use self-contained breathing apparatus and protective gear

6. ACCIDENTAL RELEASE MEASURES

Procedures: Absorb with inert material and collect for disposal. Prevent release to drains or waterways.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes and skin. Observe good industrial hygiene practices.

Storage: Store in a cool, dry, well-ventilated area. Keep containers tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits: No occupational exposure limits established

Engineering Controls: Use ventilation as needed

PPE: Safety goggles, gloves

Hygiene: Wash thoroughly after handling

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid

Color: Light brown / Tan

Odor: Slight

pH: 6.5 – 7.5

Solubility: Soluble with agitation

Specific Gravity: 1.01

Flammability: Non-flammable

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: Heat and oxidizers

Incompatibility: Oxidizers

Decomposition: Carbon oxides

11. TOXICOLOGICAL INFORMATION

Routes: Eyes, skin

Acute Effects:

May cause irritation.

Chronic Effects:

No known significant effects.

Carcinogenicity:

Not classified.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Not classified

Environmental Impact: Avoid release

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose in accordance with applicable regulations

14. TRANSPORT INFORMATION

DOT: Not regulated

15. REGULATORY INFORMATION

Compliance: OSHA Hazard Communication Standard compliant

16. OTHER INFORMATION



NFPA: Health 1 | Flammability 0 | Reactivity 0

Revision Date: January 1, 2026

DISCLAIMER

The information provided is believed to be accurate; however, no warranties, express or implied, are made, including merchantability or fitness for a particular purpose. Users are responsible for determining product suitability and compliance with applicable laws, API specifications, and safety regulations.