



Stallion Manufacturing 5' Wide Single Axle

Model	SM58SA	SM510SA		
Overall Length	12' 4"	14' 4"		
Overall Width	6' 8"	6' 8"		
Overall Height	6' 5"	6' 5"		
Interior Length	9' 8"	11' 8"		
Interior Width	4' 8"	4' 8"		
Interior Height	4' 11"	4' 11"		
Rear Door Type	Ramp	Ramp		
Rear Door Width	4' 3"	4' 3"		
Rear Door Height	4' 6"	4' 6"		
Hitch Weight	160 lbs	175 lbs		
Hitch Height	16"	16"		
Ball Size	2"	2"		
Platform Height	17"	17"		
G.V.W.R.	2990 lbs	2990 lbs		
Curb Weight	1048 lbs	1244 lbs		
Payload	1942 lbs	1746 lbs		
Axles (Single)	2990	2990		
Brakes	Optional	Optional		
Tires	ST205/75 R15	ST205/75 R15		
Wheels	5 Lug	5 Lug		
Frame	3" Tube	3" Tube		
Floor 16"O/C	3/4" Plywood	3/4" Plywood		
Sidewalls (16"O/C)	3/8" Plywood	3/8" Plywood		

**This Information is Private and Confidential Property of Stallion Mfg. Actual Product May Vary
All Prices and Specifications Subject to Change at any time Without Notice.**



STALLION

Stallion Manufacturing 6' Wide Single Axle

Model	SM610SA	SM612SA		
Overall Length	14' 3"	16' 3"		
Width	7' 8"	7' 8"		
Height	7' 5"	7' 5"		
Interior Length	11' 5"	13' 5"		
Width	5' 8"	5' 8"		
Height	5' 11"	5' 11"		
Rear Door Type	Ramp	Ramp		
Rear Door Width	5' 7"	5' 7"		
Rear Door Height	5' 6"	5' 6"		
Hitch Weight	175 lbs.	202 lbs.		
Hitch Height	16"	16"		
Ball Size	2"	2"		
Platform Height	17"	17"		
G.V.W.R.	2990 lbs.	2990 lbs.		
Curb Weight	1460 lbs.	1691 lbs.		
Payload	1530 lbs.	1300 lbs.		
Axles (Single)	2990 lbs.	2990 lbs.		
Brakes	Optional	Optional		
Tires	ST205/75 R15	ST205/75 R15		
Wheels	5 Lug	5 Lug		
Frame	3" Tube	3" Tube		
Floor (16"O/C)	3/4" Plywood	3/4" Plywood		
Sidewalls (16"O/C)	3/8" Plywood	3/8" Plywood		

**This Information is Private and Confidential Property of Stallion Mfg. Actual Product May Vary
All Prices and Specifications Subject to Change at any time Without Notice.**



Stallion Manufacturing 6' Wide Tandem Axle

Model	SM610TA	SM612TA		
Overall Length	14' 4"	16' 4"		
Overall Width	7' 8"	7' 8"		
Overall Height	7' 5"	7' 5"		
Interior Length	13' 5"	13' 5"		
Interior Width	5' 8"	5' 8"		
Interior Height	5' 11"	5' 11"		
Rear Door Type	Ramp	Ramp		
Rear Door Width	5' 7"	5' 7"		
Rear Door Height	5' 6"	5' 6"		
Hitch Weight	200 lbs	228 lbs		
Hitch Height	17"	17"		
Ball Size	2-5/16"	2-5/16"		
Platform Height	18"	18"		
G.V.W.R.	7,000 lbs	7,000 lbs		
Curb Weight	1670 lbs	1903 lbs		
Payload	5330 lbs	5097 lbs		
Axles	3,500 lbs	3,500 lbs		
Brakes	Electric	Electric		
Tires	ST205/75D15/C	ST205/75D15/C		
Wheels	5 Bolt	5 Bolt		
Frame	4" Tube	4" Tube		
Floor (16"O/C)	3/4" Plywood	3/4" Plywood		
Sidewalls (16"O/C)	3/8" Plywood	3/8" Plywood		

**This Information is Private and Confidential Property of Stallion Mfg. Actual Product May Vary
All Prices Subject to Change at Anytime Without Notice.**



Stallion Manufacturing 7' Wide Tandem Axle				
Model	SM712TA2	SM714TA2	SM716TA2	SM718TA2
Overall Length	16' 11"	18' 11"	20' 11"	22' 11"
Overall Width	8' 6"	8' 6"	8' 6"	8' 6"
Overall Height	7' 9"	7' 9"	7' 11"	7' 11"
Interior Length	13' 8"	15' 8"	17' 8"	18' 8"
Interior Width	80"	80"	80"	80"
Interior Height	6' 1"	6' 1"	6' 1"	6' 1"
Rear Door Type	Ramp	Ramp	Ramp	Ramp
Rear Door Width	6' 3"	6' 3"	6' 3"	6' 3"
Rear Door Height	5' 6"	5' 6"	5' 6"	5' 6"
Hitch Weight	242 lbs	271 lbs	302 lbs	335 lbs
Hitch Height	18"	18"	20"	20"
Ball Size	2-5/16"	2-5/16"	2-5/16"	2-5/16"
Platform Height	19"	19"	21"	21"
G.V.W.R.	7000 lbs	7000 lbs	7000 lbs	7000 lbs
Curb Weight	2020 lbs	2260 lbs	2520 lbs	2844 lbs
Payload	4980 lbs	4740 lbs	4480 lbs	4156 lbs
Axles	3500 lbs	3500 lbs	3500 lbs	3500 lbs
Brakes	Electric	Electric	Electric	Electric
Tires	ST205/75R15/C	ST205/75R15/C	ST205/75R15/C	ST205/75R15/C
Wheels	5 Lug	5 Lug	5 Lug	5 Lug
Frame	4" Tube	4" Tube	6" I-Beam	6" I-Beam
Floor (16"O/C)	¾" Plywood	¾" Plywood	¾" Plywood	¾" Plywood
Sidewalls (16"O/C)	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood

**This Information is Private and Confidential Property of Stallion Mfg. Actual Product May Vary
All Prices and Specifications Subject to Change at any time Without Notice.**



STALLION

Stallion Manufacturing 8.5' Wide Tandem Axle TA2

Model	SM8514TA2	SM8516TA2	SM8518TA2	SM8520TA2
Overall Length	18' 11"	20' 11"	22' 11"	24' 11"
Overall Width	8' 4"	8' 4"	8' 4"	8' 4"
Overall Height	8' 2"	8' 2"	8' 2"	8' 2"
Interior Length	16' 2"	18' 2"	20' 2"	22' 2"
Width/BWW	7' 11"/82-1/2"	7' 11"/82-1/2"	7' 11"/82-1/2"	7' 11"/82-1/2"
Interior Height	6' 4"	6' 4"	6' 4"	6' 4"
Rear Door Type	Ramp	Ramp	Ramp	Ramp
Rear Door Width	7' 6"	7' 6"	7' 6"	7' 6"
Rear Door Height	5' 11"	5' 11"	6' 2"	6' 2"
Hitch Weight	291 lbs	355 lbs	374 lbs	415 lbs
Hitch Height	20"	20"	20"	20"
Ball Size	2-5/16"	2-5/16"	2-5/16"	2-5/16"
Platform Height	21"	21"	21"	21"
G.V.W.R.	7000 lbs	7000 lbs	7000 lbs	7000 lbs
Curb Weight	2422 lbs	2769 lbs	3114 lbs	3460 lbs
Payload	4578 lbs	4231 lbs	3886 lbs	3540 lbs
Axles (Tandem)	3500 lbs.	3500 lbs.	3500 lbs.	3500 lbs.
Brakes	Electric	Electric	Electric	Electric
Tires	ST205/75R15/C	ST205/75R15/C	ST205/75R15/C	ST205/75R15/C
Wheels	5 Lug	5 Lug	5 Lug	5 Lug
Frame	6" I-Beam	6" I-Beam	6" I-Beam	6" I-Beam
Floor (16"O/C)	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood
Sidewalls (16"O/C)	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood

**This Information is Private and Confidential Property of Stallion Mfg. Actual Product May Vary
All Prices and Specifications Subject to Change at any time Without Notice.**



STALLION

Stallion Manufacturing 8.5' Wide Tandem Axle TA3

Model	SM8514TA3	SM8516TA3	SM8518TA3	SM8520TA3
Overall Length	18' 11"	20' 11"	22' 11"	24' 11"
Overall Width	8' 6"	8' 6"	8' 6"	8' 6"
Overall Height	8' 2"	8' 2"	8' 2"	8' 2"
Interior Length	16' 2"	18' 2"	20' 2"	22' 2"
Width/BWW	7' 11"/82-1/2"	7' 11"/82-1/2"	7' 11"/82-1/2"	7' 11"/82-1/2"
Interior Height	6' 4"	6' 4"	6' 4"	6' 4"
Rear Door Type	Ramp	Ramp	Ramp	Ramp
Rear Door Width	7' 6"	7' 6"	7' 6"	7' 6"
Rear Door Height	5' 11"	5' 11"	6' 2"	6' 2"
Hitch Weight	309 lbs	353 lbs	397 lbs	440 lbs
Hitch Height	20"	20"	20"	20"
Ball Size	2-5/16"	2-5/16"	2-5/16"	2-5/16"
Platform Height	21"	21"	21"	21"
G.V.W.R.	9999 lbs	9999 lbs	9999 lbs	9999 lbs
Curb Weight	2576 lbs	2944 lbs	3312 lbs	3670 lbs
Payload	7423 lbs	7055 lbs	6687 lbs	6329 lbs
Axles (Tandem)	5200 lbs	5200 lbs	5200 lbs	5200 lbs
Brakes	Electric	Electric	Electric	Electric
Tires	ST225/75D15/D	ST225/75D15/D	ST225/75D15/D	ST225/75D15/D
Wheels	6 Lug	6 Lug	6 Lug	6 Lug
Frame	6" I-Beam	6" I-Beam	6" I-Beam	6" I-Beam
Floor (16"O/C)	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood
Sidewalls (16"O/C)	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood

**This Information is Private and Confidential Property of Stallion Mfg. Actual Product May Vary
All Prices and Specifications Subject to Change at any time Without Notice.**



STALLION

Stallion Manufacturing 8.5' Wide Tandem Axle TA3

Model	SM8522TA3	SM8524TA3	SM8526TA3	SM8528TA3
Overall Length	26' 11"	28' 11"	30' 11"	32' 11"
Overall Width	8' 6"	8' 6"	8' 6"	8' 6"
Overall Height	8' 2"	8' 2"	8' 2"	8' 2"
Interior Length	24' 2"	26' 2"	28' 2"	30' 2"
Width/BWW	7' 11"/82-1/2"	7' 11"/82-1/2"	7' 11"/82-1/2"	7' 11"/82-1/2"
Interior Height	6' 4"	6' 4"	6' 2"	6' 2"
Rear Door Type	Ramp	Ramp	Ramp	Ramp
Rear Door Width	7' 6"	7' 6"	7' 6"	7' 6"
Rear Door Height	6' 2"	6' 2"	6' 2"	6' 2"
Hitch Weight	486 lbs	529 lbs	574 lbs	618 lbs
Height	20"	20"	20"	20"
Ball Size	2-5/16"	2-5/16"	2-5/16"	2-5/16"
Platform Height	21"	21"	21"	21"
G.V.W.R.	9999 lbs	9999 lbs	9999 lbs	9999 lbs
Curb Weight	4048 lbs	4416 lbs	4784 lbs	5152 lbs
Payload	5951 lbs	5583 lbs	5215 lbs	4847 lbs
Axles	5200 lbs	5200 lbs	5200 lbs	5200 lbs
Brakes	Electric	Electric	Electric	Electric
Tires	ST225/75R15/D	ST225/75R15/D	ST225/75R15/D	ST225/75R15/D
Wheels	6 Lug	6 Lug	6 Lug	6 Lug
Frame	6" I-Beam	6" I-Beam	8" I-Beam	8" I-Beam
Floor (16"O/C)	3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood
Sidewalls (16"O/C)	3/8" Plywood	3/8" Plywood	3/8" Plywood	3/8" Plywood

**This Information is Private and Confidential Property of Stallion Mfg. Actual Product May Vary
All Prices and Specifications Subject to Change at any time Without Notice.**