

UNA-CLAD™

METAL ROOFING SYSTEMS



VERSATILE



DURABLE



SUSTAINABLE



BEAUTIFUL

UNA-CLAD™ METAL ROOFING SYSTEMS

Since the introduction of UNA-CLAD metal roofing systems more than 50 years ago, these products have become one of the leading architectural metal roofing brands in the construction industry. Elevate UNA-CLAD metal roofing systems are designed for long-lasting durability, ensuring the protection of your investment. UNA-CLAD offers a variety of durable, reliable, and environmentally friendly roofing system options. UNA-CLAD allows for maximum design freedom with a wide range of materials, widths, and finishes.

To further protect your investment, install the roofing system over our CLAD-GARD™ metal underlayment products. Available in self-adhered and mechanically attached options, CLAD-GARD underlayment provides an ideal moisture barrier between the roof deck and adjacent metal system. Easy to install, CLAD-GARD provides a skid-resistant surface, nail resealability, high temperature resistance, corrosion protection, weatherproofing during installation, and more.

ELEVATE RED SHIELD™ WARRANTY

When we say “Nobody Covers You Better™” we mean it. Elevate metal roofing products are backed by the trusted Red Shield Warranty, providing you peace of mind for years to come.



UNA-CLAD METAL ROOFING SYSTEMS _____	01	UNA-CLAD METAL FLAT SHEET AND COIL _____	09
UNA-CLAD METAL ROOFING PANELS _____	02	UNA-CLAD METAL COLORS _____	10
UNA-CLAD METAL ROOFING PANEL CLIPS _____	03	UNA-CLAD METAL NATIONAL AVAILABILITY _____	11
UNA-CLAD METAL SOFFIT PANELS _____	04	UNA-CLAD METAL ROLLFORM PROGRAM _____	12
UNA-CLAD WALL PANEL SYSTEMS _____	05 - 08	CLAD-GARD METAL ROOFING UNDERLAYMENTS _____	13

UNA-CLAD™ METAL ROOFING PANELS

Elevate's warranted UNA-CLAD roofing panels are high-quality candidates for architectural enhancements to a variety of metal roofing applications. These systems can accommodate a variety of roofing designs and are eligible for Red Shield warranty* protection. UNA-CLAD panels also allow for varying levels of thermal expansion, water resistance, uplift, and more.

UNA-CLAD panels are factory-formed up to 50' lengths and are readily available for delivery. For projects that require longer panels, on-site roll-formed panels can be fabricated through our Elevate Rollform Program.

* When installed by a licensed Red Shield applicator. Restrictions apply. See Red Shield Warranties on ElevateCommercialBP.com for details.

UC-3

UNA-CLAD UC-3 Roofing Panel is a factory-formed architectural standing seam metal roof panel featuring a traditional 1-1/2" mechanical lock seam for enhanced design flexibility. The double-lock system is mechanically seamed in the field and offers proven high wind performance. It can be curved or tapered to accommodate complex architectural geometry.


- Connection Type: Mechanical-Lock
- FM Approved / Miami-Dade Approved / Florida Building Code Approved / UL Listed
- 35 Pre-finished Color Options
- May qualify for Elevate's 30-Year Platinum Warranty



UC-4

UNA-CLAD UC-4 Roofing Panel is a 1-1/2" snap-lock, self-locking architectural standing seam metal roof panel that completely eliminates the need for clips. UC-4 Roofing Panel's unique integral fastening flange accommodates thermal movement and its easy snap-together seam saves installation time and money.


- Connection Type: Snap-Lock
- FM Approved / Miami-Dade Approved / Florida Building Code Approved / UL Listed
- 35 Pre-finished Color Options
- May qualify for Elevate's 25- and 30-Year Platinum Warranties



UC-6

UNA-CLAD UC-6 Double-Lock Standing Seam Roofing Panel features a 2" mechanical lock seam and utilizes the proven seaming process of Pittsburgh Locking in conjunction with the floating action of a concealed clip and assembly. This design allows for expansion and contraction caused by natural elements to provide a virtually leak-proof roof with exceptional uplift ratings.

- Connection Type: Mechanical-Lock
- FM Approved / Miami-Dade Approved / Florida Building Code Approved / UL Listed
- 35 Pre-finished Color Options
- May qualify for Elevate's 30-Year Platinum Warranty



UC-7

UNA-CLAD UC-7 Roofing Panel is a factory-formed, 1" batten seam Snap-On Batten standing seam metal roof panel. The UC-7 roofing panel offers a straightforward installation with the appearance of a thin-line standing seam. The panel is available in a wide variety of materials and finishes, including Kynar™ coated G-90 Galvanized Steel and Aluminum, Copper.

- Connection Type: Snap-Lock
- UL Listed
- 35 Pre-finished Color Options
- 1" profile which offers the designer the ability to specify and create high-profile features
- High radius capabilities and can be curved for radius applications.
- Not eligible for Elevate warranty coverage



UC-14




Elevate UNA-CLAD UC-14 Roofing Panel is a factory-formed architectural standing seam metal roof panel with a proven 1-3/4" tall continuous interlocking seam that snaps together for ease of installation. The system uses a concealed clip fastening method for added protection and is designed to accommodate very long panels and virtually unlimited thermal expansion.

- Connection Type: Snap-Lock
- FM Approved / Miami-Dade Approved / Florida Building Code Approved / UL Listed
- 35 Pre-finished Color Options
- May qualify for Elevate's 30-Year Platinum Warranty



ROOFING PANEL ENHANCEMENTS

To reduce the risk of distortion, often referred to as "oil-canning," Elevate offers a range of stiffening rib profile options for metal panels. Striations, Flat Ribs, and Pencil Ribs are subtly raised patterns that run parallel to the seams, enhancing both panel strength and visual appeal. Embossed finishes further help minimize waviness by diffusing light and adding surface texture. Profile and finish availability may vary by panel. Please refer to individual product descriptions for details.



UNA-CLAD™ METAL ROOFING PANEL CLIPS

Elevate's UNA-CLAD Metal Roofing Panel Clips are specifically designed to work with Elevate's full line of UNA-CLAD Roofing Panels.

UC-3 CLIPS

UC-3 Super Clips

UNA-CLAD UC-3 Super Clip is specially designed to be used in the UC-3 Standing Roof Panel. The design of the clip allows the upper tab to be mechanically integrated into the double-lock seam. The two-piece construction allows for the thermal movement of the panel while providing positive securement to the deck.

MATERIAL AVAILABLE:

- Galvanized Steel
- Stainless Steel



UC-3 Expansion Clips

UNA-CLAD UC-3 Expansion Clips are specially designed to be used in the attachment of the UNA-CLAD UC-3 Standing Seam Roof Panel. The design of the clip allows the upper tab to be mechanically integrated into the double-lock seam. The two-piece construction allows for thermal movement of the panel while providing positive securement to the deck.

MATERIAL AVAILABLE:

- Stainless Steel




UC-3 Fixed Clip

UNA-CLAD UC-3 Fixed Clips are specially designed to be used in the attachment of the UNA-CLAD UC-3 Standing Seam Roof Panel. The design of the clip allows the upper tab to be mechanically integrated into the double-lock seam.

MATERIAL AVAILABLE:

- Galvanized Steel
- Stainless Steel



UC-7 CLIPS

UC-7 Clips

UNA-CLAD UC-7 Clip is specially designed to be used in the attachment of the UNA-CLAD UC-7 Standing Seam Roof Panel. The design of the clip allows for unlimited thermal movement of the panel while securing the UC-7 Snap-on Batten.

MATERIAL AVAILABLE:

- Galvanized Steel
- Stainless Steel




UC-6 CLIPS

UC-6 Low Float Clip

UNA-CLAD UC-6 Low-Float Clip is specially designed to be used in the attachment of the UNA-CLAD UC-6 Standing Seam Roof Panel. The design of the clip allows the upper tab to be mechanically integrated into the double-lock seam. The two-piece construction allows for thermal movement of the panel while providing positive securement to the deck or purlin.

MATERIAL AVAILABLE:

- Galvanized Steel
- Stainless Steel



UC-6 Super Clips

UNA-CLAD UC-6 Super Clip is specially designed to be used in the attachment of the UNA-CLAD UC-6 Standing Seam Roof Panel. The design of the clip allows the upper tab to be mechanically integrated into the double-lock seam. The two-piece construction allows for thermal movement of the panel while providing positive securement to the deck or purlin.

MATERIAL AVAILABLE:

- Galvanized Steel
- Stainless Steel



UC-6 Fixed Clip

UNA-CLAD UC-6 Fixed Clip is specially designed to be used in the attachment of the UNA-CLAD UC-6 Standing Seam Roof Panel. The design of the clip allows the upper tab to be mechanically integrated into the double-lock seam.

MATERIAL AVAILABLE:

- Galvanized Steel



UC-14 CLIPS

UC-14 Clips

UNA-CLAD UC-14 Clips are specially designed to be used in the attachment of the UNA-CLAD UC-14 Standing Seam Roof Panel. The design of the clip allows the upper tab to be mechanically integrated into the double-lock seam.

MATERIAL AVAILABLE:

- Galvanized Steel
- Stainless Steel




UNA-GLAD™ METAL SOFFIT PANELS

Elevate Metal Soffit Panels are available in a range of colors, materials, widths, textures, profiles, and beautifully integrate with other Elevate metal roofing products. Soffit panels are manufactured in three styles: flush, reveal, and v-groove. Soffit systems are available in copper, steel, and aluminum for superior versatility, durability, and weatherability for a variety of applications.

UC-500 Flush Panel

1-inch flush panel system, designed for secure mechanical attachment and sequential installation. Each panel is precision roll-formed to exact dimensions, ensuring consistent quality and a sleek appearance. Key features include a robust 35-year warranty on the coil-coated Kynar 500®/Hylar 5000® finish, a reliable male/female interlocking joint design, an optional vented profile for enhanced airflow, and its lightweight construction, making it ideal for various architectural applications.

- 35-year warranty on coil-coated Kynar 500®/Hylar 5000®
- Male/female interlocking joint design
- Optional vented profile
- Sequential installation



MATERIAL OPTIONS:

- Coil anodized aluminum
- Coil-coated aluminum
- Widths Available: 8", 12", 16" and 20"


FINISH OPTIONS:

- Coil-anodized
- Custom coatings
- Kynar 500®/Hylar 5000® high performance fluorocarbon resinous coatings

UC-750 V Groove

The 1/2-inch soffit panel system is mechanically attached and installed in a sequential pattern. All panel systems are roll-formed to specified dimensions and tolerances, ensuring accurate formation.

- 35-year warranty on coil-coated Kynar 500®/Hylar 5000®
- Male/female interlocking joint design
- Optional vented profile
- Sequential installation



MATERIAL OPTIONS:

- Coil anodized aluminum
- Coil-coated aluminum
- Widths Available: 12", 16"


FINISH OPTIONS:

- Coil-anodized
- Custom coatings
- Kynar 500®/Hylar 5000® high performance fluorocarbon resinous coatings

UC-501 Reveal Flush Panel

The 1-inch reveal joint flush panel system is mechanically attached and installed in a sequential pattern. All panel systems are to be roll-formed to specified dimensions and tolerances and shall be accurately formed.

- 35-year warranty on coil-coated Kynar 500®/Hylar 5000®
- Bent and irregular shapes available
- Male/female interlocking joint design
- Sequential installation
- Special reveals available
- Stiffening ribs available
- Venting available




MATERIAL OPTIONS:

- Coil-anodized aluminum
- Coil-coated aluminum
- Copper in various gauges and finishes
- Widths Available: 8", 12", 16", 20"
- Steel coil-coated extra smooth galvanized


FINISH OPTIONS:

- Coil-anodized
- Kynar 500®/Hylar 5000® high performance fluorocarbon resinous coatings



UNA-CLAD™ WALL PANEL SYSTEMS

Elevate provides concealed fastener metal wall panels, sheet, and coil products to help you achieve your desired aesthetic. Choose from a variety of standard and custom metal colors, all backed by Elevate's finish warranty and exceptional performance.




DELTA CONCEALED FASTENER PANELS

Elevate offers eleven profiles in the Delta Series of concealed fastener panels. The Delta Series is a high-performance cladding system, offered in a range of materials and profiles. The Delta Series' unique design allows for rapid installation and a visual safeguard to ensure the panels are correctly interconnected. There are 31 standard UNA-CLAD metal colors in addition to custom color offerings. The aluminum panels can be anodized.

- Concealed fastening for a crisp, clean aesthetic
- Consistent joint detailing, so all Delta Series panels can be installed with each other
- Can be installed with or without attachment clips to accommodate the wall assembly design
- Can be installed with corrugations running horizontally or vertically
- Foam and metal end closures are available
- Optional attachment clips are available in both stainless steel and galvanized steel
- Kynar® 500/Hylar® 5000 high performance fluorocarbon resinous coatings
- Maximum Panel length – 30' Steel; 22' Aluminum unless stated otherwise.
- Contact Elevate prior to specifying 18-gauge and 20-gauge G90 Galvanized Steel to check availability.


CFP-12



MATERIAL AVAILABLE:

- 22-ga. G90 Galvanized Steel
- .040" and .050" Aluminum
- 18-ga. and 20-ga. G-90 Galvanized Steel


CFP-12B



MATERIAL AVAILABLE:

- 22-ga. G90 Galvanized Steel
- .040" and .050" Aluminum
- 18-ga. and 20-ga. G-90 Galvanized Steel


CFP-12F



MATERIAL AVAILABLE:

- 18-ga, 20-ga, 22-ga. and 24-ga. G90 Galvanized Steel (Max Panel Length = 40')
- .040" and .050" Aluminum (Max Panel Length = 40')


CFP-16T



MATERIAL AVAILABLE:

- 22-ga. and 24-ga. G90 Galvanized Steel
- .040" and .050" Aluminum
- 18-ga. and 20-ga. G-90 Galvanized Steel


CFP-12T



MATERIAL AVAILABLE:

- 22-ga. and 24-ga. G90 Galvanized Steel
- .040" and .050" Aluminum
- 18-ga. and 20-ga. G-90 Galvanized Steel


CFP-16TP



MATERIAL AVAILABLE:

- 22-ga. and 24-ga. G90 Galvanized Steel
- .040" and .050" Aluminum
- 18-ga. and 20-ga. G-90 Galvanized Steel


CFP-16B



MATERIAL AVAILABLE:

- 22-ga. and 24-ga. G90 Galvanized Steel
- .040" and .050" Aluminum
- 18-ga. and 20-ga. G-90 Galvanized Steel


CFP-162B



MATERIAL AVAILABLE:

- 22-ga. and 24-ga. G90 Galvanized Steel
- .040" and .050" Aluminum
- 18-ga. and 20-ga. G-90 Galvanized Steel


CFP-16C



MATERIAL AVAILABLE:

- 22-ga. and 24-ga. G90 Galvanized Steel
- .040" and .050" Aluminum
- 18-ga. and 20-ga. G-90 Galvanized Steel


CFP-162C



MATERIAL AVAILABLE:

- 22-ga. and 24-ga. G90 Galvanized Steel
- .040" and .050" Aluminum
- 18-ga. and 20-ga. G-90 Galvanized Steel

CFP-16F



MATERIAL AVAILABLE:

- 18-ga, 20-ga, 22-ga. and 24-ga. G90 Galvanized Steel (Max Panel Length = 40')
- .040" and .050" Aluminum (Max Panel Length = 40')

OMEGA EXPOSED FASTENER PANELS

Elevate offers six profiles of exposed fastener panels. Choose from a variety of colors and material options. All systems are lightweight and feature excellent flatness, overlapping joint design and exposed fasteners.

- 20-year warranty on coil-coated Kynar 500® / Hylar 5000®
- Excellent deflection resistance
- Exposed fasteners
- Non-sequential installation
- Very lightweight

NOTE: Panels cannot be radiused or tapered. Oil canning is not a cause for rejection.

UC-600

Net Coverage = 42.67"


MATERIAL AVAILABLE:

- Coil-coated aluminum
- Post-painted aluminum (short run, custom colors)
- Steel coil-coated extra smooth galvanized

FINISH OPTIONS:

- Batch anodized
- Custom coatings
- Fluoropolymer high gloss finish
- Kynar 500®/Hylar 5000® high performance fluorocarbon resinous coatings

NOTE: Maximum length cannot exceed 40'




UC-601

Net Coverage = 40"

MATERIAL AVAILABLE:

- Steel coil-coated extra smooth galvanized

NOTE: Corrugations can be irregular.
Maximum length cannot exceed 40'




5V-Crimp

Net Coverage = 20.5"

MATERIAL AVAILABLE:

- Coil-anodized aluminum
- Coil-coated aluminum
- Copper in various gauges and finishes
- Post-painted aluminum (short run, custom colors)
- Steel coil-coated extra smooth galvanized

NOTE: Maximum length cannot exceed 50'





HR-Ultra Omega

Net Coverage = 36"

MATERIAL AVAILABLE:

- Coil-anodized aluminum
- Coil-coated aluminum
- Post-painted aluminum (short run, custom colors)
- Steel coil-coated extra smooth galvanized

NOTE: Maximum length cannot exceed 40'





UR-Pro Omega

Net Coverage = 36"

MATERIAL AVAILABLE:

- Coil-anodized aluminum
- Coil-coated aluminum
- Copper in various gauges and finishes
- Post-painted aluminum (short run, custom colors)
- Steel coil-coated extra smooth galvanized

NOTE: Maximum length cannot exceed 40'





VR-Classic Omega

Net Coverage = 36"

MATERIAL AVAILABLE:

- Coil-anodized aluminum
- Coil-coated aluminum
- Post-painted aluminum (short run, custom colors)
- Steel coil-coated extra smooth galvanized

NOTE: Maximum length cannot exceed 40'



UNA-CLAD™ METAL FLAT SHEET AND COIL

Choose Elevate as your supplier for flat sheets and slit coil products to complete your UNA-CLAD roofing project. We stock the most common gauges of commercial substrates in painted galvanized steel, galvalume steel, painted aluminum, architectural grade copper, bare galvanized steel, acrylume, and more. Custom colors, specialty metals, unique gauges, and print patterns are available upon request with low minimum order requirements.

Flat Sheet

Elevate Metal Flat Sheets are engineered for performance for roofing and architectural applications. These flat sheets are versatile and suitable for use in press brakes to create precise bends and folds, making them ideal for crafting trims, flashings, and edge metal. They are offered in a variety of material options and colors, providing aesthetic versatility and functionality.

- **MATERIAL:** Available in Aluminum, Galvanized Steel, Galvalume Steel, and Copper
- **THICKNESS:** 22ga., 24ga., and 26ga. as well as .032", .040", .050", and .063" are available
- **FINISH OPTIONS:** Extra Smooth Matte, low to medium gloss
- **DIMENSIONS:** 4'x 10' and 4'x 12' are available



Coil

Elevate Metal Coil offers versatility and efficiency for a range of roofing and industrial applications. Engineered for performance, this coil provides the flexibility and strength needed for continuous or large-scale projects. Coils are for use in rollforming equipment to create a variety of panels, including siding, roofing, and structural components. The slitting process ensures uniform width and quality, allowing for seamless integration into rollforming machinery. With a range of material options and finishes available, Elevate Slit Coils offer exceptional durability and aesthetic flexibility for diverse construction and manufacturing needs.

- **MATERIAL:** Available in Aluminum, Galvanized Steel, Galvalume Steel, and Copper
- **THICKNESS:** 22ga., 24ga., and 26ga. as well as .032", .040", .050", and .063" are available
- **FINISH OPTIONS:** Extra Smooth Matte, Low to Medium Gloss
- **DIMENSIONS:** 20", 21", and 24" available as standard, custom widths available upon request




Embossed Metal

Embossing enhances the performance and appearance of any flat sheet by adding texture that increases durability and helps minimize the visual effect of oil canning. This subtle patterning improves both aesthetics and structural integrity, making it an excellent choice for a variety of applications. It is especially beneficial in cold storage environments, where embossed panels contribute to durability and energy efficiency.


Elevate now offers embossed metal across a wider range of materials. This added value comes at no additional cost. Whether your priority is visual appeal or enhanced performance, embossing delivers extra benefits without affecting your budget.



UNA-GLAD™ METAL COLORS



STONE WHITE



BONE WHITE



ALMOND



SANDSTONE



SIERRA TAN



SLATE GRAY



AGED ZINC •



CITYSCAPE



CHARCOAL GRAY



MATTE BLACK



MOUNTAIN BLACK ♦



MANSARD BROWN



BURNISHED SLATE •▲



MEDIUM BRONZE



DARK BRONZE



EXTRA DARK BRONZE



BRANDY WINE



REGAL RED •



COLONIAL RED ♦



TERRA COTTA



HARTFORD GREEN •



AWARD BLUE •▲



REGAL BLUE •



SKY BLUE



ELECTRIC BLUE •▲



TEAL •



SHERWOOD GREEN



DARK IVY



PATINA GREEN



HEMLOCK GREEN •



TROPICAL PATINA •



VINTAGE •▲



SILVER METALLIC •▲



CLASSIC COPPER •▲



CHAMPAGNE METALLIC •▲

Colors shown are as close to actual painted steel as allowed by the printing process. For finish warranty information and actual metal samples, please contact your local Elevate Sales Rep. SRI numbers available by request.

• = Denotes premium color.

♦ = Denotes FEVE finish.

▲ = Due to the unique nature of the product, color may vary slightly from batch to batch. Batches should not be mixed on projects.

UNA-GLAD™ METAL NATIONAL AVAILABILITY

COLOR / FINISH	GALVANIZED STEEL				ALUMINUM				ANODIZED			ZINCALUME PLUS	BONDERIZED	COPPER	GALVALUME
	20GA	22GA	24GA	26GA	.032	.040	.050	.063	.032	.040	.050	24GA	24GA	16OZ	24GA
	48"	48"	40"	48"	48"	48"	48"	48"	48"	48"	48"	48"	48"	48"	48"
Aged Zinc ●				▲											
Almond		▲	■	▲	■	▲	▲	▲							
Amazon Blue ●				▲		▲									
Award Blue ●				▲											
AZ55												▲			
Bare - 3105					▲	▲									
Bare - G90	▲	▲		▲											
Bonderized													▲		
Bone White		▲		▲	▲	▲	▲	▲							▲
Brandywine				▲											
Burnished Slate ●				▲											
Champagne Metallic ●		▲		▲		▲									
Charcoal Gray		▲	■	▲	▲	▲									▲
Cityscape		▲		▲	▲	▲	▲								▲
Classic Copper ●				▲											
Clear									▲	▲	▲				
Colonial Red ◆		▲	■	▲		▲									
Copper														■	
Dark Bronze		▲		▲	▲	▲	▲	▲		▲					▲
Dark Ivy			■	▲											
Electric Blue ●				▲											
Extra Dark Bronze		▲		▲	▲	▲	▲								
Hartford Green ●				▲		▲									▲
Hemlock Green ●				▲											
Mansard Brown		▲	■	▲	▲	▲									
Matte Black		▲		▲	▲	▲	▲	▲							▲
Medium Bronze		▲		▲	▲	▲	▲								▲
Mountain Black ◆		▲	■	▲	▲	▲	▲								▲
Patina Green				▲		▲									
Regal Blue ●		▲		▲		▲									
Regal Red ●				▲		▲									
Sandstone		▲	▲	▲	■	▲	▲	▲							▲
Sherwood Green		▲		▲											
Sierra Tan		▲	■	▲	▲	▲	▲								▲
Silver Metallic ●		▲		▲	▲	▲	▲	▲							
Sky Blue		▲		▲		▲									
Slate Gray		▲		▲	▲	▲	▲								
Stone White		▲		▲	▲	▲	▲								
Teal ●				▲											
Terra Cotta				▲											
Tropical Patina ●				▲											
Vintage ●				▲											

▲ = High Availability ■ = Call for Availability ▼ = Limited Availability ● = Premium color ◆ = FEVE Finish

UNA-GLAD™ METAL ROLLFORM PROGRAM

The Elevate Metal Rollform Program enables better control of schedule and budget by providing quality metal that can be formed by the contractor as needed. In addition to the current Elevate panel offerings, Elevate has expanded its warranted rollform portfolio to include UL-Compliant profiles made from the SSQ™ and SSQII™ roof panel machines by New Tech Machinery. The thirteen profiles create a diverse portfolio offering covered by the Elevate Red Shield Warranty.**

* UC-3, UC-6, UC-14, SS100, SS200, and SSQ675 are existing Red Shield Warranted profiles

** Conditions apply. See <https://www.elevatecommercialbp.com/us-en/resources/warranties> for details.

More Options to Cover You Better

The Elevate rollform program metal is stocked in strategic Elevate Distribution Centers and expansion sites for quick delivery. Now offering 13 profiles available for Red Shield Warranty.†

- Most common colors stocked in 19-21" coils
24G Steel and 24G Galvalume
- All 35 colors are available in 19-21" coils with a minimum order. Steel (26G, 24G, and 22G), Galvalume (26G and 24G), and Aluminum (032 and 040)
- Aluminum Anodized available in 19-21" coils with a minimum order – Clear (032 and 040), Dark Bronze (040) and Extra Dark Bronze (040)

† Conditions apply.


See <https://www.elevatecommercialbp.com/us-en/resources/warranties> for details.

Become a Red Shield Licensed Metal Rollform Applicator

- Available to current Red Shield licensed contractors
- Own an Elevate-approved panel machine and sealant equipment
- Recommended by their local Elevate Sales Representative and approved by the Regional Business Manager (RBM)
- Rollform and install a minimum of two (2) Red Shield metal jobs per year
- Complete the Elevate Metal Rollform Agreement

The Elevate Metal Rollform Program provides the flexibility of offsite rollforming with the opportunity to partner with Elevate to install 20-year Red Shield warranted metal roof systems.

Approved Red Shield Profiles



Approved Panel Machines

UL-compliant roof panels produced on New Tech Machine SSQ and SSQII are Elevate warrantable profiles. However, customers will still need to qualify their specific machine with Elevate and are subject to annual inspections as Elevate deems necessary.



NTM
New Tech Machinery
A MAZZELLA COMPANY

CLAD-GARD™ METAL ROOFING UNDERLAYMENTS

Elevate CLAD-GARD underlayments provide an ideal moisture barrier between the roof deck and the adjacent metal system. Providing a skid-resistant surface, nail resealability, high temperature resistance, corrosion protection, weatherproofing during installation, and more, CLAD-GARD is a smart way to protect your metal roofing investment. Easy to install, CLAD-GARD offers the confidence, convenience, performance, and reliability of the high-quality products Elevate consistently delivers.

CLAD-GARD SA

CLAD-GARD SA is a self-adhered premium metal roofing underlayment with a non-reinforced, rubberized asphalt waterproofing membrane for excellent flexibility, adhesion and traction. The membrane is water and fire resistant. CLAD-GARD SA can be applied directly to Elevate ISOGARD™ GL, Elevate ISOGARD™ HD, Elevate ISOGARD™ CG, ISOGARD™ HG, OSB, and plywood substrates. It is eligible for up to 25-year Elevate Red Shield™ Warranty and can be used on slopes steeper than 3:12. Special considerations are available upon request. Please contact your local Elevate representative for more information.




CLAD-GARD R

CLAD-GARD R is an economical choice in Elevate's self-adhered underlayment offering. Featuring a highly textured, slip-resistant surface, CLAD-GARD R provides traction for greater walkability during installation and maintenance. Available in an unboxed, two-square roll, this underlayment has a split-release backer for easy installation and can be directly applied to Elevate HG, OSB, and plywood substrates. It is eligible for up to 25-year Elevate Red Shield™ Warranty and can be used on slopes steeper than 3:12. Special considerations are available upon request. Please contact your local Elevate representative for more information.



CLAD-GARD MA

CLAD-GARD MA is a mechanically attached synthetic roofing underlayment ideal for use in slopes steeper than 5:12. The membrane requires fewer nails than conventional felt underlayments and is stronger and lighter than 30# felt. This 100% recyclable membrane contains no organic material, which can help prevent mold growth, is water and fire resistant. CLAD-GARD MA can be applied directly to Elevate ISOGARD HG, OSB, and plywood substrates. It is eligible for up to a 20-year Elevate Red Shield Warranty.







ELEVATE

NOBODY COVERS YOU BETTER™

Learn more at ElevateCommercialBP.com.

© 2025 Amrize. All Rights Reserved. 07/2025



Elevate is part of the Amrize family of brands