# SAFETY DATA SHEET

1. Identification

Product identifier OnGuard PC5 (PCP # 30421)

Other means of identification

Product code 100016

Recommended use PESTICIDE

Recommended restrictions Per Label

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Address

Ur-Can In

PO BOX 80088

Burlington, Ontario

L7L6B1

**Telephone** General Assistance 1-404-603-7625

E-mail Not available.

**Emergency phone number** Emergency - US 1-866-836-8855 Emergency - Outside US 1-952-852-4646

Supplier Not available.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1

Health hazards Not classified.

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol.

**Precautionary statement** 

**Prevention** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Avoid release to the environment.

Response Collect spillage.

**Storage** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

Other hazards None known.

Supplemental information None.

# 3. Composition/information on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
Naphtha (petroleum), Hydrotreated Heavy		64742-48-9	57.3
Isobutane		75-28-5	17.605

Chemical name	Common name and synonyms	CAS number	%
Propane		74-98-6	17.395
Piperonyl Butoxide		51-03-6	4.727
Pyrethrins		8003-34-7	0.5
Other components below reportal	ble levels		2.473

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

If symptoms develop move victim to fresh air. Get medical attention if symptoms persist. Inhalation Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation. Most important

symptoms/effects, acute and

delayed

treatment needed

Indication of immediate Treat symptomatically. medical attention and special

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Containers should be cooled with

water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

equipment/instructions

Fire fighting

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not

breathe fumes.

General fire hazards Extremely flammable aerosol.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

# Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Level 3 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# Occupational exposure limits

US	<b>ACGIH</b>	<b>Threshold</b>	I imit	Values

Components	Туре	Value
Isobutane (CAS 75-28-5)	STEL	1000 ppm
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
Canada. Alberta OELs (Occ	upational Health & Safety Code, Sc	hedule 1, Table 2)
Components	Туре	Value
Propane (CAS 74-98-6)	TWA	1000 ppm
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
Canada. British Columbia O Safety Regulation 296/97, as Components	• •	s for Chemical Substances, Occupational Health and
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
• • • • • • • • • • • • • • • • • • • •	eg. 217/2006, The Workplace Safety	•
Components	Type	Value
Isobutane (CAS 75-28-5)	STEL	1000 ppm
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
Canada. Ontario OELs. (Cor	ntrol of Exposure to Biological or C	hemical Agents)
Components	Туре	Value
sobutane (CAS 75-28-5)	TWA	800 ppm
Pyrethrins (CAS 8003-34-7)	TWA	5 mg/m3
Canada. Quebec OELs. (Mir	nistry of Labor - Regulation Respec	ting the Quality of the Work Environment)
Components	Туре	Value
Propane (CAS 74-98-6)	TWA	1800 mg/m3
Pyrethrins (CAS 8003-34-7)	TWA	1000 ppm 5 mg/m3
ogical limit values	No biological exposure limits noted	for the ingredient(s).
ropriate engineering trols		0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilatio

# Bio

App controls

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

# Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier.

Wear suitable protective clothing. Other

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Gas. Physical state **Form** Aerosol. Not available. Color Odor Not available. Odor threshold Not available. Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

range

-16.28 °F (-26.82 °C) estimated

-156.0 °F (-104.4 °C) propellant estimated Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

1.4 % estimated

(%)

Flammability limit - upper

9.4 % estimated

(%)

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient** 

(n-octanol/water)

730.13 °F (387.85 °C) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing. 0.694 estimated Specific gravity

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Nitrates. Fluorine. Chlorine. **Hazardous decomposition** No hazardous decomposition products are known.

products

reactions

# 11. Toxicological information

# Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

#### **Acute toxicity**

Sobutane (CAS 75-28-5)   Acute   Inhalation   LC50   Mouse   1237 mg/l, 120 Minutes   52 %, 120 Minutes   52 %, 120 Minutes   52 %, 120 Minutes   52 %, 120 Minutes   1355 mg/l   Naphtha (petroleum), Hydrotreated Heavy (CAS 64742-48-9)   Acute   Dermal   LD50   Rabbit   > 1900 mg/kg, 24 Hours   Naphtha (D50   Rabbit   > 1900 mg/kg, 24 Hours   Naphtha (D50   Rabbit   > 1900 mg/kg, 24 Hours   Naphtha (D50   Rabbit   > 1900 mg/kg, 24 Hours   >	Components	Species	Test Results
Inhalation	Isobutane (CAS 75-28-5)		
LC50 Mouse 1237 mg/l, 120 Minutes 52 %, 120 Minutes 52 %, 120 Minutes 52 %, 120 Minutes 1355 mg/l  Naphtha (petroleum), Hydrotreated Heavy (CAS 64742-48-9)  Acute Dermal LD50 Rabbit > 1900 mg/kg, 24 Hours  Inhalation LC50 Rat > 5000 mg/m3, 4 Hours > 4980 mg/m3			
Rat   125 mg/l   120 Minutes   125 mg/l   12			
Rat	LC50	Mouse	1237 mg/l, 120 Minutes
Acute         Acute         Dermal       > 1900 mg/kg, 24 Hours         Inhalation       > 5000 mg/m3, 4 Hours         LC50       Rat       > 4980 mg/m3       > 4980 mg/m3, 4 Hours         Value       Augusta       > 4980 mg/m3, 4 Hours       > 4980 mg/m3, 4 Hours         Piperonyl       Buttoxide (CAS 51-03-6)       Rat       4820 mg/kg         Piperonyl       Buttoxide (CAS 51-03-6)       X       X         Acute       Dermal       X       X         LD50       Acute       > 2000 mg/kg         Inhalation       X       X       X         LC50       Rat       > 5.2 mg/l, 4 Hours         Propare (CAS 74-98-6)       Acute       X       X         Inhalation       X       X       X       X         LC50       Mouse       1237 mg/l, 120 Minutes       X       X         Acute       Inhalation       X			52 %, 120 Minutes
Acute   Dermal   LD50		Rat	1355 mg/l
Dermal   LD50	Naphtha (petroleum), Hydrot	treated Heavy (CAS 64742-48-9)	
LD50   Rabbit   \$1900 mg/kg, 24 Hours	<u>Acute</u>		
Inhalation	Dermal		
LC50	LD50	Rabbit	> 1900 mg/kg, 24 Hours
Section   Sect	Inhalation		
Section   Sect	LC50	Rat	> 5000 mg/m3, 4 Hours
Note			> 4980 mg/m3
Oral LD50         Rat         4820 mg/kg           Piperonyl Butoxide (CAS 51-03-6)         4820 mg/kg           Acute Dermal LD50         5 2000 mg/kg           Inhalation         5 2 mg/l, 4 Hours           C50         Rat         5 2000 mg/kg           Propane (CAS 74-98-6)         8 2000 mg/kg           Acute Inhalation         4 2000 mg/kg           LC50         Mouse         1237 mg/l, 120 Minutes           52 %, 120 Minutes         52 %, 120 Minutes           52 %, 120 Minutes         1355 mg/l			> 4980 mg/m3, 4 Hours
LD50   Rat   4820 mg/kg     Piperonyl Butoxide (CAS 51-03-6)     Acute   Dermal     LD50   -			> 4.96 mg/l, 4 Hours
LD50   Rat   4820 mg/kg     Piperonyl Butoxide (CAS 51-03-6)     Acute   Dermal     LD50   -	Oral		
Acute Dermal       Dermal       > 2000 mg/kg         LD50       -       > 2000 mg/kg         Inhalation       Value       > 5.2 mg/l, 4 Hours         Oral       D50       Rat       > 2000 mg/kg         Propane (CAS 74-98-6)       Acute       Acute       Inhalation         LC50       Mouse       1237 mg/l, 120 Minutes         52 %, 120 Minutes       52 %, 120 Minutes         From the complex of the complex		Rat	4820 mg/kg
Dermal         LD50         > 2000 mg/kg           Inhalation         LC50         Rat         > 5.2 mg/l, 4 Hours           Oral         LD50         Rat         > 2000 mg/kg           Propane (CAS 74-98-6)         Acute         Inhalation         LC50         Mouse         1237 mg/l, 120 Minutes           LC50         Rat         1237 mg/l, 120 Minutes         1235 mg/l           LC50         Rat         1355 mg/l	Piperonyl Butoxide (CAS 51	-03-6)	
LD50   Section   Section	<u>Acute</u>		
Inhalation	Dermal		
LC50       Rat       > 5.2 mg/l, 4 Hours         Oral       LD50       Rat       > 2000 mg/kg         Propane (CAS 74-98-6)       Acute Inhalation       Inhalation       I 237 mg/l, 120 Minutes         LC50       Mouse       52 %, 120 Minutes         Rat       1355 mg/l	LD50	-	> 2000 mg/kg
Oral         LD50       Rat       > 2000 mg/kg         Propane (CAS 74-98-6)         Acute       Inhalation         LC50       Mouse       1237 mg/l, 120 Minutes         52 %, 120 Minutes       52 %, 120 Minutes         Rat       1355 mg/l	Inhalation		
LD50       Rat       > 2000 mg/kg         Propane (CAS 74-98-6)         Acute Inhalation       Inhalation       Inhalation         LC50       Mouse       1237 mg/l, 120 Minutes         52 %, 120 Minutes       52 %, 120 Minutes         Rat       1355 mg/l	LC50	Rat	> 5.2 mg/l, 4 Hours
Propane (CAS 74-98-6)  Acute Inhalation  LC50 Mouse 1237 mg/l, 120 Minutes 52 %, 120 Minutes Rat 1355 mg/l	Oral		
Acute         Inhalation       1237 mg/l, 120 Minutes         LC50       Mouse       1237 mg/l, 120 Minutes         52 %, 120 Minutes       Rat       1355 mg/l	LD50	Rat	> 2000 mg/kg
Inhalation         LC50       Mouse       1237 mg/l, 120 Minutes         52 %, 120 Minutes       52 %, 125 mg/l	Propane (CAS 74-98-6)		
LC50 Mouse 1237 mg/l, 120 Minutes 52 %, 120 Minutes Rat 1355 mg/l	<u>Acute</u>		
52 %, 120 Minutes Rat 1355 mg/l			
Rat 1355 mg/l	LC50	Mouse	1237 mg/l, 120 Minutes
·			52 %, 120 Minutes
658 mg/l/4h		Rat	1355 mg/l
			658 mg/l/4h

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

### Respiratory or skin sensitization

#### Canada - British Columbia OELs: Respiratory or skin sensitiser

Pyrethrins (CAS 8003-34-7) Capable of causing respiratory, dermal or conjunctival

sensitization.

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

**ACGIH Carcinogens** 

Pyrethrins (CAS 8003-34-7)

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

PYRETHRUM (CAS 8003-34-7) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Piperonyl Butoxide (CAS 51-03-6) 3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not likely, due to the form of the product.

# 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

	Species	Test Results		
Piperonyl Butoxide (CAS 51-03-6)				
LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.0027 - 0.0043 mg/l, 96hours		
EC50	Water flea (Daphnia)	0.018 - 0.032 mg/l, 48 hours		
LC50	Brown trout (Salmo trutta)	0.0165 - 0.0229 mg/l, 96hours		
	LC50	LC50 Rainbow trout, donaldson trout (Oncorhynchus mykiss)  EC50 Water flea (Daphnia)		

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

**Bioaccumulative potential** 

Partition coefficient n-octanol / water (log Kow)

Isobutane2.76Piperonyl Butoxide4.75Propane2.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since 6

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

# 14. Transport information

**TDG** 

UN number UN1950

UN proper shipping name AEROSOLS, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -

Packing group Not applicable.

Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This product meets the exemption requirements and may be shipped as a limited quantity.

IATA

UN number UN1950

UN proper shipping name

Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

**Environmental hazards** Yes **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

UN number UN1950 UN proper shipping name AEROSOLS

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

**Environmental hazards** 

Marine pollutant Yes
S F-D, S-U

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG; TDG



Product name: ONGUARD PC5

SDS CANADA

# Marine pollutant

IMDG Regulated Marine Pollutant.



#### **General information**

# 15. Regulatory information

#### Canadian regulations

# **Controlled Drugs and Substances Act**

Not regulated.

#### Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### **Greenhouse Gases**

Not listed.

#### **Precursor Control Regulations**

Not regulated.

# International regulations

#### **Stockholm Convention**

Not applicable.

# **Rotterdam Convention**

Not applicable.

# **Kyoto protocol**

Not applicable.

# **Montreal Protocol**

Not applicable.

# **Basel Convention**

Not applicable.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other Information

**Issue date** 04-12-2017

Version # Revised September 1, 2020

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Product and Company Identification: Alternate Trade Names