
RIO GRANDE DIVERSION INFRASTRUCTURE INVENTORY

Pate: April 9, 2019 Headgate Latitude Longitude Location: 37.68586667 -106.32536667 Headgate Type: Manually operated 2' wide steel slide gate Headgate A □ Diversion and A □ River Miles from North Condition: B □ Other Condition: B □ Channel Rio Grande Terminus (Point of Diversion): F □ D □ Diversion): F □ S.47 mi Repair(s) or Improvement(s) Completed Since 20060: None Structure Description: Channel migration analysis shows the river is stable in the area near this structure. A rock boulder diversion dam directs water to a short feeder channel, located on the south bank of the Rio Grande. The headgate is located on the inside of a bend. The diversion is just upstream of a river bridge. The feeder channel travels underneath the bridge to the headgate. The headgate leak and is difficult to operate. The diversion dam collects some woody debris, but otherwise functions well. Repair(s) or Improvement(s) Currently Needed: The SMP Technical Advisory Team (TAT) recommends headgate repair or replacement to increase efficiency and reduce maintenance. Debris mitigation, either through installation of a sluice gate or continued maintenance, is also recommended. Comments: This ditch includes priorities 73 and 1903-12. Notes:	Structure Name: ANNA RABER D					
Headgate Type: Manually operated 2' wide steel slide gate Headgate Type: Manually operated 2' wide steel slide gate Headgate A □ Diversion and A □ River Miles from North Channel Rio Grande Condition: B □ D□ D□ Diversion: B □ Diversion: B	Reported By: Daniel Boyes					
Location: 37.68586667 -106.32536667 Headgate Type: Manually operated 2' wide steel slide gate Headgate A □ Diversion and A □ River Miles from North Channel Rio Grande Terminus (Point of Diversion): □ □ □ □ □ Diversion): □ □ □ Diversion): □ □ Diversion): □ □ Diversion): □ □ Structure Yes Submerged: No □ □ Diversion): □ Structure Peed: No □ Diversion): □ Structure Description: Channel migration analysis shows the river is stable in the area near this structure. A rock boulder diversion dam directs water to a short feeder channel, located on the south bank of the Rio Grande. The headgate is located on the inside of a bend. The diversion just upstream of a river bridge. The feeder channel travels underneath the bridge to the headgate. The headgate leak and is difficult to operate. The diversion dam collects some woody debris, but otherwise functions well. Repair(s) or Improvement(s) Currently Needed: The SMP Technical Advisory Team (TAT) recommends headgate repair or replacement to increase efficiency and reduce maintenance. Debris mitigation, either through installation of a sluice gate or continued maintenance, is also recommended. Comments: This ditch includes priorities 73 and 1903-12. Notes:	Date: April 9, 201	19				
Headgate A Diversion and A Siver Miles from North Channel Rio Grande Terminus (Point of Diversion): C- Siver Si	•		•	667		
Condition: B Other Condition: B Channel Rio Grande Terminus (Point of Diversion): C	Headgate Type: Manually operated 2' wide steel slide gate					
Structure Description: Channel migration analysis shows the river is stable in the area near this structure. A rock boulder diversion dam directs water to a short feeder channel, located on the south bank of the Rio Grande. The headgate is located on the inside of a bend. The diversion is just upstream of a river bridge. The feeder channel travels underneath the bridge to the headgate. The headgate leak and is difficult to operate. The diversion dam collects some woody debris, but otherwise functions well. Repair(s) or Improvement(s) Currently Needed: The SMP Technical Advisory Team (TAT) recommends headgate repair or replacement to increase efficiency and reduce maintenance. Debris mitigation, either through installation of a sluice gate or continued maintenance, is also recommended. Comments: This ditch includes priorities 73 and 1903-12. Notes:	Condition: B □ C- ⊠ D □	Other Condit	tion:B⊠ C□ D□	Channel Rio Grande Terminus (Point of Diversion):	oti dotai o	
structure. A rock boulder diversion dam directs water to a short feeder channel, located on the south bank of the Rio Grande. The headgate is located on the inside of a bend. The diversion is just upstream of a river bridge. The feeder channel travels underneath the bridge to the headgate. The headgate leak and is difficult to operate. The diversion dam collects some woody debris, but otherwise functions well. Repair(s) or Improvement(s) Currently Needed: The SMP Technical Advisory Team (TAT) recommends headgate repair or replacement to increase efficiency and reduce maintenance. Debris mitigation, either through installation of a sluice gate or continued maintenance, is also recommended. Comments: This ditch includes priorities 73 and 1903-12. Notes:	Repair(s) or Improvement(s) Completed Since 20060: None					
Notes:	structure. A rock bank of the Rio G of a river bridge. and is difficult to Repair(s) or Imprecommends hea	boulder diversion Grande. The head The feeder chann operate. The dive provement(s) Curadgate repair or re	dam directs we gate is located nel travels under collection dam collection dam collection dam collection dam collection dam de collection de c	ater to a short feeder chann on the inside of a bend. The erneath the bridge to the hea ects some woody debris, but d: The SMP Technical Advis	nel, located on the south le diversion is just upstream le adgate. The headgate leake le otherwise functions well. le sory Team (TAT) luce maintenance. Debris	
	Comments: This ditch includes priorities 73 and 1903-12.					
Estimated Range of Cost: Low		o of Coats I ow				

Headgate looking downstream





Diversion dam looking upstream




Diversion dam and feeder ditch



Flume looking downstream



North branch Rio Grande looking downstream




RIO GRANDE DIVERSION INFRASTRUCTURE INVENTORY

ANNA RABER DITCH

PHOTO LOG

Rio Grande Stream Management Plan



Map of headgate with channel margins from 1975 and 2015 overlaid.