

## Technical Data Sheet: SODIUM MOLYBDATE SOLUTION

**Sodium Molybdate Solution** (SMS) is A clear, colorless, aqueous solution containing 35% sodium molybdate. Sodium Molybdate Solution is used as a corrosion inhibitor for open and closed cooling water systems, engine coolants, metal-working fluids, metal finishing, and oil drilling mud's. It has also been used in pigments and as a micronutrient in animal feeds and agriculture. CAS#: 7631-95-0

$\mathbf{rechnicul specific unons. Na_21000_4}$	
Appearance	Clear, colorless liquid
$Na_2MoO_4 \cdot 2H_2O, \%$	40.7 - 41.6
Na <sub>2</sub> MoO <sub>4</sub> ,%	34.7 - 35.4
Molybdenum (Mo), %	16.2 - 16.5
Specific Gravity @ 24°C	1.377-1.386
рН	8.5 - 10.0
Mercury (Hg), %	0.005 Max
Chloride, %	0.005 Max
Heavy Metals as Lead (Pb), %	0.001 Max
Arsenic (As), %	0.002 max
Insoluble Matter, %	0.01 max

## Technical Specifications: Na<sub>2</sub>MoO<sub>4</sub>



**Packaging:** Available in 630lb drums, 3150 lb. totes, and small packs by request.

**Storage:** Store in a cool, dry area. Keep containers closed when not in use. **Shelf Life:** At least five years if properly stored in unopened container. **Safety:** Non-hazardous. Non-flammable. See MSDS for specific information.



The information contained herein is based on the data available to us and is believed to be accurate as of the date prepared however, NorthMoly and North Metal & Chemical Company makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.