



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21110008-003

Harvest/Lot ID: RRS4422

Batch#: RRS4422

Seed to Sale# N/A

Batch Date: N/A

Sample Size Received: 120 gram

Total Batch Size: N/A

Retail Product Size: 3.75 gram

Ordered : 11/10/22

Sampled : 11/10/22

Completed: 11/15/22

Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 5

Nov 15, 2022 | HIGH ROLLER PRIVATE LABEL LLC
4095N 28TH WAY
HOLLYWOOD, FL, 33020, US




PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filt
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
ND

Total THC/Gummy : 0 mg



Total CBD
0.715%

Total CBD/Gummy : 26.812 mg



Total Cannabinoids
0.719%

Total Cannabinoids/Gummy : 26.962 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	0.715	ND	ND	ND	ND	ND	ND	0.004	ND
mg/g	ND	ND	7.15	ND	ND	ND	ND	ND	ND	0.04	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3404, 3112, 1665, 585

Weight:
3.3429g

Extraction date:
11/11/22 10:04:38

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA052250POT
Instrument Used : DA-LC-007
Running on : 11/11/22 10:27:39

Reviewed On : 11/12/22 14:32:50
Batch Date : 11/11/22 08:05:53

Dilution : 40
Reagent : 111022.01; 101222.R02; 030322.03; 070121.27; 110922.R05
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA21110008-003

Harvest/Lot ID: RRS4422

Batch# : RRS4422

Sampled : 11/10/22

Ordered : 11/10/22

Sample Size Received : 120 gram

Total Batch Size : N/A

Completed : 11/15/22 Expires: 11/15/23

Sample Method : SOP Client Method

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
CUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3404, 585, 53	1.1419g	11/11/22 12:15:11	585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL,					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch :			Reviewed On :	11/14/22 10:40:22	
FENHEXAMID	0.01	ppm	3	PASS	ND	DA052271PES			Batch Date :	11/11/22 09:24:19	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used :					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	DA-LCMS-004 (PES)					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Running on :					
FLONICAMID	0.01	ppm	2	PASS	ND	11/11/22 13:34:00					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Dilution :					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	250					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Reagent :					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	110722.R01; 110422.R18; 110722.R24; 110922.R07; 092820.59					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Consumables :					
MALATHION	0.01	ppm	2	PASS	ND	6676024-02					
METALAXYL	0.01	ppm	3	PASS	ND	DA-093; DA-094; DA-219					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette :					
METHOMYL	0.01	ppm	0.1	PASS	ND	DA-080; DA-146; DA-218					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
						3404, 450, 53	1.1419g	11/11/22 12:15:11	585		
						Analysis Method :					
						N/A					
						Analytical Batch :			Reviewed On :	11/14/22 10:35:00	
						DA052273VOL			Batch Date :	11/11/22 09:25:52	
						Instrument Used :					
						DA-GCMS-001					
						Running on :					
						N/A					
						Dilution :					
						250					
						Reagent :					
						110422.R18; 092820.59; 111022.R38; 111022.R27					
						Consumables :					
						6676024-02; 14725401					
						Pipette :					
						DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA21110008-003

Harvest/Lot ID: RRS4422

Batch# : RRS4422

Sampled : 11/10/22

Ordered : 11/10/22

Sample Size Received : 120 gram

Total Batch Size : N/A

Completed : 11/15/22 Expires: 11/15/23

Sample Method : SOP Client Method

 4095N 28TH WAY
 HOLLYWOOD, FL, 33020, US
 Telephone: (954) 505-4481
 Email: admin@highrollerllc.com

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: N/A	Weight: N/A	Extraction date: N/A	Extracted by: N/A
---------------------	----------------	-------------------------	----------------------

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA052277SOL
 Instrument Used : DA-GCMS-002
 Running on : 11/14/22 12:13:39

 Reviewed On : 11/14/22 12:36:54
 Batch Date : 11/11/22 12:10:28

 Dilution : 1
 Reagent : 030420.09
 Consumables : 27296; KF140
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA21110008-003

Harvest/Lot ID: RRS4422

Batch# : RRS4422

Sampled : 11/10/22

Ordered : 11/10/22

Sample Size Received : 120 gram

Total Batch Size : N/A

Completed : 11/15/22 Expires: 11/15/23

Sample Method : SOP Client Method

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
LISTERIA MONOCYTOGENES			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3404, 3621, 3729, 3390, 53 Weight: 1.0554g Extraction date: 11/11/22 11:35:37 Extracted by: 3729

Analysis Method : N/A
Analytical Batch : DA052249MIC Reviewed On : 11/15/22 07:16:07
Instrument Used : PathogenDx Scanner DA-111 Batch Date : 11/11/22 08:00:39
Running on : N/A

Dilution : N/A
Reagent : 071422.18; 110822.R31; 072122.26
Consumables : N/A
Pipette : N/A

Analyzed by: 3404, 2682, 53 Weight: 1.0554g Extraction date: 11/11/22 11:35:37 Extracted by: 3729

Analysis Method : SOP.T.40.208, SOP.T.40.209.FL
Analytical Batch : DA052266TYM Reviewed On : 11/14/22 08:43:04
Instrument Used : Incubator (25-27C) DA-097 Batch Date : 11/11/22 09:22:31
Running on : N/A

Dilution : N/A
Reagent : 071422.18
Consumables : 005104
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3404, 585, 53 Weight: 1.1419g Extraction date: 11/11/22 12:15:11 Extracted by: 585

Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : DA052272MYC Reviewed On : 11/14/22 08:16:14
Instrument Used : DA-LCMS-004 (MYC) Batch Date : 11/11/22 09:25:48
Running on : 11/11/22 13:34:24

Dilution : 250
Reagent : 110722.R01; 110422.R18; 110722.R24; 110922.R07; 092820.59
Consumables : 6676024-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
LEAD	0.05	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3

Analyzed by: 3404, 3619, 1022, 53 Weight: 0.4658g Extraction date: 11/11/22 10:44:37 Extracted by: 3619

Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL
Analytical Batch : DA052256HEA Reviewed On : 11/14/22 08:08:23
Instrument Used : DA-ICPMS-003 Batch Date : 11/11/22 08:29:22
Running on : 11/11/22 14:42:22

Dilution : 50
Reagent : 102122.R23; 080222.R36; 110422.R23; 110222.R49; 110422.R21; 110422.R22; 101722.R39; 101722.R38; 100622.35
Consumables : 179436; 210508058; 210803-059
Pipette : DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA21110008-003
Harvest/Lot ID: RRS4422
Batch# : RRS4422
Sampled : 11/10/22
Ordered : 11/10/22

Sample Size Received : 120 gram
Total Batch Size : N/A
Completed : 11/15/22 Expires: 11/15/23
Sample Method : SOP Client Method

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 1879	NA	N/A	N/A

Analysis Method : N/A
Analytical Batch : DA052263FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 11/11/22 13:39:39
Reviewed On : 11/11/22 13:47:11
Batch Date : 11/11/22 09:16:43

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.