



# Certificate of Analysis


## COMPLIANCE FOR RETAIL

Sample: DA21211004-003  
Harvest/Lot ID: WR24422  
Batch#: WR24422  
Seed to Sale# N/A  
Batch Date: N/A  
Sample Size Received: 138 gram  
Total Amount: 1 gram  
Retail Product Size: 7.5 gram  
Ordered : 12/09/22  
Sampled : 12/09/22  
Completed: 01/04/23  
Sampling Method: SOP.T.20.010.FL

**PASSED**  
Pages 1 of 5

Jan 04, 2023 | HIGH ROLLER PRIVATE LABEL LLC  
4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US



| PRODUCT IMAGE   | SAFETY RESULTS   |  |  |  |  |   |   |   | MISC.   |
|---|--|--|--|--|--|---|---|---|---|
|  | <br>Pesticides<br><b>PASSED</b> | <br>Heavy Metals<br><b>PASSED</b> | <br>Microbials<br><b>PASSED</b> | <br>Mycotoxins<br><b>PASSED</b> | <br>Residuals Solvents<br><b>PASSED</b> | <br>Filtth<br><b>PASSED</b> | <br>Water Activity<br>NOT TESTED | <br>Moisture<br>NOT TESTED | <br>Terpenes<br>NOT TESTED |

### Cannabinoid **PASSED**

|   |  |  |
|---|--|--|
| <br><b>Total THC</b><br><b>ND</b><br>Total THC/Gummy : 0 mg | <br><b>Total CBD</b><br><b>0.462%</b><br>Total CBD/Gummy : 34.65 mg | <br><b>Total Cannabinoids</b><br><b>0.466%</b><br>Total Cannabinoids/Gummy : 34.95 mg |
|---|--|--|

|      | D9-THC | THCA  | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %    | ND     | ND    | 0.462 | ND    | ND     | ND    | ND    | ND    | ND    | 0.004 | ND    |
| mg/g | ND     | ND    | 4.62  | ND    | ND     | ND    | ND    | ND    | ND    | 0.04  | ND    |
| LOD  | 0.001  | 0.001 | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
|      | %      | %     | %     | %     | %      | %     | %     | %     | %     | %     | %     |

**Analyzed by:** 3335, 3112, 53, 1440      **Weight:** 8.1458g      **Extraction date:** 12/12/22 10:32:43      **Extracted by:** 3335  
**Analysis Method :** SOP.T.40.031, SOP.T.30.031      **Reviewed On :** 12/13/22 13:03:24  
**Analytical Batch :** DA053438POT      **Batch Date :** 12/12/22 08:16:38  
**Instrument Used :** DA-LC-007  
**Running on :** 12/12/22 11:26:41  
**Dilution :** 400  
**Reagent :** 120122.R22; 071222.48; 071222.01; 120122.R18; 022322.38  
**Consumables :** 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270  
**Pipette :** N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA21211004-003

Harvest/Lot ID: WR24422

Batch# : WR24422

Sampled : 12/09/22

Ordered : 12/09/22

Sample Size Received : 138 gram

Total Amount : 1 gram

Completed : 01/04/23 Expires: 01/04/24

Sample Method : SOP Client Method

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Page 2 of 5



## Pesticides

**PASSED**

| Pesticide                                  | LOD  | Units | Action Level | Pass/Fail | Result | Pesticide   | LOD            | Units                   | Action Level         | Pass/Fail | Result |
|--|------|-------|--------------|-----------|--------|---|----------------|-------------------------|----------------------|-----------|--------|
| <b>TOTAL CONTAMINANT LOAD (PESTICIDES)</b> | 0.01 | ppm   | 30           | PASS      | ND     | <b>OXAMYL</b>   | 0.01           | ppm                     | 0.5                  | PASS      | ND     |
| <b>TOTAL DIMETHOMORPH</b>                  | 0.01 | ppm   | 3            | PASS      | ND     | <b>PACLOBUTRAZOL</b>  | 0.01           | ppm                     | 0.1                  | PASS      | ND     |
| <b>TOTAL PERMETHRIN</b>                    | 0.01 | ppm   | 1            | PASS      | ND     | <b>PHOSMET</b>  | 0.01           | ppm                     | 0.2                  | PASS      | ND     |
| <b>TOTAL PYRETHRINS</b>                    | 0.01 | ppm   | 1            | PASS      | ND     | <b>PIPERONYL BUTOXIDE</b>   | 0.01           | ppm                     | 3                    | PASS      | ND     |
| <b>TOTAL SPINETORAM</b>                    | 0.01 | ppm   | 3            | PASS      | ND     | <b>PRALLETHRIN</b>  | 0.01           | ppm                     | 0.4                  | PASS      | ND     |
| <b>TOTAL SPINOSAD</b>                      | 0.01 | ppm   | 3            | PASS      | ND     | <b>PROPICONAZOLE</b>  | 0.01           | ppm                     | 1                    | PASS      | ND     |
| <b>ABAMECTIN B1A</b>                       | 0.01 | ppm   | 0.3          | PASS      | ND     | <b>PROPOXUR</b>   | 0.01           | ppm                     | 0.1                  | PASS      | ND     |
| <b>ACEPHATE</b>                            | 0.01 | ppm   | 3            | PASS      | ND     | <b>PYRIDABEN</b>  | 0.01           | ppm                     | 3                    | PASS      | ND     |
| <b>ACEQUINOCYL</b>                         | 0.01 | ppm   | 2            | PASS      | ND     | <b>SPIROMESIFEN</b>   | 0.01           | ppm                     | 3                    | PASS      | ND     |
| <b>ACETAMIPRID</b>                         | 0.01 | ppm   | 3            | PASS      | ND     | <b>SPIROTETRAMAT</b>  | 0.01           | ppm                     | 3                    | PASS      | ND     |
| <b>ALDICARB</b>                            | 0.01 | ppm   | 0.1          | PASS      | ND     | <b>SPIROXAMINE</b>  | 0.01           | ppm                     | 0.1                  | PASS      | ND     |
| <b>AZOXYSTROBIN</b>                        | 0.01 | ppm   | 3            | PASS      | ND     | <b>TEBUCONAZOLE</b>   | 0.01           | ppm                     | 1                    | PASS      | ND     |
| <b>BIFENAZATE</b>                          | 0.01 | ppm   | 3            | PASS      | ND     | <b>THIACLOPRID</b>  | 0.01           | ppm                     | 0.1                  | PASS      | ND     |
| <b>BIFENTHRIN</b>                          | 0.01 | ppm   | 0.5          | PASS      | ND     | <b>THIAMETHOXAM</b>   | 0.01           | ppm                     | 1                    | PASS      | ND     |
| <b>BOSCALID</b>                            | 0.01 | ppm   | 3            | PASS      | ND     | <b>TRIFLOXYSTROBIN</b>  | 0.01           | ppm                     | 3                    | PASS      | ND     |
| <b>CARBARYL</b>                            | 0.01 | ppm   | 0.5          | PASS      | ND     | <b>PENTACHLORONITROBENZENE (PCNB) *</b>   | 0.01           | PPM                     | 0.2                  | PASS      | ND     |
| <b>CARBOFURAN</b>                          | 0.01 | ppm   | 0.1          | PASS      | ND     | <b>PARATHION-METHYL *</b>   | 0.01           | PPM                     | 0.1                  | PASS      | ND     |
| <b>CHLORANTRANILIPROLE</b>                 | 0.01 | ppm   | 3            | PASS      | ND     | <b>CAPTAN *</b>   | 0.07           | PPM                     | 3                    | PASS      | ND     |
| <b>CHLORMEQUAT CHLORIDE</b>                | 0.01 | ppm   | 3            | PASS      | ND     | <b>CHLORDANE *</b>  | 0.01           | PPM                     | 0.1                  | PASS      | ND     |
| <b>CHLORPYRIFOS</b>                        | 0.01 | ppm   | 0.1          | PASS      | ND     | <b>CHLORFENAPYR *</b>   | 0.01           | PPM                     | 0.1                  | PASS      | ND     |
| <b>CLOFENTEZINE</b>                        | 0.01 | ppm   | 0.5          | PASS      | ND     | <b>CYLUTHRIN *</b>  | 0.05           | PPM                     | 1                    | PASS      | ND     |
| <b>CUMAPHOS</b>                            | 0.01 | ppm   | 0.1          | PASS      | ND     | <b>CYPERMETHRIN *</b>   | 0.05           | PPM                     | 1                    | PASS      | ND     |
| <b>DAMINOZIDE</b>                          | 0.01 | ppm   | 0.1          | PASS      | ND     |   |                |                         |                      |           |        |
| <b>DIAZINON</b>                            | 0.01 | ppm   | 3            | PASS      | ND     | <b>Analyzed by:</b>   | <b>Weight:</b> | <b>Extraction date:</b> | <b>Extracted by:</b> |           |        |
| <b>DICHLORVOS</b>                          | 0.01 | ppm   | 0.1          | PASS      | ND     | 585, 795, 53, 1440  | 1.1138g        | 12/12/22 15:49:55       | 585                  |           |        |
| <b>DIMETHOATE</b>                          | 0.01 | ppm   | 0.1          | PASS      | ND     |   |                |                         |                      |           |        |
| <b>ETHOPROPHOS</b>                         | 0.01 | ppm   | 0.1          | PASS      | ND     | <b>Analysis Method :</b>  |                |                         |                      |           |        |
| <b>ETOFENPROX</b>                          | 0.01 | ppm   | 0.1          | PASS      | ND     | SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),  |                |                         |                      |           |        |
| <b>ETOXAZOLE</b>                           | 0.01 | ppm   | 1.5          | PASS      | ND     | SOP.T.40.102.FL (Davie)   |                |                         |                      |           |        |
| <b>FENHEXAMID</b>                          | 0.01 | ppm   | 3            | PASS      | ND     | <b>Analytical Batch :</b>   |                | <b>Reviewed On :</b>    |                      |           |        |
| <b>FENOXYCARB</b>                          | 0.01 | ppm   | 0.1          | PASS      | ND     | DA053443PES   |                | 12/13/22 16:57:35       |                      |           |        |
| <b>FENPYROXIMATE</b>                       | 0.01 | ppm   | 2            | PASS      | ND     | <b>Instrument Used :</b>  |                | <b>Batch Date :</b>     |                      |           |        |
| <b>FIPRONIL</b>                            | 0.01 | ppm   | 0.1          | PASS      | ND     | DA-LCMS-003 (PES)   |                | 12/12/22 08:24:46       |                      |           |        |
| <b>FLONICAMID</b>                          | 0.01 | ppm   | 2            | PASS      | ND     | <b>Running on :</b>   |                |                         |                      |           |        |
| <b>FLUDIOXONIL</b>                         | 0.01 | ppm   | 3            | PASS      | ND     | 12/12/22 15:51:11   |                |                         |                      |           |        |
| <b>HEXYTHIAZOX</b>                         | 0.01 | ppm   | 2            | PASS      | ND     | <b>Dilution :</b>   |                |                         |                      |           |        |
| <b>IMAZALIL</b>                            | 0.01 | ppm   | 0.1          | PASS      | ND     | 250   |                |                         |                      |           |        |
| <b>IMIDACLOPRID</b>                        | 0.01 | ppm   | 1            | PASS      | ND     | <b>Reagent :</b>  |                |                         |                      |           |        |
| <b>KRESOXIM-METHYL</b>                     | 0.01 | ppm   | 1            | PASS      | ND     | 120522.R01; 111622.R42; 120622.R07; 120722.R01; 092820.59   |                |                         |                      |           |        |
| <b>MALATHION</b>                           | 0.01 | ppm   | 2            | PASS      | ND     | <b>Consumables :</b>  |                |                         |                      |           |        |
| <b>METALAXYL</b>                           | 0.01 | ppm   | 3            | PASS      | ND     | 6676024-02  |                |                         |                      |           |        |
| <b>METHIOCARB</b>                          | 0.01 | ppm   | 0.1          | PASS      | ND     | <b>Instrument Used :</b>  |                |                         |                      |           |        |
| <b>METHOMYL</b>                            | 0.01 | ppm   | 0.1          | PASS      | ND     | DA-GCMS-001   |                |                         |                      |           |        |
| <b>MEVINPHOS</b>                           | 0.01 | ppm   | 0.1          | PASS      | ND     | <b>Running on :</b>   |                |                         |                      |           |        |
| <b>MYCLOBUTANIL</b>                        | 0.01 | ppm   | 3            | PASS      | ND     | 12/12/22 15:38:51   |                |                         |                      |           |        |
| <b>NALED</b>                               | 0.01 | ppm   | 0.5          | PASS      | ND     | <b>Dilution :</b>   |                |                         |                      |           |        |
|  |      |       |              |           |        | 250   |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Reagent :</b>  |                |                         |                      |           |        |
|  |      |       |              |           |        | 111622.R42; 092820.59; 120122.R67; 120622.R24   |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Consumables :</b>  |                |                         |                      |           |        |
|  |      |       |              |           |        | 6676024-02; 14725401  |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Pipette :</b>  |                |                         |                      |           |        |
|  |      |       |              |           |        | DA-093; DA-094; DA-219  |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b> |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Analyzed by:</b>   | <b>Weight:</b> | <b>Extraction date:</b> | <b>Extracted by:</b> |           |        |
|  |      |       |              |           |        | 3379, 585, 1440, 53   | 1.1138g        | 12/12/22 15:49:55       | 585                  |           |        |
|  |      |       |              |           |        | <b>Analysis Method :</b>  |                |                         |                      |           |        |
|  |      |       |              |           |        | SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL  |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Analytical Batch :</b>   |                | <b>Reviewed On :</b>    |                      |           |        |
|  |      |       |              |           |        | DA053445VOL   |                | 12/13/22 16:50:27       |                      |           |        |
|  |      |       |              |           |        | <b>Instrument Used :</b>  |                | <b>Batch Date :</b>     |                      |           |        |
|  |      |       |              |           |        | DA-GCMS-001   |                | 12/12/22 08:27:03       |                      |           |        |
|  |      |       |              |           |        | <b>Running on :</b>   |                |                         |                      |           |        |
|  |      |       |              |           |        | 12/12/22 15:38:51   |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Dilution :</b>   |                |                         |                      |           |        |
|  |      |       |              |           |        | 250   |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Reagent :</b>  |                |                         |                      |           |        |
|  |      |       |              |           |        | 111622.R42; 092820.59; 120122.R67; 120622.R24   |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Consumables :</b>  |                |                         |                      |           |        |
|  |      |       |              |           |        | 6676024-02; 14725401  |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Pipette :</b>  |                |                         |                      |           |        |
|  |      |       |              |           |        | DA-093; DA-094; DA-219  |                |                         |                      |           |        |
|  |      |       |              |           |        | <b>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>    |                |                         |                      |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature

01/04/23

Signed On



# Certificate of Analysis

**PASSED**
**HIGH ROLLER PRIVATE LABEL LLC**

 4095N 28TH WAY  
 HOLLYWOOD, FL, 33020, US  
 Telephone: (954) 505-4481  
 Email: admin@highrollerllc.com

**Sample : DA21211004-003**
**Harvest/Lot ID: WR24422**
**Batch# : WR24422**
**Sampled : 12/09/22**
**Ordered : 12/09/22**
**Sample Size Received : 138 gram**
**Total Amount : 1 gram**
**Completed : 01/04/23 Expires: 01/04/24**
**Sample Method : SOP Client Method**
**Page 3 of 5**



## Residual Solvents

PASSED

| Solvents             | LOD  | Units | Action Level | Pass/Fail | Result |
|----------------------|------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE   | 0.8  | ppm   | 8            | PASS      | ND     |
| 1,2-DICHLOROETHANE   | 0.2  | ppm   | 2            | PASS      | ND     |
| 2-PROPANOL           | 50   | ppm   | 500          | PASS      | ND     |
| ACETONE              | 75   | ppm   | 750          | PASS      | ND     |
| ACETONITRILE         | 6    | ppm   | 60           | PASS      | ND     |
| BENZENE              | 0.1  | ppm   | 1            | PASS      | ND     |
| BUTANES (N-BUTANE)   | 500  | ppm   | 5000         | PASS      | ND     |
| CHLOROFORM           | 0.2  | ppm   | 2            | PASS      | ND     |
| DICHLOROMETHANE      | 12.5 | ppm   | 125          | PASS      | ND     |
| ETHANOL              | 500  | ppm   | 5000         | PASS      | ND     |
| ETHYL ACETATE        | 40   | ppm   | 400          | PASS      | ND     |
| ETHYL ETHER          | 50   | ppm   | 500          | PASS      | ND     |
| ETHYLENE OXIDE       | 0.5  | ppm   | 5            | PASS      | ND     |
| HEPTANE              | 500  | ppm   | 5000         | PASS      | ND     |
| METHANOL             | 25   | ppm   | 250          | PASS      | ND     |
| N-HEXANE             | 25   | ppm   | 250          | PASS      | ND     |
| PENTANES (N-PENTANE) | 75   | ppm   | 750          | PASS      | ND     |
| PROPANE              | 500  | ppm   | 5000         | PASS      | ND     |
| TOLUENE              | 15   | ppm   | 150          | PASS      | ND     |
| TOTAL XYLENES        | 15   | ppm   | 150          | PASS      | ND     |
| TRICHLOROETHYLENE    | 2.5  | ppm   | 25           | PASS      | ND     |

|                               |                    |                                       |                      |
|-------------------------------|--------------------|---------------------------------------|----------------------|
| Analyzed by:<br>850, 53, 1440 | Weight:<br>0.0236g | Extraction date:<br>12/13/22 14:57:42 | Extracted by:<br>850 |
|-------------------------------|--------------------|---------------------------------------|----------------------|

|  |   |
|--|---|
| Analysis Method : SOP.T.40.041.FL<br>Analytical Batch : DA053475SOL<br>Instrument Used : DA-GCMS-002<br>Running on : 12/14/22 06:10:40 | Reviewed On : 12/14/22 08:06:22<br>Batch Date : 12/12/22 15:25:33 |
|--|---|

Dilution : 1  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA21211004-003

Harvest/Lot ID: WR24422

Batch# : WR24422

Sampled : 12/09/22

Ordered : 12/09/22

Sample Size Received : 138 gram

Total Amount : 1 gram

Completed : 01/04/23 Expires: 01/04/24

Sample Method : SOP Client Method

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Page 4 of 5

|   |                  |               |   |                   |               |
|---|------------------|---------------|---|-------------------|---------------|
|  | <b>Microbial</b> | <b>PASSED</b> |  | <b>Mycotoxins</b> | <b>PASSED</b> |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte                       | LOD | Units | Result      | Pass / Fail | Action Level |
|-------------------------------|-----|-------|-------------|-------------|--------------|
| ESCHERICHIA COLI SHIGELLA SPP |     |       | Not Present | PASS        |              |
| SALMONELLA SPECIFIC GENE      |     |       | Not Present | PASS        |              |
| LISTERIA MONOCYTOGENES        |     |       | Not Present | PASS        |              |
| TOTAL YEAST AND MOLD          | 10  | CFU/g | <10         | PASS        | 100000       |

Analyzed by: 3390, 3336, 585, 1440      Weight: 1.0181g      Extraction date: 12/12/22 10:30:19      Extracted by: 3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA053447MIC      Reviewed On : 12/13/22 16:37:15  
Instrument Used : PathogenDx Scanner DA-111      Batch Date : 12/12/22 09:15:57  
Running on : 12/12/22 10:38:05

Dilution : N/A  
Reagent : 091422.13; 110822.R31; 052422.07  
Consumables : N/A  
Pipette : N/A

Analyzed by: 3390, 3336, 53, 1440      Weight: 1.0181g      Extraction date: 12/12/22 10:29:08      Extracted by: 3390,3336

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
Analytical Batch : DA053452TYM      Reviewed On : 12/14/22 11:50:37  
Instrument Used : Incubator (25-27C) DA-097      Batch Date : 12/12/22 10:25:24  
Running on : 12/12/22 10:28:20

Dilution : 10  
Reagent : 091422.13  
Consumables : 004103  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Analyte      | LOD   | Units | Result | Pass / Fail | Action Level |
|--------------|-------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.002 | ppm   | ND     | PASS        | 0.02         |
| AFLATOXIN B1 | 0.002 | ppm   | ND     | PASS        | 0.02         |
| OCHRATOXIN A | 0.002 | ppm   | ND     | PASS        | 0.02         |
| AFLATOXIN G1 | 0.002 | ppm   | ND     | PASS        | 0.02         |
| AFLATOXIN G2 | 0.002 | ppm   | ND     | PASS        | 0.02         |

Analyzed by: 585, 53, 1440      Weight: 1.1138g      Extraction date: 12/12/22 15:49:55      Extracted by: 585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
Analytical Batch : DA053444MYC      Reviewed On : 12/13/22 16:37:53  
Instrument Used : DA-LCMS-003 (MYC)      Batch Date : 12/12/22 08:26:59  
Running on : 12/12/22 15:50:59

Dilution : 250  
Reagent : 120522.R01; 111622.R42; 120622.R07; 120722.R01; 092820.59  
Consumables : 6676024-02  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|   |                     |               |
|---|---------------------|---------------|
|  | <b>Heavy Metals</b> | <b>PASSED</b> |
|---|---------------------|---------------|

| Metal                                | LOD  | Units | Result | Pass / Fail | Action Level |
|--------------------------------------|------|-------|--------|-------------|--------------|
| <b>TOTAL CONTAMINANT LOAD METALS</b> |      |       |        |             |              |
| ARSENIC                              | 0.11 | ppm   | ND     | PASS        | 5            |
| CADMIUM                              | 0.02 | ppm   | ND     | PASS        | 1.5          |
| LEAD                                 | 0.02 | ppm   | ND     | PASS        | 0.5          |
| MERCURY                              | 0.05 | ppm   | ND     | PASS        | 0.5          |
|                                      | 0.02 | ppm   | ND     | PASS        | 3            |

Analyzed by: 1022, 53, 1440      Weight: 0.4857g      Extraction date: 12/12/22 11:56:05      Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA053427HEA      Reviewed On : 12/13/22 15:57:23  
Instrument Used : DA-ICPMS-003      Batch Date : 12/11/22 18:17:35  
Running on : 12/12/22 16:29:12

Dilution : 50  
Reagent : 112222.R82; 080222.R36; 120922.R03; 120822.R05; 120922.R01; 120922.R02; 112122.R11; 120922.R06  
Consumables : 179436; 210508058; 210803-059  
Pipette : DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA21211004-003

Harvest/Lot ID: WR24422

Batch# : WR24422

Sampled : 12/09/22

Ordered : 12/09/22

Sample Size Received : 138 gram

Total Amount : 1 gram

Completed : 01/04/23 Expires: 01/04/24

Sample Method : SOP Client Method

Page 5 of 5

|   |                               |               |
|---|-------------------------------|---------------|
|  | <b>Filth/Foreign Material</b> | <b>PASSED</b> |
|---|-------------------------------|---------------|

| Analyte                    | LOD | Units | Result | P/F  | Action Level |
|----------------------------|-----|-------|--------|------|--------------|
| Filth and Foreign Material | 0.5 | %     | ND     | PASS | 1            |

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|--------------|---------|------------------|---------------|
| 1879, 1440   | NA      | N/A              | N/A           |

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA053527FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Running on : 12/13/22 16:46:20  
 Reviewed On : 12/13/22 16:47:52  
 Batch Date : 12/13/22 16:39:45

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164

  
 Signature

01/04/23

Signed On