



GENERAL

Rini's surgeon chairs in the "Carl" series are ergonomically designed for different types of microsurgery and are available with various special armrests.

There are extensive possibilities for adjusting the backrest and seat, the chairs are also easy to raise and lower with the feet. This gives the surgeon a tailor-made high quality work environment.

The chairs have been developed in close collaboration with surgeons in Sweden and internationally and several thousand are in operation worldwide.







Carl Mk2
Electrical chair
Electrical brake
Optional armrests



Carl Mk3 R7
Electrical chair
Electrical brake
Electrical armrests



Carl Mk4 R7
Electrical chair
Electrical brake
Electrical armrests



Carl 4 Foot
Electrical chair
Mechanical brake
Optional armrests



Carl 4 Heel
Electrical chair
Mechanical brake
Optional armrests



Carl Spring
Manual chair
Mechanical brake
Optional armrests



Carl Swing
Manual chair
Optional armrests

ARMRESTS

Properly used armrests will support and improve the comfort and ergonomics for the surgeon. A well supported surgeon will work with a higher precision and will reduce possible hand tremble.

The armrests have been developed based on research and alongside with surgeons around the world to get the best solution for different needs. They are especially adapted for different types of microsurgery such as Neuro-, ENT-, Eye-, Plastic-, Robot- and Dental surgery.

With over 20 years experience we believe that we will have the armrest solutions for you:



One grip armrest R7

Stable armrests that can be adjusted under sterile coverage, through a one-handed grip. A comfortable cup-shaped armrest is standard 110x295mm / 4x12in and it is possible to choose other arm cushions.



140-00323-00 Cushion soft & convex105x335mm / 4x13in



140-00323-01 Cushion soft & rectangular120x430mm / 5x17in



Rilis Armrest R6

Patented safety feature that prevents them from being disrupted when under load. Height, angle and length is adjusted with push buttons. Curved soft cushions.



Easy Armrest R5

Cup shaped, stable and comfortable armrests with a wide range of movement.

Ball joints that are locked with a knob.



Option:

- 1 140-00324-01 Extended height adjustment 0-540mm / 21in from standard seat
- 2 140-00324-00 Extended height adjustment
 0-440mm / 17in from standard seat
 When working higher up or further away from your body.
- ³ Standard height is adjustable 0-300mm / 0-12in from standard seat.

STANDARD SEAT COLOURS



good for long sessions

Seat 420x460mm / 16x18in

140-00118-00 blue vinyl



140-00118-02 black vinyl



140-00247-00 blue art leather



140-00247-02 black art leather

Vinyl has an airy, ventilated, slick texture Artificial leather has a denser structure and is easy to clean.

Back 300x350mm / 12x14in

OPTIONAL SEATS FOR CARL ELECTRICAL



140-00306-02 cushion kit soft padding Suitable for longer surgeries, thick padding. Seat 440x400mm/17x16in Back 290x300mm/11x12in



Saddle seat Amazone Thick padding, narrow. A 155cm / 5'1" doctor will gain 20cm / 8 in height compared to standard seat. Seat 320x340mm/13x13in Back 240x120mm/9x5in



140-00322-02 Saddle seat Jupmer Thick padding, wide. A 185cm / 6'1" doctor will gain 30cm / 12in in height compared to standard seat. Seat 320x430mm/13x17in Back 240x120mm/9x5in

GENERAL





Seat height is adjustable between Carl Electrical 490-800mm / 19-31in Carl Spring 540-680mm / 21-27in Carl Swing,

> 430-570mm / 16-22in Low 500-700mm / 20-28in Standard 580-820mm / 23-32in High

Seat and backrest can be tilted

Electrical chairs +5° to -15° Seat:

Manual chairs +3° to -12°

Backrest: Electrical chairs -15° to +20°

> Manual chairs -8° to +12°

The width of the armrest can be adjusted to suit your needs.

Armrest can be adjusted front to back and in the suitable position/angle.

ELECTRICAL CHAIRS

The electrical Carl chairs are easy to raise and lower electrically through buttons operated with the foot. The brake is also foot operated, some of the carl chairs has an electrical brake. They are battery operated and easy to move.

CARL MK2

120-00133-03 Carl Mk2 R5 120-00133-00 Carl Mk2 R6 120-00133-01 Carl Mk2 R7





Great accessibility for feet and equipment pedals through a uniquely designed undercarriage composing of three wheels.

Convenient to move thanks to easy-rolling wheels and a stable parking position through an electrical braking system.



All in all, Carl Mk2 offers the surgeon a tailor-made work environment of the highest quality.

150 kg / 331ll	Lifting capacity
43kg / 95ll	Weight
490-800mm / 19-31ii	Height adjustment
550x560mm / 22x22ii	Wheel frame
Battery operated	
Flectrical brake	



Option:

140-00327-00 Pedal platform 600x680mm/24x27in

The platform allows your pedals to follow the chair, while being 63 mm / 2.5 in higher

CARL MK3 ONEGRIP ELECTRICAL R7

120-00133-05 Carl Mk3 R7



Carl Mk3 R7 delivers seamless mobility, featuring smooth-rolling wheels, exceptional accessibility for feet and equipment pedals with its uniquely designed three-wheel undercarriage

CARL MK4 ONEGRIP ELECTRICAL R7

120-00102-07 Carl Mk4 R7



Carl Mk4 R7 offers a wide movement range in both arm height and angle, to make it possible to find the perfect arm position. Dynamic chassis that keeps all 4 wheels steady on the floor.

The armrests are individually adjustable in height electrically, offering a wide range of motion and customizable angles, even under a sterile cover.

The arm height adjustment is 0-600mm / 0-24in from seat and is operated with your thumb. Chair height adjustment is electrically controlled with your heels, as its electric braking system ensures a secure and stable parking position.

CARL 4 FOOT

120-00102-04 Carl 4 Foot R5 120-00102-00 Carl 4 Foot R6 120-00102-02 Carl 4 Foot R7





Electrically powered surgeon chair where height adjustment is controlled with buttons on top of the front wheels. Usually preferred when seated high up.

The chair has large, stable wheels and mechanical brakes on the back wheels.

Dynamic chassis, all 4 wheels will always be steady on the floor.

Lifting capacity
Weight
Height adjustment
Wheel frame

150 kg / 331lb 45kg / 99lb 490-800mm / 19-31in 520x530mm / 20x21in Battery operated Mechanical brake

Option:

140-00129-01 Footrest for Carl 4 foot

Good for when sitting high up, the footrest follows the movements of the chair when height is adjusted



CARL 4 HEEL

120-00102-05 Carl 4 Heel R5 120-00102-01 Carl 4 Heel R6 120-00102-03 Carl 4 Heel R7





Electrically powered surgeon chair with large, stable wheels and mechanical brakes on the back wheels.

The height adjustment is controlled using the heels, buttons placed between the front wheels.

Dynamic chassis, all 4 wheels will always be steady on the floor.



Lifting capacity
Weight
Height adjustment
Wheel frame
Wheel frame
Wheel frame
Wheel frame

Lifting capacity
45kg / 99lb
490-800mm / 19-31in
520x530mm / 20x21in
Battery operated
Mechanical brake

Option:

140-00128-02 50mm / 2in lower lifting column for Carl 4 Good for surgeons that need a lower seating height

MECHANICAL CHAIRS

CARL SWING

120-00101-00 Carl Swing R6 120-00101-01 Carl Swing R7



Carl Swing is rotatable and equipped with a gas spring for height adjustment.

This is made with an ergonomically designed foot control under the chair.

The chair is flexible for the surgeon and offers a variety of different armrests to match clinical demands.

The angle of load on the backrest is self-adapting and the angle of the seat and backrest is adjusted with a simple motion.

High friction castors are standard.

Lifting capacity Weight: Height adjustment:	120kg / 264lb 19kg / 41lb
Low	430-570mm / 18-22in
Standard	500-700mm / 20-28in
High	580-820mm / 23-32in

CARL SPRING

120-00100-00 Carl Spring R6 120-00100-01 Carl Spring R7



Surgeon chair with mechanical height adjustment through an ergonomically designed foot control under the chair.

The chair has large, stable wheels and mechanical brakes on the back wheels.

Stable design which guarantees a comfortable and safe workplace

The angle of load on the backrest is self-adapting and the angle of the seat and backrest is adjusted with a simple motion.

Lifting capacity
Weight
Weight
Height adjustment
Wheel frame
Wheel frame

Lifting capacity
Weight
25kg / 55lb
540-680mm / 21-27in
520x530mm / 20x21in
Mechanical brake



