


# ACRYLIC SHIELD KIT



RBSIGNS.NET  
GB@RBSIGNS.NET  
972-291-0728

1006 JOHNSON LN., MIDLOTIAN, TX 76065



## One (1) Kit Includes:




Acrylic Panels Qty:(8)




Universal  
Connector  
Qty: (4)




Top View  
(1 Per Kit Possible)




QTY: \_\_\_\_\_



(2 Per Kit Possible)  
Top View




Top View  
(2 Per Kit Possible)



Top View  
(1 Per Kit Possible)

-CUSTOM SIZES AVAILABLE UPON REQUEST-

# INDIVIDUAL DESKTOP SHIELDS



**QTY:** \_\_\_\_\_




## CLEAR ACRYLIC SHIELD


KEEP YOU AND YOUR VISITORS SAFE  
FROM SPREADING AIRBORNE GERMS  
WITH A CLEAR ACRYLIC BARRIER.

RB SIGNS CAN DESIGN  
AN ACRYLIC SHIELD  
TO FIT YOUR SPECIFICATIONS


**QTY:** \_\_\_\_\_




23.5" X 30.5"



23.5" X 30.5"



23.5" X 23.5"



31" X 36"

# FLOOR GRAPHICS



## FLOOR GRAPHICS

HELP YOUR STUDENTS AND VISITORS PRACTICE SOCIAL DISTANCING THROUGH THE USE OF VINYL FLOOR GRAPHICS. FLOOR GRAPHICS CAN BE INSTALLED ON CONCRETE, CARPET, TILE, & MORE.



## GRAPHIC EXAMPLES

RB SIGNS CAN DESIGN YOUR GRAPHIC FOR FREE!

**QTY:** \_\_\_\_\_

---

# A-FRAME SIGNS




## A-FRAME SIGNS

TYPICALLY USE AS SIDEWALK ADVERTISING, A-FRAMES CAN BE USED INDOORS AND OUTDOORS TO DIRECT FOOT TRAFFIC TO THE DESIRED LOCATION.

**QTY:** \_\_\_\_\_



PLASTIC - WHITE



PLASTIC - BLACK



METAL - BLACK


# UVC SANITIZING LED

## STERILED

CLEAN SURFACES IN SECONDS USING  
A LED LIGHT TO DISINFECT SURFACES.  
NO LIQUID CLEANERS NEEDED.

QTY: \_\_\_\_\_

## PM-UVC-P03 **SteriLED** *Portable UVGI Sterilizer*




*This laboratory tested UV Portable Light allows you to clean objects in seconds.  
DO NOT touch the UVGI surface. Avoid contact with liquids.*

### SPECIFICATIONS:

Part No.	PM-UVC-P03
Size	20.3 x 12 x 9 (cm) / 8.0 x 4.72 x 3.54 (in)
Weight	1 kg / 2.8 lbs (with wires)
Power Consumption	30W
Beam Angle	30°
Wavelength	275 +/- 5nm
Input Power	AC 100-240V

### ALSO INCLUDED:



**Due to the wavelength and intensity of light, UVC-rated eye protection is required and will be included with your purchase. A stand will also be included, as seen in photo.**