

T407563

## Leaf Made Organics

4821 Lankershim Blvd., F576  
North Hollywood, CA 91601

Hemp R&D




## Full Spectrum Balm 750mg

Sample ID: T407563-01 CCB ID: FSB757302024  
Matrix: Derivative Non-inhalable

Total Sample Received: 56.7g  
Total Units Received: 1  
Unit Weight: 56.7g

Date Sampled: 07/31/2024  
Date Received: 07/31/2024  
Date Reported: 08/02/2024

## Potency Summary



## Cannabinoids

Date Prepared: 07/31/2024 13:24  
Date Analyzed: 07/31/2024 21:10

Prep ID: 4599  
Analyst ID: 5047

Specimen Wt: 0.105 g  
Instrument: HPLC VWD

Lab Batch: 2431067

Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Piece	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	0.0546	N/A	31.0
Cannabidiol (CBD)	1	1.84	N/A	1,043
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	ND	N/A	ND
Cannabigerol (CBG)	1	0.0503	N/A	28.5
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	ND	N/A	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	0.0532	N/A	30.2
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
Total THC		0.0532	0.000	0.000
Total CBD		1.84	0.000	1,043
Total Cannabinoids		2.00	0.000	1,134

Total THC = THCa \* 0.877 + d8-THC. Total CBD = CBDA \* 0.877 + CBD.

mg/Unit = Unit Weight g \* Total THC/CBD mg/g

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com



Brian C. Spann  
Laboratory Director



1 of 1

The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from TerpLife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)