MYSTERY QUILT SERIES BY MICHELLE RENEE HIATT

CLUE #9

TOOLS NEEDED:

- Wedge Star Tool
- Tucker Trimmer III

OVERVIEW: PLEASE READ

- □ For Clue #9; You will need the Viaduct Wedge Pairs units from Clue #6.
- Check out this week's Blog for assistance: <u>Clue #9 Blog Post</u>

UNIT	LARGE THROW/DOUBLE	QUEEN/KING
CLUE #6	32	72
Viaduct Wedge Pairs		


CUTTING INSTRUCTIONS

UNIT	POSITION	FABRIC	LARGE THROW/DOUBLE CUT	QUEEN/KING CUT
Viaduct Wedge Block	Corner Triangle	Assorted Bright	Cut (4) 4 ¼" x HWOF Strips from an assortment of Assorted Bright fabrics. Sub cut into (16) 4 ¼" Squares Sub cut diagonally into (32) HST	Cut (9) 4 ¼" x HWOF Strips from an assortment of Assorted Bright fabrics. Sub cut into (36) 4 ¼" Squares Sub cut diagonally into (72) HST

CONSTRUCTING OCTAGONS

- 1. Gather (32, 72) Viaduct Wedge Pairs.
- Lay out the (4) Viaduct Wedge Pairs into a Block. Position two Viaduct Wedge Pair sections right sides together, align the raw edges and match the seam. Starting with the point, stitch one side with an accurate ¼" seam to create the half block. Press the seam open.

Tip from Michelle: You may want to start with a Leader, in order to prevent your unit from being drawn into your stitch plate. A straight stitch plate also helps with this, as does working with a new needle.




©Michelle Renee Hiatt and Sew on the Go (www.sewonthego.net)

All rights reserved. No part of this pattern may be photocopied or reproduced in any form without prior written consent from: Michelle Renee Hiatt and *Sew On the Go*.

1


MYSTERY QUILT SERIES BY MICHELLE RENEE HIATT

3. **Position** two half blocks together aligning the center, seam intersections, and the raw edges. Pin together and stitch. Press seams open. Repeat until you make a total of (8, 18) Viaduct Wedge Octagons.




4. Mark a halfway registration mark on all 8 wedges. Wedges can be folded in half matching the seams and then lightly pressed to give a centerfold line. Alternately, the centerline of the Wedge Star tool can be placed on the sewn seam with the point of the tool at the center. Mark a line, on the right side of the fabric with a removable marking tool.

Tip from Michelle: You may want to use a thin chalk pencil, such as Sewline Pencil, as the chalk line will remove itself after a couple sewing sessions. Just be careful not to use steam or Best Press while the chalk line is still present.




5. Position the Strip Wedges that you need to trim north, south, east and west on your cutting mat. Align the 10%" sizing diagonal and the common diagonal with the diagonal registration marks on the Accent #1 Large Wedges and the intersection of the lines with the center of the block.



©Michelle Renee Hiatt and Sew on the Go (www.sewonthego.net)


MYSTERY QUILT SERIES BY MICHELLE RENEE HIATT

6. Trim the side and top edges. Rotate the block 180° and line up with the diagonal registration marks on the Accent #1 Large Wedges again. Also align the 10½" clean up lines with the trimmed edges. Trim the final two sides. Repeat for all (8, 18) Viaduct Wedge Octagons.




CONSTRUCTING THE VIADUCT WEDGE BLOCK

- 7. Gather (32, 72) Corner Triangles.
- 8. **Position** a Corner Triangle right sides together with a Strip Wedge that was just trimmed. Align the raw edges and make sure that the triangle is roughly centered under the Strip Wedge.



9. Stitch with the Strip Wedge on top and a perfect ¼" seam. Press toward the Strip Wedge, away from the Corner Triangle. Repeat for all four corners and all Viaduct Wedge Octagons.




©Michelle Renee Hiatt and Sew on the Go (www.sewonthego.net)

All rights reserved. No part of this pattern may be photocopied or reproduced in any form without prior written consent from: Michelle Renee Hiatt and *Sew On the Go.*


3

MYSTERY QUILT SERIES BY MICHELLE RENEE HIATT

10. Trim the block to 10½" with the Tucker Trimmer III. Align the common diagonal and the 10½" sizing diagonal of the Tucker Trimmer III with marked registration points on your Strip Wedges. Make sure that the lines intersect over the center. Trim two sides.



11. Rotate the block 180° and line up the diagonal lines with the registration marks again. Also align the 10½" clean up lines with the trimmed edges. Trim the final two sides.



12. Repeat for all (8, 18) Viaduct Wedge Blocks. Label and set aside.

CLUE #9 RECAP										
C	LUE	UNIT	UNIT CUT SIZE	UNIT FINISH SIZE	THROW/DOUBLE # OF UNITS	QUEEN/KING # OF UNITS				
:	#9	Viaduct Wedge Blocks	10 ½" x 10 ½"	10" x 10"	8	18				

© Michelle Renee Hiatt and Sew on the Go (www.sewonthego.net)

4