

PROUDLY MADE IN INDIA TM



KAAM TOOLS
by AJAY INDUSTRIES

**HIGH QUALITY
CAULKING GUN
MANUFACTURER**

ABOUT COMPANY

AJAY INDUSTRIES laid its foundation stone in 1974 in the city of Ludhiana which is the Manchester City of India . Mr. Ashok Kumar Sital and Mr. Ajay Kumar Sital started with the motive to serve the Indian Domestic as well as International Markets .

As the business was growing with the entrance of new generation, Mr. Ajay Kumar Sital along with Mr. Maulik Sital extended business to MNC's for different types of Industrial and consumer products.

VISION

To be a global connecting force in the industry, we believe in a complete vertical organization with values based on honesty, reliability and professionalism.

MISSION

Commit to professionalism and business excellence, fortifying existing relations and attract customers by providing superior services. Being strategically focused on opportunities and emergent technology thereby enhancing production, growth and specialization.

OUR EXPERTISE

All the processes starting from sheet-metal, aluminium and zinc alloy processing till packing are in-house. Specialist in Hot and Cold Chamber Pressure Die Casting, Sheet Metal processing .

We manufacture all possible qualities of our products based on customers demand.

OUR HIGHLIGHTS

We are reducing our Net Carbon Emissions by 75% by the of Year 2022 by installing solar power plant that fulfils power-demands of our manufacturing unit.

Our Manufacturing Unit



FOR GP SEALANT ONLY

SK- 410G

- MADE OF MILD STEEL SHEETS
- THRUST RATIO 6:1
- HEX ROD
- AVAILABLE FOR 300ML and 400ML TUBES
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES



FOR GP SEALANT ONLY

SK- 410G DC

- TWIN COLOUR MODEL.
- MADE OF MILD STEEL SHEETS
- THRUST RATIO 6:1
- HEX ROD
- AVAILABLE FOR 300ML AND 400ML TUBES
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES



FOR GP SEALANT ONLY

SK- 420G

- FRAME THICKNESS ↑20%.
- MADE OF MILD STEEL SHEETS
- THRUST RATIO 6:1
- HEX ROD
- AVAILABLE FOR 300ML AND 400ML TUBES
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES




STEEL SKELETON CAULKING GUN




FOR GP SEALANT ONLY

SK- 440G DC LHP

- FRAME THICKNESS ↑20%, TWIN COLOUR, INCLUDES LADDER HOOK, AND DE- CLOGGING PIN
- MADE OF MILD STEEL SHEETS
- THRUST RATIO 6:1
- HEX ROD
- AVAILABLE FOR 300ML AND 400ML TUBES
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES



DE- CLOGGING PIN




LADDER HOOK



FOR GP SEALANT ONLY

HR- 420G DC LH P

- THICKER WIDE FRAME, TWIN COLOURS, LADDER HOOK AND DE-CLOGGING PIN
- MADE OF MILD STEEL COLD ROLLED SHEETS
- THRUST RATIO 5:1
- SMOOTH ROD
- AVAILABLE FOR 300ML
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES



DE CLOGGING PIN



RIVETTED BODY AND HANDLE

HALF ROUND CAULKING GUN

FOR GP SEALANT ONLY

HR-370G

- MADE OF MILD STEEL COLD ROLLED SHEETS
- THRUST RATIO 5:1
- SMOOTH ROD
- AVAILABLE FOR 300ML & 400ML TUBES
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES



FOR GP SEALANT ONLY

HR-370G DC

- TWIN COLOUR MODEL.
- MADE OF MILD STEEL COLD ROLLED SHEETS
- THRUST RATIO 5:1
- SMOOTH ROD
- AVAILABLE FOR 300ML & 400ML TUBES
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES



FOR GP SEALANT ONLY

HR-400G


- WIDER FRAME SIZE.
- MADE OF MILD STEEL COLD ROLLED SHEETS
- THRUST RATIO 5:1
- SMOOTH ROD
- AVAILABLE FOR 300ML
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES



FOR GP SEALANT ONLY

HR-420G P

- COMES WITH DE-CLOGGING PIN
- THRUST RATIO 5:1
- SMOOTH ROD
- AVAILABLE FOR 300ML
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES



FOR GP SEALANT ONLY

HR-400G DC LH

- COME WITH WIDER FRAME,
- LADDER HOOK
- TWIN COLOUR MODEL.
- THRUST RATIO 5:1
- SMOOTH ROD
- AVAILABLE FOR 300ML
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR PROMOTIONAL PACKAGES



DIE CASTING ALLOY SKELETON CAULKING GUN

FOR ADHEVISE & GP SEALANT



ASK-390G

- MADE OF ALUMINIUM ALLOY AND MILD STEEL
- THRUST RATIO 7:1
- HEX ROD
- EASY TO USE PRODUCT
- LIGHTWEIGHT YET STURDY
- AVAILABLE FOR 300ML and 400ML TUBES
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- PRODUCT MADE AS PER INTERNATIONAL BENCHMARKS
- IDEAL FOR DIY USERS AND INTERNATIONAL MARKETS

FOR ADHEVISE & GP SEALANT




ASK-390G DC

- TWIN COLOUR MODEL
- MADE OF ALUMINIUM ALLOY AND MILD STEEL
- THRUST RATIO 7:1
- HEX ROD
- EASY TO USE PRODUCT
- LIGHTWEIGHT YET STURDY
- AVAILABLE FOR 300ML AND 400ML TUBES
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- PRODUCT MADE AS PER INTERNATIONAL BENCHMARKS
- IDEAL FOR DIY USERS AND INTERNATIONAL MARKETS

DIE CASTING ALLOY SKELETON CAULKING GUN


FOR ADHEVISE & GP SEALANT



ASK-410G LH

- COMES WITH LADDER HOOK
- MADE OF ALUMINIUM ALLOY AND MILD STEEL
- THRUST RATIO 7:1
- HEX ROD
- EASY TO USE PRODUCT
- LIGHTWEIGHT YET STURDY
- AVAILABLE FOR 300ML & 400ML TUBES
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- PRODUCT MADE AS PER INTERNATIONAL BENCHMARKS
- IDEAL FOR DIY USERS AND INTERNATIONAL MARKETS

FOR GP SEALANT ONLY



ASK-380 LITE

- THRUST RATIO 7:1
- ROUND ROD
- AVAILABLE FOR 300ML & 400ML TUBES
- EASY TO USE PRODUCT
- FOR USE WITH LOW VISCOSITY SEALANT


DIE CASTING ALLOY SKELETON CAULKING GUN

FOR ADHEVISE & GP SEALANT




ASK-410G DC LHP

- COME WITH TWIN COLOUR, LADDER HOOK AND DE CLOGGING PIN
- COMES WITH DE-CLOGGING PIN
- THRUST RATIO 7:1
- HEX ROD
- AVAILABLE FOR 300ML AND 400ML TUBES
- EASY TO USE PRODUCT
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- IDEAL FOR DIY USERS AND INTERNATIONAL MARKETS



LADDER HOOK



DE- CLOGGING PIN

FOR GP SEALANT ONLY



ZD-420G DC

- NOISELESS, NO DRIP, TWIN COLOUR
- MADE OF MILD STEEL COLD ROLLED SHEETS
- THRUST RATIO 5:1
- SMOOTH ROD
- EASY TO USE PRODUCT
- AVAILABLE FOR 300ML TUBES
- ZERO-DRIP MECHANISM ALLOWS HIGH-QUALITY CAULKING
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- PRODUCT MADE AS PER INTERNATIONAL BENCHMARKS
- IDEAL FOR PROFESSIONAL APPLICATION PURPOSES




FOR GP SEALANT ONLY



ZD-440G DC LHP

- NOISELESS, NO DRIP, TWIN COLOUR WITH LADDER HOOK AND DE CLOGGING PIN
- MADE OF MILD STEEL COLD ROLLED SHEETS
- THRUST RATIO 5:1
- SMOOTH ROD
- EASY TO USE PRODUCT
- AVAILABLE FOR 300ML TUBES
- ZERO-DRIP MECHANISM ALLOWS HIGH-QUALITY CAULKING
- FOR USE WITH LOW TO MEDIUM VISCOSITY SEALANT
- PRODUCT MADE AS PER INTERNATIONAL BENCHMARKS
- IDEAL FOR PROFESSIONAL APPLICATION PURPOSES



ALL PURPOSE CAULKING GUN

FOR ADHEVISE & GP SEALANT



AP-550G LH


- WORKS WITH ALL KIND OF SEALANTS
- THRUST RATIO 11:1
- MADE WITH ALUMINUM ALLOY AND MILD STEEL
- SMOOTH ROD
- FOR 300 ML TUBES
- CONTRACTOR GRADE

FOR ADHEVISE & GP SEALANT



AP-550G DC LHP

- TWIN COLOR MODEL
- INCLUDES LADDER HOOK & CLEANING PIN
- WORKS WITH ALL KIND OF SEALANTS
- THRUST RATIO 11:1
- MADE WITH ALUMINUM ALLOY AND MILD STEEL
- SMOOTH ROD
- FOR 300 ML TUBES
- CONTRACTOR GRADE



FOR ADHEVISE & GP SEALANT



SAUS- 600G 2 in 1

- WORKS WITH 600 ML SAUSAGE POUCH & CARTRIDGE
- ALUMINIUM ANODISED TUBE
- SMOOTH ROD
- THRUST RATIO 11:1
- CONTRACTOR GRADE

FOR ADHEVISE & GP SEALANT



SAUS- 300G 2 in 1

- WORKS WITH 600 ML SAUSAGE POUCH & CARTRIDGE
- ALUMINIUM ANODISED TUBE
- SMOOTH ROD
- THRUST RATIO 11:1
- COME WITH TWO NOZZLES
- CONTRACTOR GRADE

WE PROVIDE A VARIETY OF OPTIONS WHEN IT COMES TO PACKAGING OF PRODUCTS
FEW OF THE OPTIONS WE OFFER ARE AS FOLLOWS:




COLD STAMPING OF BRANDS LOGO



PAD PRINTING OF BRANDS LOGO



PRINTED HANGING TAGS



BRAND SPECIFIC POUCHES AND BAGS



BRANDED BOX PACKING PRINTED/
MULTI-COLOUR / MONO-TONE



CUSTOMISABLE PAINT SELECTION

WALNUT CRACKERS

ALUMINIUM DIE CASTED WALNUT CRACKERS FOR CRACKING WALNUT SHELLS



MADE FROM GRADED ALUMINIUM ALLOY | IDEAL FOR WALNUT CRACKING UPTO 45MM
EASY TO USE | FOR HOUSEHOLD AS WELL AS BULK CRACKING

ALUMINIUM & ZINC ALLOY HIGH PRESSURE DIE CASTING



SHEET METAL COMPONENTS



KAAM TOOLS by AJAY INDUSTRIES

E-480, Phase VI, Focal Point Ludhiana 141010 (Punjab) INDIA

Ph: +91 9646716964, 9815559591

L.L Ph: +91-161-2922480

E-Mail: sales@kaamtools.com | ajayinds@kaamtools.com

Web: www.kaamtools.com

