


FINIUM®

WALL PANELS



Interlocking wall panels
Easy installation with glue and nails



CLASSIK

BRISBANE



MAPLE



BLANCO



WHITE OAK



DAKAR



RED OAK




WALNUT



WALNUT



Technical data



solid hardwood

Thickness 2mm, 3.5mm andt 5mm

6 panels in each box
30 sq.ft / box









Classik Walnut



Pholicious / AZ



Super U Beaulieu (grocery store) / Loire, France



Super U Beaulieu (grocery store) / Loire, France







Classik Dakar



IOS Showroom / L.A., CA







Luxury suites at the Century Link Stadium for the Seattle Seahawks / Seattle, WA



El fom Plusfresc - food stand / Spain







HECOLO

SAN FRANCISCO



SAO PAULO




EDINBURGH



Mix of 10 hardwood species: walnut, jatoba, white and red oak, ash, maple, silver maple, birch, hickory and cherry

Technical data



5 panels in each box
25 sq.ft / box





Hecolo Sao Paolo



Proxim pharmacy / Qc. Canada





Good Morning America / ABC tv set













Bar at the TD Garden Arena/ Boston, MA











EVOLUTION

ALB



MAPLE



CINZA



MAPLE



GRIGIO



MAPLE




SZARY



MAPLE



Technical data



4 panels in each box
17 sq.ft/ box















ONATA

NOGAL



WALNUT



SZARY



MAPLE




ANTIQUÉ




KNOTTY WHITE OAK




Technical data



wood veneer with MDF core /
contreplaqué avec coeur en MDF



wood veneer with MDF core /
contreplaqué avec coeur en MDF



wood veneer with MDF core /
contreplaqué avec coeur en MDF



wood veneer with MDF core /
contreplaqué avec coeur en MDF

4 panels in each box
22 sq.ft/ box







HARVEST

SUMMIT



WALNUT



VALLEY



WHITE OAK



UPLAND



WHITE OAK



HILLSIDE





BARNWOOD



HARVEST | Upland/Valley/Summit

Technical data




4 panels in each box
(2 of each)

18.2 sq.ft/ box

HARVEST | Hillside

Technical data



















SKYE


HILLOCK

TALISKER

BELIG

TORRIN

BLAVEN





CEDAR

CEDAR

CEDAR



PINE

PINE



SKYE | Belig, Hillock, Talisker


Technical data



4 panels in each box
(2 of each)

23.5 sq.ft / box

Technical data



3 panels in each box
13.8 sq.ft- / box











Surface
Burning
Characteristics

Surface Burning Characteristics of Building Materials
ASTME84 - 14


Test Sample	Flame Spread Index (FSI)	Smoke Developed Index (SDI)
Classik Walnut	110	140
Classik Dakar	95	300
Classik Brisbane	120	175
Classik Blanco	95	195
Hecolo Collection	120	200
Evolution Collection	75	350
Onata Nogal	125	140
Onata Antique	100	175
Onata Szary	130	120
Harvest Upland and Valley	90	400
Harvest Summit	70	400
Harvest Hillside	n/a	n/a
Skye Hillock, Belig and Talisker	65	180
Skye Blaven and Torrin	Not tested	Not tested

- Flame spread / Smoke developed Index is the result (or the average of the results of multiple tests), rounded to the nearest multiple of 5. Smoke developed results in excess of 200 are rounded to the nearest multiple of 50.

CLASSIFICATION	FSI	SDI
CLASS A or I	0 - 25	0 - 450
CLASS B or II	26 - 75	0 - 450
CLASS C or III	76 - 200	0 - 450

Technical specifications *Classik, Hecolo, Evolution and Onata Collections*


	Classik	Hecolo	Evolution	Onata
Colors	Walnut, Brisbane, Dakar and Blanco	Edinburgh, Sao Paolo and San Francisco	Alb, Cinza, Grigio, Szary	Antique, Szary and Nogal
Hardwood content	Walnut : walnut natural Blanco : white oak natural Dakar : red oak Brisbane : maple	Edinburgh, Sao Paolo, San Francisco (mix of 10 hardwood species) : Walnut, jatoba, white and red oak, ash, maple, silver maple, birch, hickory and cherry	Maple	Harwood laminate with a mdf core Nogal / walnut Szary/maple Antique / white oak
Width	13.5" - 34.29 cm	12" - 30.48 cm	14" - 35.56 cm	14" - 35.56 cm
Length	53.5" - 135.89 cm	60" - 152.4 cm	44" - 111.76 cm	57" - 144.78 cm
Thickness variations including the backing	0.20", 0.24" and 0.31" 5 mm, 6.5 mm and 8mm	0.35" and 0.43" 9 mm and 11 mm	0.33" and 0.39" 8.5 mm and 10 mm	0.28" and 0.35" 7 mm and 9 mm
Backing	Russian Birch 3mm	Russian birch 6mm	Russian birch 6mm	Fibrex 6mm
Finish	Walnut : U.V. varnish, 10% gloss / 100% solid with no solvent Brisbane, Dakar and Blanco : 100% natural Danish oil	100% natural Danish oil	U.V. varnish, 10% gloss / 100% solid with no solvent	Szary and Nogal : U.V. varnish, 10% gloss / 100% solid with no solvent Antique : 100% natural Danish oil
VOC	Varnish : Low voc (0.00 to 0.04 Kg/L) no formaldehyde Oil : VOC-free	VOC-free	Low voc (0.00 to 0.04 Kg/L) no formaldehyde	Varnish : Low voc (0.00 to 0.04 Kg/L) no formaldehyde Oil : VOC-free
Covered area by panel	5 sq ft - 0.465 m2	5 sq ft - 0.465 m2	4.25 sq ft - 0.395 m2	5.5 sq ft - 0.5 m2
Weight of panel	4.9 lbs - 1.8 kg	7.28 lbs - 3.3 kg	5.64 lbs - 2.56 kg	8.75 lbs - 3.97 kg
Pieces per box	6 panels	5 panels	4 panels	4 panels
Covered area by box	30 sq ft - 2.787 m2	25 sq ft - 2.32 m2	17 sq ft - 1.58 m2	22 sq ft - 2 m2 (sold by the box only)
Weight of box	29.4 lbs - 13.2 kg	36 lbs - 16.33 kg	22.6 lbs - 10.25 kg	35 lbs - 15.88 kg
Box dimension	2 ¾" high x 14 ¼" wide x 59 ½" long	2 ½" high x 13" wide x 65 ¾" long	2 ¾" high x 14 ½" wide x 47 ½" long	2" high x 14 ½" wide x 61" long
Fire rating class	Walnut: C* Dakar: C Brisbane: C Blanco: C Class B available, allow 2-3 weeks for production	C* Class B available, allow 2-3 weeks for production	B	C

Accessories	<p>Contour molding Width : 1.25" - 3.175cm Length : 90" - 2.286m Thickness : 0.50" - 13mm</p> <p>+single electrical outlet frame <i>*same wood specie and color as the wall panel</i></p>	<p>Contour molding Width : 1.25" - 3.175cm Length : 90" - 2.286m Thickness : 0.67" - 17mm</p> <p>+ single electrical outlet frame <i>*red oak natural for Sao Paolo, and red oak with a stain for San Francisco and Edinburgh</i></p>	<p>Corner molding Width : 0.75" - 1.91cm Length : 90" - 2.286m Thickness : 0.75" - 19mm</p> <p><i>*same wood specie and color as the wall panel.</i></p>	<p>Corner molding Width : 0.75" - 1.91cm Length : 90" - 2.286m Thickness : 0.75" - 19mm</p> <p><i>*same wood specie and color as the wall panel.</i></p>
Hardwood sourcing	<p>An average of 25% comes from post-industrial waste. The remaining is sourced from America. Any leftover wood from our production is sent to a local company that transforms the wood chips into highly efficient clean-burning wood pellets.</p>			
Finishes	<p>We recycle and reuse our finishes, varnish and oil. There is no waste from start to finish.</p>			
Care and maintenance	<p>A vacuum attachment will remove any dust. If using a pattern with the Danish oil finish, Danish oil can be reapplied to enhance the color of the wood.</p>			
Installation and performance	<p>Glue and nail installation. Do not install over material other than gypse and drywall. Environmental conditions such as exposure to light and fluctuation in temperature and humidity will greatly affect product performance from initial installation throughout its life. Refer to our installation instructions, install video and warranty for proper steps to a successful install and ensure the lifelong performance of your Finium wall.</p>			
Storage	<p>Leave the box flat on the floor in its original wrapping until installation in the room it is to be installed and where the ambient humidity ranges from 35% to 55% before, during and after installation.</p>			
Glue	<p><i>There are no waste from start to finish We recommend the use of Eco-friendly adhesive for the installation such as Heavy Duty Construction Adhesive or Interior/Exterior Construction Adhesive</i></p>			
Sampling	<p>Please refer to our promo tool document.</p>			
<p>Manufacturer</p> 	<p>100% Canadian made</p>			




Technical specifications | Collection Harvest

	Summit	Valley	Upland	Hillside
Wood Specie	Walnut	White Oak	White Oak	Barn wood : mix of pine, cedar and spruce
Width	14" - 35.56 cm	14" - 35.56 cm	14" - 35.56 cm	14" - 35.56 cm
Length	47" - 119.38 cm	47" - 119.38 cm	47" - 119.38 cm	44" - 111.76 cm
Thickness variations including the backing	11.5 mm and 13.5mm 0.43" x 0.51"	11.5 mm and 13.5mm 0.43" x 0.51"	11.5 mm and 13.5mm 0.43" x 0.51"	12 mm and 14 mm 0.47" x 0.55"
Backing	Russian Birch 9mm	Russian Birch 9mm	Russian Birch 9mm	Russian Birch 6mm
Finish	U.V. based varnish, 10% gloss / 100% solid with no solvent	100% natural Danish oil	100% natural Danish oil	Authentic Barn wood: No finish, naturally aged
VOC	Low voc (0.00 to 0.04 Kg/L) No formaldehyde	VOC-free	VOC-free	VOC-free
Covered area by panel	4.55 s.f. - 0.37 m ²	4.55 s.f. - 0.37 m ²	4.55 s.f. - 0.37 m ²	4.25 s.f. - 0.42 m ²
Weight of panel	7.7 lb - 3.2 kg	8.3 lb - 3.63 kg	8.3 lb - 3.63 kg	6 lb - 2.7 kg
Pieces per box	4 wall panels	4 wall panels	4 wall panels	4 wall panels
Covered area by box	18.2 s.f. - 1.67 m ²	18.2 s.f. - 1.67 m ²	18.2 s.f. - 1.67 m ²	17 s.f. - 1.58 m ²
Weight of box	30.8 lb - 13.6 kg	33.2 lb - 15 kg	33.2 lb - 15 kg	24 lb - 10.9 g
Box Dimension	2 ¼" X 14 3/8" X 50 1/8"	2 ¼" X 14 3/8" X 50 1/8"	2 ¼" X 14 3/8" X 50 1/8"	1 ¾" x 14 ½" x 47 ½"
Fire rating class	B	C	C	Not tested (will not be tested)
Accessories	Corner molding ¾" X ¾" x 90" *same wood specie as the wall panel	Corner molding ¾" X ¾" x 90" *same wood specie and color as the wall panel	Corner molding ¾" X ¾" x 90" *same wood specie and color as the wall panel	Corner molding ¾" X ¾" x 90" *maple stained charcoal

Hardwood sourcing	<p>An average of 25% comes from post-industrial waste. The remaining is sourced from America. Any leftover wood from our production is sent to a local company that transforms the wood chips into highly efficient clean-burning wood pellets.</p> <p>Hillside : 100% barn wood harvested locally</p>
Finishes	<p>We recycle and reuse our finishes, varnish and oil. There is no waste from start to finish</p>
Care and maintenance	<p>A vacuum attachment will remove any dust. If using a pattern with the Danish oil finish, Danish oil can be reapplied to enhance the color of the wood <i>(at the exception of the Hillside)</i>.</p>
Installation and performance	<p>Glue and nail installation. Do not install over material other than gypse and drywall.</p> <p>Environmental conditions such as exposure to light and fluctuation in temperature and humidity will greatly affect product performance from initial installation throughout its life. Refer to our installation instructions, install video and warranty for proper steps to a successful install and ensure the lifelong performance of your Finium wall wall.</p>
Glue	<p><i>We recommend the use of Eco-friendly adhesive for the installation such as Heavy Duty Construction Adhesive or Interior/Exterior Construction Adhesive</i></p>
Storage	<p>Leave the box flat on the floor in its original wrapping until installation in the room it is to be installed and where the ambient humidity ranges from 35% to 55% before, during and after installation.</p>
Sampling	<p>Please refer to our promo tool document</p>
 <p>Manufacturer</p>	<p>100% Canadian made</p>

Technical specifications | Collection SKYE


	Blaven	Torrin	Belig	Talisker	Hillock
Wood Specie	Pine	Pine	Cedar	Cedar	Cedar
Width	13.5" - 33 cm	13.5" - 33 cm	18" - 45.72cm	18" - 45.72cm	18" - 45.72cm
Length	49" - 124.5 cm	49" - 124.5 cm	47" - 119.38 cm	47" - 119.38 cm	47" - 119.38 cm
Thickness variations including the backing	12, 16 and 26 mm 0.47, 0.63 and 1"	11.5 mm and 13.5mm 0.47, 0.63 and 1"	8.5 mm and 10.5mm 0.31" and 0.39"	8.5 mm and 10.5mm 0.31" and 0.39"	8.5 mm and 10.5mm 0.31" and 0.39"
Backing	Russian Birch 6mm	Russian Birch 6mm	Russian Birch 6mm	Russian Birch 6mm	Russian Birch 6mm
Finish	100% natural Danish oil	100% natural Danish oil	100% natural Danish oil	100% natural Danish oil	100% natural Danish oil
VOC	VOC-free	VOC-free	VOC-free	VOC-free	VOC-free
Covered area by panel	4.6 s.f. - 0.37 m ²	4.6 s.f. - 0.37 m ²	5.88 s.f. - 0.46 m ²	5.88 s.f. - 0.46 m ²	5.88 s.f. - 0.46 m ²
Weight of panel	8.8 lb - 3.6 kg	8.8 lb - 3.6 kg	6.6 lb - 3.1 kg	6.6 lb - 3.1 kg	6.6 lb - 3.1 kg
Pieces per box	3 wall panels	3 wall panels	4 wall panels	4 wall panels	4 wall panels
Covered area by box	13.8 s.f. - 1.2 m ²	13.8 s.f. - 1.2 m ²	23.5 s.f. - 2.1 m ²	23.5 s.f. - 2.1 m ²	23.5 s.f. - 2.1 m ²
Weight of box	27 lb - 12 kg	27 lb - 12 kg	26.4 lb - 12.4 kg	26.4 lb - 12.4 kg	26.4 lb - 12.4 kg
Box Dimension	3 3/4" x 14 1/4" x 52 1/2"	3 3/4" x 14 1/4" x 52 1/2"	2 3/16" X 18 3/16" X 50 3/16"	2 3/16" X 18 3/16" X 50 3/16"	2 3/16" X 18 3/16" X 50 3/16"
Fire rating class	To come	To come	B	B	B
Accessories	N/A	N/A	Corner molding 3/4" X 3/4" x 90" *maple stained charcoal	Corner molding 3/4" X 3/4" x 90" *maple stained charcoal	Corner molding 3/4" X 3/4" x 90" *maple stained charcoal
Hardwood sourcing	An average of 25% comes from post-industrial waste. The remaining is sourced from North America. Any leftover wood from our production is sent to a local company that transforms the wood chips into highly efficient clean-burning wood pellets.				
Finishes	We recycle and reuse our finishes. There is no waste from start to finish				

Care and maintenance	A vacuum attachment will remove any dust. Danish oil can be reapplied to enhance the color of the wood.
Installation and performance	Glue and nail installation. Do not install over material other than gypse and drywall. Environmental conditions such as exposure to light and fluctuation in temperature and humidity will greatly affect product performance from initial installation throughout its life. Refer to our installation instructions, install video and warranty for proper steps to a successful install and ensure the lifelong performance of your Finium wall.
Glue	<i>We recommend the use of Eco-friendly adhesive for the installation such as Heavy Duty Construction Adhesive or Interior/Exterior Construction Adhesive</i>
Storage	Leave the box flat on the floor in its original wrapping until installation in the room it is to be installed and where the ambient humidity ranges from 35% to 55% before, during and after installation.
Sampling	Please refer to our promo tool document
Manufacturer 	100% Canadian made



We bring your ideas to life

Products can be personalized or fully customized.



Manufacturer contacts

CUSTOMER SERVICE: Mélanie Joly / 1-866-834-6486 #226 / melanie.joly@finium.ca

CUSTOM PROJECTS: Simon Le Blanc / 1-866-834-6486 #230 / simon.leblanc@finium.ca

Made in Canada with North American wood



Inventory : all is in stock in our plant in Quebec / Canada

Ships within a day

Transit time for delivery : 3 (East Coast) to 7 business days (West Coast)

