

Certificate of Analysis

Client Name: Gaston Weed Company

License Number: MANU0044

Sample ID: VT5936

Sample Name: AC/DC Blended Distillate Sample Lot: MANU0044-049-AC/DC

Sample Matrix: Solvent Extraction Concentrates

Date Received: 12/14/2023 **Date Reported: 12/28/2023** Date Tested: 12/21/2023



Total Cannabinoids				
	%	mg/g		
Total THC:	61.662	616.615		
Total CBD:	16.572	165.725		
Total Cannabinoids:	81.938	819.384		

Total theoretical CBD % = (CBD%) + (CBDA% * 0.877) Total theoretical THC % = (delta-9-THC%) + (THCA% * 0.877)

Potency

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC; SOP-024-0A) | Test ID: #17094

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	ND	ND	0.0003	0.0040
CBCA	ND	ND	0.0002	0.0040
CBD	16.5725	165.725	0.0008	0.0040
CBDA	ND	ND	0.0002	0.0040
CBDV	ND	ND	0.0008	0.0040
CBDVA	ND	ND	0.0001	0.0040
CBG	2.353	23.53	0.0009	0.0040
CBGA	ND	ND	0.0001	0.0040
CBN	< LOQ	< LOQ	0.0004	0.0040
CBNA	ND	ND	0.0002	0.0040
D8 THC	1.3514	13.514	0.0012	0.0040
D9 THC	61.6615	616.615	0.0016	0.0049
D10 THC	ND	ND	0.0004	0.0040
THCA	< LOQ	< LOQ	0.0002	0.0040
THCV	< LOQ	< LOQ	0.0016	0.0049
THCVA	ND	ND	0.0002	0.0040







Certificate of Analysis

å

Client Name: Gaston Weed Company

License Number: MANU0044

Sample ID: VT5936

Sample Name: AC/DC Blended Distillate **Sample Lot:** MANU0044-049-AC/DC

Sample Matrix: Solvent Extraction Concentrates

Date Received: 12/14/2023
Date Reported: 12/28/2023
Date Tested: 12/21/2023



Heavy Metals

PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS; SOP-072-0A) - Limit units: ppm | Test ID: #17099

Analyte	Pass/Fail	Result (ppm)	Limit (ppm)	LOD (ppm)	LOQ (ppm)
Arsenic	PASS	< LOQ	1.500	0.0000260	0.00050
Cadmium	PASS	< LOQ	0.500	0.000004	0.00050
Lead	PASS	< LOQ	1.000	0.0000190	0.00050
Mercury	PASS	< LOQ	1.500	0.000039	0.00050







Certificate of Analysis

*

Client Name: Gaston Weed Company

License Number: MANU0044

Sample ID: VT5936

Sample Name: AC/DC Blended Distillate
Sample Lot: MANU0044-049-AC/DC

Sample Matrix: Solvent Extraction Concentrates

Date Received: 12/14/2023 **Date Reported:** 12/28/2023 **Date Tested:** 12/20/2023



Pesticides Pass

Residual pesticide analysis utilizing Liquid Chromatography – Mass Spectrometry (LC-MSMS; SOP-070-OA) - Limit units: ppm | Test | D: #17098

Analyte	Pass/Fail	Result (ppm)	Limit	LOD (ppm)	LOQ (ppm)
Abamectin B1a	Pass	ND	0.10000	0.00156	0.01560
Abamectin B1b	Pass	ND	0.10000	0.00011	0.00110
Acephate	Pass	ND	0.10000	0.00168	0.01680
Acequinocyl	Pass	ND	0.10000	0.00167	0.01670
Azoxystrobin	Pass	ND	0.10000	0.00168	0.01680
Bifenazate	Pass	ND	0.10000	0.00167	0.01670
Bifenthrin	Pass	ND	3.00000	0.00167	0.01670
Carbaryl	Pass	ND	0.50000	0.00167	0.01670
Chlorpyrifos	Pass	ND	0.04000	0.00167	0.01670
Cypermethrin	Pass	ND	1.00000	0.00168	0.01680
Etoxazole	Pass	ND	0.10000	0.00168	0.01680
Imazalil	Pass	ND	0.04000	0.00167	0.01670
Imidacloprid	Pass	ND	5.00000	0.00166	0.01660
Myclobutanil	Pass	ND	0.10000	0.00167	0.01670
Spinosyn A	Pass	ND	0.10000	0.00120	0.01199
Spinosyn D	Pass	ND	0.10000	0.00042	0.00415
Pyrethrins	Pass	ND	0.50000	0.00022 0.00498 *	0.00072 0.00015 *

^{*} Pyrethrins action limit represents sum of isomers I & II







Certificate of Analysis

Client Name: Gaston Weed Company

License Number: MANU0044

Sample ID: VT5936

Sample Name: AC/DC Blended Distillate Sample Lot: MANU0044-049-AC/DC

Sample Matrix: Solvent Extraction Concentrates

Date Received: 12/14/2023 **Date Reported: 12/28/2023** Date Tested: 12/18/2023



Residual Solvents

Pass

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography - Mass Spectrometry (HS-GC-MS; SOP-010-OA) - Limit units: µg/g | Test ID: #17097

Analyte	Pass/Fail	Result (ppm)	Limit	LOD (ppm)	LOQ (ppm)
Acetone	Pass	< LOQ	5000.000	4.730	14.200
Acetonitrile	Pass	< LOQ	410.000	0.480	1.450
Benzene	Pass	< LOQ	2.000	0.020	0.060
Chloroform	Pass	< LOQ	60.000	0.070	0.210
Ethanol	Pass	< LOQ	5000.000	6.010	18.040
Heptanes (total)	Pass	< LOQ	5000.000	5.950	17.840
Hexanes (total)	Pass	< LOQ	0	0.350	1.040
Isopropyl Alcohol	Pass	< LOQ	5000.000	5.910	17.730
Methanol	Pass	< LOQ	3000.000	3.540	10.610
Methylene Chloride	Pass	< LOQ	600.000	6.400	19.190
Toluene	Pass	< LOQ	890.000	1.050	3.160
Xylenes (total)	Pass	< LOQ	2170.000	19.426 14.858 *	58.868 45.024 *
Additional Solvent Analytes					
Propane	Pass	< LOQ	5000.000	5.420	16.260
2-Methylpropane	Pass	< LOQ	5000.000	5.420	16.270
2,2-Dimethylbutane	Pass	< LOQ	5000.000	0.340	1.020
2,3-Dimethylbutane	Pass	< LOQ	5000.000	0.340	1.030
n-Butane	Pass	< LOQ	0	5.390	16.160
2-Methylpentane	Pass	< LOQ	5000.000	0.340	1.030
3-Methylpentane	Pass	< LOQ	5000.000	0.680	2.050
Isopentane	Pass	< LOQ	5000.000	5.890	17.670
n-Pentane	Pass	< LOQ	5000.000	5.900	17.700
Neopentane	Pass	< LOQ	5000.000	11.870	35.620

^{*} Xylenes action limit represents sum of m,p-Xylene and o-Xylene



