

T-Bar Grid Solutions






- Exceptional sound absorption
- Lightweight
- Easy installation on T-bar grid systems
- Coordinating color grid available



Size	Edge	NRC	CAC	AC	Sag Resistance (relative humidity)	lbs/sqft
24"x24"x1"	SQ, SLN, SL	0.95	22	190	up to 100%	0.69
24"x48"x1"	SQ, SLN, SL	0.95	22	190	up to 100%	0.69
24"x60"x1"	SQ, SLN, SL	0.95	22	190	up to 100%	0.69
24"x72"x1"	SQ, SLN, SL	0.95	22	190	up to 100%	0.69
24"x96"x1"	SQ, SLN, SL	0.95	22	190	up to 100%	0.69
30"x30"x1"	SQ, SLN, SL	0.95	22	190	up to 100%	0.69
20"x60"x1"	SQ, SLN, SL	0.95	22	190	up to 100%	0.69
48"x48"x1"	SQ, SLN, SL	0.95	22	190	up to 100%	0.69

Edge Profiles



customerservice@chromacollections.com


608-785-1232



customerservice@chromacollections.com

608-785-1232

**wood
visions™**
DIGITALLY PRINTED CEILING PANELS



Whitewash



Natural



Honey



Café Allegheny



Walnut



Walnut – *Quarter Turn*