# SAFETY DATA SHEET

Issuing Date 25-Sep-2018

Revision Date 26-Sep-2018

**Revision Number 2** 

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

**Product identifier** 

Product Name Rust Converter Ultra

Other means of identification

Product Code(s) 1478080

Recommended use of the chemical and restrictions on use

Recommended Use Rust Preventative - Non-Aerosol

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification ecoclean

Address 570 Oak St

Copiague New York 11726 US

Telephone Phone:877-416-6880

**E-mail** matt@greengobbler.com

Emergency telephone number

**Company Emergency Phone** 

Number

5169679465

# 2. HAZARDS IDENTIFICATION

#### Classification

Not classified.

The product contains no substances which at their given concentration, are considered to be hazardous to health



\_\_\_\_

Appearance White to brown Physical state Liquid Odor Mild

GHS Label elements, including precautionary statements

#### **Hazard statements**

Not classified.

#### Other information

Causes mild skin irritation.

**Unknown acute toxicity** 9 % of the mixture consists of ingredient(s) of unknown toxicity

- 2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Tannic acid	1401-55-4	6	-	-
Ethylene glycol	107-21-1	1	-	-
2-Butoxyethanol	111-76-2	1	-	-

# 4. FIRST AID MEASURES

#### First aid measures

**Inhalation** Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.



Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

**Sensitivity to Mechanical Impact** None. **Sensitivity to Static Discharge** None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters



#### **Exposure Limits**

Chemical name		ACGIH T	LV	09	SHA PEL	NIOSH IDLH	
Ethylene glycol		STEL: 50 ppm va	por fraction		Ceiling: 50 ppm		
107-21-1		STEL: 10 mg/m <sup>3</sup>		(vacated) C	Ceiling: 125 mg/m <sup>3</sup>		
		particulate matter,					
		TWA: 25 ppm va	por fraction				
2-Butoxyethanol		TWA: 20 ppm			A: 50 ppm	IDLH: 700 ppm	
111-76-2				TWA	TWA: 240 mg/m <sup>3</sup>		ΓWA: 5 ppm
					(vacated) TWA: 25 ppm		VA: 24 mg/m <sup>3</sup>
					TWA: 120 mg/m <sup>3</sup>		
				(vacated) S*			
Chemical name		Alberta	British C	olumbia	Ontario TWAE	V	Quebec
Ethylene glycol	Ce	iling: 100 mg/m <sup>3</sup>	TWA: 10	0 mg/m³	CEV: 100 mg/r		Ceiling: 50 ppm
107-21-1			STEL: 2	20 mg/m <sup>3</sup>		(	Ceiling: 127 mg/m <sup>3</sup>
				00 mg/m <sup>3</sup>			
				50 ppm			
2-Butoxyethanol		TWA: 20 ppm	TWA: 2	20 ppm	TWA: 20 ppm		TWA: 20 ppm
111-76-2	Т	WA: 97 mg/m <sup>3</sup>					TWA: 97 mg/m <sup>3</sup>

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Showers **Engineering controls** 

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Liquid

**Appearance** White to brown

Odor Mild

No information available Color **Odor Threshold** No data available

Remarks Method Values Property

No data available None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known No data available **Evaporation Rate** None known Flammability (solid, gas) No data available None known Flammability Limit in Air

None known

Upper flammability limit No data available



Page 4/10

Lower flammability limit No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.3

Water Solubility No data available

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waterNo Data Available

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

**Explosive properties** No information available **Oxidizing properties** No information available **Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available No information available **Liquid Density Bulk Density** No information available **Particle Size** No information available No information available **Particle Size Distribution** 

### 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

### Information on toxicological effects

**Symptoms** No information available.



### Numerical measures of toxicity

#### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 14,743.80 mg/kg
ATEmix (inhalation-dust/mist) 150.00 mg/L
ATEmix (inhalation-vapor) 1,100.00 mg/L

#### Unknown acute toxicity

9 % of the mixture consists of ingredient(s) of unknown toxicity

- 2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Tannic acid	Tannic acid = 2260 mg/kg (Rat)		-	
Ethylene glycol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat) = 9530	-	
		μL/kg(Rabbit)		
2-Butoxyethanol	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486	
-			ppm (Rat)4h	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Tannic acid 1401-55-4	-	Group 3	-	-
2-Butoxyethanol 111-76-2	A3	Group 3	-	-

### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.



Page 6/10

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Fish Toxicity to	
			Microorganisms	Flea)
Tannic acid	-	96h LC50: = 37 mg/L	-	-
		(Gambusia affinis)		
Ethylene glycol	96h EC50: 6500 - 13000	96h LC50: = 16000 mg/L	EC50 = 10000 mg/L 16 h	48h EC50: = 46300 mg/L
	mg/L	(Poecilia reticulata) 96h	EC50 = 620 mg/L 30 min	
	(Pseudokirchneriella	LC50: = 27540 mg/L	EC50 = 620.0 mg/L 30	
	subcapitata)	(Lepomis macrochirus)	min	
		96h LC50: 40000 -		
		60000 mg/L (Pimephales		
		promelas) 96h LC50: =		
		40761 mg/L		
		(Oncorhynchus mykiss)		
		96h LC50: = 41000 mg/L		
		(Oncorhynchus mykiss)		
		96h LC50: 14 - 18 mL/L		
		(Oncorhynchus mykiss)		
2-Butoxyethanol -		96h LC50: = 2950 mg/L	-	24h EC50: 1698 - 1940
		(Lepomis macrochirus)		mg/L 48h EC50: > 1000
		96h LC50: = 1490 mg/L		mg/L
		(Lepomis macrochirus)		

Persistence and Degradability

No information available.

### **Bioaccumulation**

Chemical name	Log Pow
Ethylene glycol	-1.93
2-Butoxyethanol	0.81

MobilityNo information available.Other adverse effectsNo information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

California Waste Codes 331

# **14. TRANSPORT INFORMATION**

 DOT
 NOT REGULATED

 Proper Shipping Name
 NON-REGULATED

Hazard Class N/A



TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

### **International Inventories**

TSCA

Contact supplier for inventory compliance status.

#### <u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 $\textbf{DSL/NDSL}\ \ \textbf{-}\ Canadian\ \ \textbf{Domestic\ Substances\ List/Non-Domestic\ Substances\ List}$ 

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Ethylene glycol - 107-21-1	107-21-1	1	1.0
2-Butoxyethanol - 111-76-2	111-76-2	1	1.0



#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ethylene glycol 107-21-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Ethylene glycol - 107-21-1	Developmental		

### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Ethylene glycol 107-21-1	Х	X	Х	Х	Х
2-Butoxyethanol 111-76-2	X	X	Х	Х	Х

## 16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical Properties 
HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 25-Sep-2018

Revision Date 26-Sep-2018

Revision Note No information available

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



Page 9/10

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 



Page 10/10