

General Catalog

We Light Your Dreams


 Aesthetically correct

 Sustainable

 Energy saving

30 ÉVE
VAV UNION

Products Guideline



Led Bulb



Down light



Panel Light



Spot light



Strip light



Products Guideline



P25

Bulk Head



P27

Tube light



P30

Surface Mounted
Downlight



P47

Chandelier



P51

Guide Rail



Products Guideline



P56



P59



P74



P76



P80



Wall Downlight



Concealed Downlight



Street light



High Bay



Flood Light



P8



Led Bulb



Aesthetically correct




Sustainable




Energy saving

LED Bulb



NSR-1010




NSR-1013




3000K




4000K/6500K



A50



A60



A65

TECHNICAL DETAILS

- SMD LEDs

APPLICATIONS

- For use in fittings with E27 lampholders
- To replace incandescent and CFL lamps

CONSTRUCTION

- Plastic coated aluminium housing
- Built-in constant current LED driver
- Easy identification of colour temperature by coloured lamp base

A50
3W/5W

A60
7W/9W

A60
12W

A65
15W



LED Bulb

Model	Power/W	Holder	PF	Colour temp.	Lumens	CRI
NSR-1001	3W	A50	>0.5	3000K	260lm	>80
NSR-1002	3W	A50	>0.5	4000K	280lm	>80
NSR-1003	3W	A50	>0.5	6500K	300lm	>80
NSR-1004	5W	A50	>0.5	3000K	420lm	>80
NSR-1005	5W	A50	>0.5	4000K	440lm	>80
NSR-1006	5W	A50	>0.5	6500K	480lm	>80
NSR-1007	7W	A60	>0.5	3000K	600lm	>80
NSR-1008	7W	A60	>0.5	4000K	650lm	>80
NSR-1009	7W	A60	>0.5	6500K	700lm	>80
NSR-1010	9W	A60	>0.5	3000K	800lm	>80
NSR-1011	9W	A60	>0.5	4000K	850lm	>80
NSR-1012	9W	A60	>0.5	6500K	900lm	>80
NSR-1013	12W	A60	>0.5	3000K	1100lm	>80
NSR-1014	12W	A60	>0.5	4000K	1150lm	>80
NSR-1015	12W	A60	>0.5	6500K	1200lm	>80
NSR-1016	15W	A65	>0.5	3000K	1380lm	>80
NSR-1017	15W	A65	>0.5	4000K	1440lm	>80
NSR-1018	15W	A65	>0.5	6500K	1500lm	>80

P11



Downlight



Aesthetically correct



Sustainable



Energy saving

Down Light





TECHNICAL DETAILS

- CCT 3000K, 4000K and 6500K
- Operating temperature: -20°C to 45°C
- Efficiency up to 95 lm/W
- Finishes Semi-white
- Beam angle 100°

FEATURES

- Ultra-slim design
- PC body and bezel
- Flicker free separate driver included
- Suitable for recessed mounting
- Rated voltage up to 240V

Model	Power	Lumens	lm/W	Size/mm		Cut out	Angle	CRI	IP	PF	Driver
				W	H						
NSR-2001	5W	400lm	80	φ95	30	φ75	100°	>80	20	>0.5	Build in
NSR-2002	8W	640lm	80	φ125	30	φ100	100°	>80	20	>0.5	Build in
NSR-2003	12W	1,020lm	85	φ150	30	φ125	100°	>80	20	>0.5	Build in
NSR-2004	15W	1,425lm	95	φ175	30	φ150	100°	>80	20	>0.5	Build in
NSR-2005	18W	1,710lm	95	φ225	30	φ200	100°	>80	20	>0.5	Build in



cd/klm
C0 - C180 C90 - C270


Down Light

Side-lit ultra-slim LED downlights with recessed and surface installations





Square recessed

Model	Power/W	Size mm			Cut-out	Color temp.	Lumens	CRI	PF
		A	B	C					
NSR-2006	12W	165	165	32	155*155	3000K/4000K/5700K	860lm	>80	>0.9
NSR-2007	18W	220	220	31	205*205	3000K/4000K/5700K	1380lm	>80	>0.9



Round recessed

Model	Power/W	Size mm			Cut-out	Color temp.	Lumens	CRI	PF
		A	B	C					
NSR-2008	12W	120	170	32	150~160	3000K/4000K/5700K	860lm	>80	>0.9
NSR-2009	18W	170	220	31	200~210	3000K/4000K/5700K	1380lm	>80	>0.9
NSR-2010	20W	190	240	31	220~230	3000K/4000K/5700K	1600lm	>80	>0.9



CONSTRUCTION

- Plastic housing
- Bezel shape: Choice of the round or square
- Suitable for surface and recessed installations
- Colour: white RAL 9016
- Beam angle 110°

TECHNICAL DETAILS

- SMD 2835 LEDs
- Flammability rating :V0
- Rated ambient temperature : -20 to 45°C



Down Light

Side-lit ultra-slim LED downlights with recessed and surface installations




Square surface





Round surface

Model	Power/W	Size mm				Color temp.	Lumens	CRI	PF
		A	B	C	D				
NSR2011	12W	181	181	39	120	3000K/4000K/5700K	860lm	>80	>0.9
NSR2012	18W	231	231	39	174	3000K/4000K/5700K	1380lm	>80	>0.9



Model	Power/W	Size mm				Color temp.	Lumens	CRI	PF
		A	B	C	D				
NSR-2013	12W	116	182	39	120	3000K/4000K/5700K	860lm	>80	>0.9
NSR-2014	18W	166	323	39	170	3000K/4000K/5700K	1380lm	>80	>0.9
NSR-2015	20W	186	252	39	190	3000K/4000K/5700K	1600lm	>80	>0.9



NSR-2013 12W 4000K

CD/KLM

— C0-C180

— C90-C270

CONSTRUCTION


- Plastic housing
- Bezel shape: Choice of the round or square
- Suitable for surface and recessed installations
- Colour: white RAL 9016

TECHNICAL DETAILS


- SMD 2835 LEDs
- Flammability rating :V0
- Rated ambient temperature : -20 to 45°C



P15



Panel Light



Aesthetically correct



Sustainable




Energy saving

Panel Light

Aluminum frame and frosted PS diffuser plate

PMMA light guide plate

Suitable for surface installation, recessed installation and suspension installation




Model	Dimension	Power/W	Color temp.	Lumens	CRI	IP
NSR-4001	595*595*9.5	29W	4000/6500K	3480lm	>80	20
NSR-4002	595*595*9.5	40W	4000/6500K	4300lm	>80	20
NSR-4003	1195*295*9.5	40W	4000/6500K	4300lm	>80	20
NSR-4004	1195*595*9.5	55W	4000/6500K	6600lm	>80	20



Panel Light

CCT adjustable panel light with remote and dip switch 0-10 V controlling.
Color temperature adjust randomly, warm white 3500K Cool white 5000K , more choice for user.




Model	Dimension	Power/W	Colour temp.	Lumens	CRI	IP
NSR-4005	595*595*9	38W	3500-5000K	3800lm	>80	20
NSR-4006	1195*595*9	38W	3500-5000K	3800lm	>80	20



Completely homogeneous illumination creates a feel-good atmosphere for workstations.

Installation is even simpler and almost 50% quicker.

Beam Angle : 114 , Controls and Dimming : Dali



P18



Spot Light



Aesthetically correct



Sustainable




Energy saving


Spot Light



Movable head



UNIT: cd
C0/180 C90/270
NSR-5004 10W 6500K



TECHNICAL DETAILS

- COB LED with integrated reflector cup, uniform light
- 3 colour temperatures: 3000/4000/6000K
- Ra90, excellent colour rendering
- Operating temperature -20 to 45°C

APPLICATIONS

Home / Retail / Office

FEATURES


- PC (Polycarbonate) and aluminium housing, portable, durable and better heat dissipation
- Easy to install with Independent built-in power supply
- Deep anti-glare, to create a comfortable light environment

Model	Power(w)	Lumens	LM/W	Size/mm	Cut out/mm	Angle	Flicker	PF	Driver
NSR-5001	3.5	250lm	70	φ92*50	φ75	24°	No Flicker	0.5	Build in
NSR-5002	5	350lm	70	φ92*50	φ75	24°	No Flicker	0.5	Build in
NSR-5003	8	560lm	70	φ120*61	φ95	24°	No Flicker	0.5	Build in
NSR-5004	10	700lm	70	φ120*61	φ95	24°	No Flicker	0.5	Build in

Spot Light




NON Movable head



UNIT: cd

— C0/180 — C90/270

NSR-5006 / 5W 6500K



TECHNICAL DETAILS

- SMD chip with reflector cup, uniform light
- 3 colour temperatures: 3000/4000/6500K
- CRI>80
- Operating Temperature -20 to 45°C

APPLICATIONS

Home / Retail / Office

FEATURES

- PC (Polycarbonate)housing, portable and durable
- Easy to install with integrated power supply
- Ultra-slim design, save space

Model	Power(w)	Lumens	LM/W	Size/mm	Cut out/mm	Angle	Flicker	PF	Driver
NSR-5005	3	160lm	55	φ70*38	φ55	30°	No Flicker	0.5	Build in
NSR-5006	5	320lm	65	φ92*38	φ75	30°	No Flicker	0.5	Build in
NSR-5007	7	520lm	75	φ120*44	φ95	30°	No Flicker	0.5	Build in

P21



Strip Light



Aesthetically correct



Sustainable



Energy saving

Strip Light


Model: NSR-6000	Lamp Power(W): 6W	Light Source: LED , Energy saving
Input Voltage(V): DC24V	Lamp Luminous Efficiency(lm/w): 90lm/w	Lamp Luminous Flux(lm): 540lm
CRI(Ra>): 80	PF: 0.9	Color Temperature(CCT): 3000K
Beam Angle(°): 90/120	Working Temperature(°C): -20-50	Working Lifetime(Hour): 50000
Lamp Body Material: Aluminum	IP Rating: IP65	Control mode: Other
Product size: 1m (10mm wide for pcb board)	Product Type: OUTDOOR	Warranty: 5 YEARS



Model: NSR-6001	Lamp Power(W): 6W	Light Source: LED , Energy saving
Input Voltage(V): DC24V	Lamp Luminous Efficiency 90lm/w	Lamp Luminous Flux(lm): 540lm
CRI(Ra>): 80	PF: 0.9	Color Temperature(CCT): 2700K
Beam Angle(°): 90/120	Working Temperature(°C): -20-50	Working Lifetime(Hour): 50000
Lamp Body Material: Aluminum	IP Rating: IP20	Control mode: Other
Product size: 1m (8mm wide for pcb board)	Product Type: INDOOR	Warranty: 5 YEARS

Strip Light

High-End COB Strip Light



TECHNICAL DETAILS

- Efficacy up to 100 lm/w
- 120°beam angles
- Four colour temperatures: 2700/3000/4000/6500K
- Operating temperatures: -20 to 45°C

APPLICATIONS

Decorative lighting / Cove lighting


FEATURES

- Flip chip technology based on flexible substrate led chips, makes the light ultra-high reliability, flat surface, faster heat transfer and longer lifespan
- Flexibility, easier to bend and decrease the risk of damaging the strip or the LEDs
- Continuous light lines without any dark spots

Model	Description	Watts	Colour temp.	Lumens	CRI
NSR-6003	COB Strip Light DC24V	12W	2700K	1100lm	90
NSR-6004	COB Strip Light DC24V	12W	3000K	1100lm	90
NSR-6005	COB Strip Light DC24V	12W	4000K	1200lm	90
NSR-6006	COB Strip Light DC24V	12W	6500K	1200lm	90

Strip Light

LED Soft Strip Light (Waterproof)



TECHNICAL DETAILS

- 120°beam angles
- Four colour temperatures: 2700/3000/4000/6500K
- IP65 waterproof rating
- Operating temperatures: -20 to 45°C

APPLICATIONS

Facade / Highlight architectural feature
Corridor and walkway / Decorative garden lighting

FEATURES

- Silicone housing, better flexibility, easier to bend and decrease the risk of damaging the strip or the LEDs
- Continuous light lines without any dark spots

Model	Description	Watts	Colour temp.	Lumens	CRI
NSR-6007	LED Soft Strip Light DC24V	10W	2700K	180lm	80
NSR-6008	LED Soft Strip Light DC24V	10W	3000K	180lm	80
NSR-6009	LED Soft Strip Light DC24V	10W	4000K	180lm	80
NSR-6010	LED Soft Strip Light DC24V	10W	6500K	180lm	80

P26



Bulk Head



Aesthetically correct





Sustainable




Energy saving

Bulk Head



Lifetime 25 000 hours
CRI > 80
Body material plastic (PC)
Diffuser material plastic (PC)
IP rating IP65




— C0/18
— C30/21
— C60/24
— C90/27


Model	Power	Luminous Flux	CC	PF	Flicker-Free	Diameter / D
NSR-7001	20 W	1 600 lm	4 000 K	> 0.5	yes	ø 220 mm / 78 mm

Model	Power	Luminous Flux	CC	PF	Flicker-Free	W/D/H
NSR-7002	20 W	1 600 lm	4 000 K	> 0.5	yes	270 × 81 × 145 mm

P27



Tube Light



Aesthetically correct



Sustainable



Energy saving

Tube Light



9W =589 18W=119

FEATURES


- Tube material : Glass
- Slim led tubes: Wider beam angles
- Built in constant current LED driver included
- Available for choice of double ended version or single ended version
- SMD 2835
- Use in schools, offices, supermarkets and rail stations

Model	Power/W	PF	Colour temp.	Lumens	CRI
NSR-8001	9W	>0.5	3000K	900lm	>80
NSR-8002	9W	>0.5	4000K	900lm	>80
NSR-8003	9W	>0.5	6500K	900lm	>80
NSR-8004	18W	>0.5	3000K	1800lm	>80
NSR-8005	18W	>0.5	4000K	1800lm	>80
NSR-8006	18W	>0.5	6500K	1800lm	>80





Tube Light



MODEL : NSR-9001

SPECIFICATIONS

Light Source	LED
Lumens	3240
Wattage	36
Light Color Temperature	3000K (Warm White), 4000K (Natural White) or 6500K (Cool White)
Voltage	165-265V
CRI	90
Beam Angle	180°
Material	Aluminum with PC Cover
IP Rating	IP20
Startup Time	Instant
Dimensions	120x6.7x3CM

MODEL : NSR-9002

SPECIFICATIONS

Light Source	LED
Lumens	1620
Wattage	18
Light Color Temperature	6500K
Voltage	165-265V
CRI	90
Beam Angle	180°
Material	Aluminum with PC Cover
IP Rating	IP20
Startup Time	Instant
Dimensions	60x7.3x2.5CM

MODEL : NSR-9003

SPECIFICATIONS

Light Source	LED
Lumens	2160
Wattage	24
Light Color Temperature	6500K (Cool White)
Voltage	165-265V
CRI	90
Beam Angle	180°
Material	Aluminum with PC Cover
IP Rating	IP20
Startup Time	Instant
Dimensions	90.5x7.3x2.3CM

P30



Surface Mounted Downlight



Aesthetically correct




Sustainable



Energy saving

Surface Mounted Downlight



- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder:: MR16/GU10/G5.3

COLOUR BK WH GRAY GD CH NI GB RB MATERIAL AL

Pictures






Parameter

Model: SY-1009
Size: Ø95*H125mm
Color: White
Lamp holder: GU10
Install: Surface

Model: SY-1209
Size: 175*95*H125mm
Color: Black
Lamp holder: GU10
Install: Surface







Model: SY-1309
Size: Ø220*H125mm
Color: White
Lamp holder: GU10
Install: Surface


Line diagram



- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder:: MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-1029S-WH Size: 90*90*H105mm Color: White Lamp holder: GU10 Install: Surface			Model: SY-1029 Size: Ø90*H105mm Color: White Lamp holder: GU10 Install: Surface	
	Model: SY-1029S-BK Size: 90*90*H105mm Color: Black Lamp holder: GU10 Install: Surface			Model: SY-1229 Size: 178*92*H105mm Color: White Lamp holder: GU10 Install: Surface	
	Model: SY-1227-WH Size: 178*92*H105mm Color: White Lamp holder: GU10 Install: Surface			Model: SY-1227S-BK Size: 178*92*H105mm Color: White & Black Lamp holder: GU10 Install: Surface	



- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder:: MR16/GU10/G5.3



Pictures	Parameter		Line diagram
	Model:	SY-1010	
	Size:	Ø95*H140mm	
	Color:	White+Gold	
	Lamp holder:	GU10	
	Install:	Surface	
	Model:	SY-1010S	
	Size:	95*95*H140mm	
	Color:	Black+Gold	
	Lamp holder:	GU10	
	Install:	Surface	
	Model:	SY-1053	
	Size:	100*H118mm	
	Color:	White	
	Lamp holder:	GU10	
	Install:	Surface	
	Model:	SY-1053S	
	Size:	100*100*H118mm	
	Color:	White	
	Lamp holder:	GU10	
	Install:	Surface	

- Lamp Material: Iron
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3




- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3




Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
----------	-----------	--------------	----------	-----------	--------------




Model: SY-1008
Size: $\varnothing 80^* H100\text{mm}$
Color: Black
Lamp holder: GU10
Install: Surface




Model: SY-1013S
Size: $80^* 80^* H100\text{mm}$
Color: White
Lamp holder: GU10
Install: Surface




Model: SY-1008S
Size: $80^* 80^* H100\text{mm}$
Color: White & Black
Lamp holder: GU10
Install: Surface




Model: SY-1013W
Size: $\varnothing 80^* H85\text{mm}$
Color: White
Lamp holder: GU10
Install: Surface



Model: SY-101G
Size: $\varnothing 80^* H100\text{mm}$
Color: Aluminum
Lamp holder: GU10
Install: Surface







Model: SY-1013B
Size: $\varnothing 80^* H110\text{mm}$
Color: Black + Aluminum
Lamp holder: GU10
Install: Surface



- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-1040 Size: ø60* H100mm Color: White Lamp holder: GU10 Install: Surface			Model: SY-1015-WH Size: Ø70*H100mm Color: White Lamp holder: GU10 Install: Surface	
	Model: SY-1068 Size: Ø60* H100mm Color: White Lamp holder: GU10 Install: Surface			Model: SY-1021 Size: Ø70*H100mm Color: Black Lamp holder: GU10 Install: Surface	



- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3








Pictures	Parameter		Line diagram
	Model:	SY-1004	
	Size:	Ø85*H110mm	
	Color:	White	
	Lamp holder:	GU10	
	Install:	Surface	
	Model:	SY-1001	
	Size:	Ø85*H110mm	
	Color:	White	
	Lamp holder:	GU10	
	Install:	Surface	
	Model:	SY-1002	
	Size:	Ø85*H110mm	
	Color:	White	
	Lamp holder:	GU10	
	Install:	Surface	
	Model:	SY-1003	
	Size:	Ø85*H110mm	
	Color:	White	
	Lamp holder:	GU10	
	Install:	Surface	

- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-1041-WH Size: Ø56*H100mm Color: White Lamp holder: GU10 Install: Surface			Model: SY-1042G Size: Ø56*H170mm Color: White Lamp holder: GU10 Install: Surface	 
	Model: SY-1041-BK Size: Ø56*H100mm Color: Black Lamp holder: GU10 Install: Surface			Model: SY-1042B Size: Ø56*H170mm Color: Black Lamp holder: GU10 Install: Surface	 
	Model: SY-1060 Size: Ø60*H100mm / H200mm / H300mm Color: White Lamp holder: GU10 Install: Surface				

- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3










- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
----------	-----------	--------------	----------	-----------	--------------

	Model:	SY-1016-AR111		Model:	SY-1016S-GU10
	Size:	120*120*H80mm		Size:	75*75*H95mm
	Color:	White		Color:	White
	Lamp holder:	GU10		Lamp holder:	GU10
	Install:	Surface		Install:	Surface
	Model:	SY-1016S-AR111		Model:	SY-1016-GU10
	Size:	ø80*H95mm		Size:	ø80*H95mm
	Color:	White & Black		Color:	White
	Lamp holder:	GU10		Lamp holder:	GU10
	Install:	Surface		Install:	Surface
	Model:	SY-1017-GU10		Model:	SY-1216-GU10
	Size:	80*60*H105mm		Size:	80*150*H95mm
	Color:	Black		Color:	Black
	Lamp holder:	GU10		Lamp holder:	GU10
	Install:	Surface		Install:	Surface
	Model:	SY-1217-GU10			
	Size:	160*60*H105mm			
	Color:	White			
	Lamp holder:	GU10			
	Install:	Surface			



- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3




Pictures

Parameter


Line diagram



- Model: SY-1238S
 Size: 160*80*H85mm
 Color: White
 Lamp holder: MR16 GU10 / G5.3
 Install: Surface



- Model: SY-1238
 Size: 160*80*H85mm
 Color: White & Black
 Lamp holder: MR16 GU10 / G5.3
 Install: Surface




Pictures

Parameter


Line diagram



- Model: SY-1009S
 Size: 95*95*H125mm
 Color: White
 Lamp holder: MR16 GU10 / G5.3
 Install: Surface



- Model: SY-1209S
 Size: 178*96*H125mm
 Color: White & Black
 Lamp holder: MR16 GU10 / G5.3
 Install: Surface



- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: GU10/G5.3




- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: GX53




Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
----------	-----------	--------------	----------	-----------	--------------




Model: SY-1006
Size: Ø100*H80mm
Color: White
Lamp holder: GX53
Install: Surface




Model: SY-1006 S
Size: 100*100*H80mm
Color: White
Lamp holder: GX53
Install: Surface




Model: SY-1006
Size: Ø100*H80mm
Color: Black
Lamp holder: GX53
Install: Surface




Model: SY-1206S
Size: 200*100*H80mm
Color: White
Lamp holder: GX53
Install: Surface



Model: SY-1051
Size: Ø80*H70mm
Color: Black
Lamp holder: GX53
Install: Surface











Model: SY-1306S
Size: 300*100*H80mm
Color: White
Lamp holder: GX53
Install: Surface



● Lamp Material:	Aluminum
● Surface treatment:	Spray powder
● Use environment:	Indoor
● Lamp holder:	MR16/ GU10/G5.3

● Lamp Material:	Aluminum
● Surface treatment:	Spray powder
● Use environment:	Indoor
● Lamp holder:	MR16/ GU10/G5.3

Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-1007 Size: Ø105*H100mm Color: Black Lamp holder: GU10 Install: Surface	 		Model: SY-1007S Size: 300*80*H100mm Color: White Lamp holder: GU10 Install: Surface	 
	Model: SY -1007S Size: 105*105*H100mm Color: White & Gold Lamp holder: GU10 Install: Surface	 		Model: SY -1407S Size: 200*200*H100mm Color: White Lamp holder: GU10 Install: Surface	 
	Model: SY -1207S Size: 200*105*H100mm Color: White & Gold Lamp holder: GU10 Install: Surface	 		Model: SY -1407S Size: 200*200*H100mm Color: Black Lamp holder: GU10 Install: Surface	 
	Model: SY -1207SWH Size: 200*105*H100mm Color: White Lamp holder: GU10 Install: Surface	 			

- Lamp Material: Aluminum
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: E27/E40




- Lamp Material: Iron
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: E27/E40/LED COB




Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
----------	-----------	--------------	----------	-----------	--------------




Model: SY 5002S-WH
 Size: 108*108*H128mm
 Color: White
 Lamp holder: E27/40
 Install: Surface




Model: SY 5001-WH
 Size: Ø108*H128mm
 Color: White
 Lamp holder: E27/40/LED COB
 Install: Surface



Model: SY -5002S-BK
 Size: 108*108*H128mm
 Color: Black
 Lamp holder: E27/40
 Install: Surface



Model: SY -5002-BK
 Size: Ø108*H128mm
 Color: Black
 Lamp holder: E27/40/LED COB
 Install: Surface



Multiple size options : 90*90*H110mm(2.5') / 99*99*H120mm(3')
 108*108*H128mm(3.5')/132*132*H152mm(4')
 160*160*H178mm(5') / 192*192*H190mm(6')
 228*228*H220mm(8')

Multiple size options : Ø90*H110mm(2.5') / Ø99*H120mm(3')
 Ø108*H128mm(3.5')/Ø132*H152mm(4')
 Ø160*H178mm(5') / Ø192*H190mm(6')
 Ø228*H220mm(8')

- Lamp Material: Aluminum + Iron
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: GU10



- Lamp Material: Aluminum + Iron
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: GU10









Pictures		Parameter	Line diagram		Pictures		Parameter	Line diagram	
	Model:	SY 3009				Model:	SY 3309		
	Size:	120*70*H170mm				Size:	Ø220*H170mm		
	Color:	White				Color:	White		
	Lamp holder:	GU10				Lamp holder:	GU10		
	Install:	Surface				Install:	Surface		
	Model:	SY -3209				Model:	SY -3409		
	Size:	250*70*H170mm				Size:	220*220*H170mm		
	Color:	White				Color:	White		
	Lamp holder:	GU10				Lamp holder:	GU10		
	Install:	Surface				Install:	Surface		
	Model:	SY -3309							
	Size:	450*70*H170mm							
	Color:	White							
	Lamp holder:	GU10							
	Install:	Surface							
COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ MATERIAL AL									

- Lamp Material: Aluminum + Iron
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: GU10



- Lamp Material: Aluminum + Iron
- Surface treatment: Spray powder
- Use environment: Indoor
- Lamp holder: GU10



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY 3010 Size: 110*70*H140mm Color: White Lamp holder: GU10 Install: Surface			Model: SY 3310 Size: Ø220*H140mm Color: White Lamp holder: GU10 Install: Surface	
	Model: SY -3210 Size: 225*70*H140mm Color: White Lamp holder: GU10 Install: Surface			Model: SY -3410 Size: 220*220*H140mm Color: White Lamp holder: GU10 Install: Surface	
	Model: SY -3310 Size: 355*70*H140mm Color: White Lamp holder: GU10 Install: Surface				

- Lamp Material:

Aluminum + Iron
- Surface treatment:

Spray powder
- Use environment:

Indoor
- Lamp holder:

GU10
- CE

CB

- Lamp Material:






Aluminum + Iron
- Surface treatment:

Spray powder
- Use environment:

Indoor
- Lamp holder:

GU10
- CE

CB

Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model:SY 3019 Size:110*70*H140mm Color:Black Lamp holder:GU10 Install:Surface	 		Model:SY 3319 Size:Ø220*H140mm Color:Black Lamp holder:GU10 Install:Surface	 
	Model:SY -3219 Size:225*70*H140mm Color:Black Lamp holder:GU10 Install:Surface	 		Model:SY -3419 Size:220*220*H140mm Color:Black Lamp holder:GU10 Install:Surface	 
	Model:SY -3319A Size:355*70*H140mm Color:White Lamp holder:GU10 Install:Surface	 			
COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ MATERIAL  AL					
COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ MATERIAL  AL					

Lamp Material:	Aluminum + Iron
Surface treatment:	Spray powder
Use environment:	Indoor
Lamp holder:	GU10








CE

CB

Lamp Material:	Aluminum + Iron
Surface treatment:	Spray powder
Use environment:	Indoor
Lamp holder:	GU10

CE

CB

Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY 3032 Size: 55*H170mm Color: Black Lamp holder: GU10 Install: Surface			Model: SY 3032S Size: 110*70*H140mm Color: Black Lamp holder: GU10 Install: Surface	 
	Model: SY -1067 Size: 55*H170mm Color: Black Lamp holder: GU10 Install: Surface			Model: SY -3232S2 Size: 225*70*H140mm Color: Black Lamp holder: GU10 Install: Surface	 
	Model: SY -8007 Size: 55*H150mm Color: Black Lamp holder: GU10 Install: Surface			Model: 3232S23 Size: 355*70*H140mm Color: Black Lamp holder: GU10 Install: Surface	 
	Model: SY-1066 Size: ø55*H110mm / H105mm H120mm / H130mm Color: Black Lamp holder: GU10 Install: Surface				

P47



Chandelier Series




Aesthetically correct



Sustainable



Energy saving



- Lamp Material: Aluminum Spray
- Surface treatment: Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3




Model: SY6002

Size: $\varnothing 60 \times H300\text{mm} / H400\text{mm} / H500\text{mm} / H600\text{mm}$

Color: Black

Lamp holder: GU10

Install: Surface




COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ MATERIAL AL

- Lamp Material: Aluminum Spray
- Surface treatment: Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3




Model SY-6007-□
 Size ø55*H150mm / H200mm / H250mm/H300mm
 Color: Black
 Lamp holder: GU10
 Install: Surface



- Lamp Material: Aluminum Spray
- Surface treatment: Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Model SY-6008-□
 Size ø55*H110mm / H150mm / H200mm / H300mm
 Color: Black
 Lamp holder: GU10
 Install: Surface



COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ MATERIAL AL




COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ MATERIAL AL





- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3

Model: SY6003
 Size: $\varnothing 60 \times H300\text{mm} / H400\text{mm} / H500\text{mm} / H600\text{mm}$
 Color: Black
 Lamp holder: GU10
 Install: Surface




| COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ | MATERIAL | AL |



- Lamp Material: Aluminum Spray
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3

Model: SY6009
 Size: $57 \times 57 \times H150\text{mm} / H200\text{mm} / H250\text{mm} / H300\text{mm}$
 Color: Black
 Lamp holder: GU10
 Install: Surface



| COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ | MATERIAL | AL |

P51



Guide rail Series



Aesthetically correct



Sustainable



Energy saving


- Lamp Material: Aluminum + Iron
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: GU10




Pictures	Parameter	Line diagram
----------	-----------	--------------




Model: SY3004
 Size: 140*60*H190mm
 Color: White / Black / Gray
 Lamp holder: AR111/QR111 GU10/G53
 Install: Surface



Model: SY3204
 Size: 280*60*H190mm
 Color: White / Black / Gray
 Lamp holder: AR111/QR111 GU10/G53
 Install: Surface



Model: SY3304
 Size: 400*60*H190mm
 Color: White / Black / Gray
 Lamp holder: AR111/QR111 GU10/G53
 Install: Surface










- Lamp Material: Aluminum + Iron
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: Gx53



- Lamp Material: Aluminum + Iron
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: Gx53



Pictures	Parameter		Line diagram	Pictures	Parameter		Line diagram
	Model:	SY-3034A			Model:	SY-3334S	
	Size:	ø85*H120mm			Size:	355*85*H120mm	
	Color:	Black			Color:	Black	
	Lamp holder:	GX53			Lamp holder:	GX53	
	Install:	Surface			Install:	Surface	
	Model:	SY-3034			Model:	SY-3334	
	Size:	110*85*H120mm			Size:	ø220*H120mm	
	Color:	Black			Color:	Black	
	Lamp holder:	GX53			Lamp holder:	GX53	
	Install:	Surface			Install:	Surface	
	Model:	SY-3034R			Model:	SY-3434	
	Color:	Black			Size:	220*220*H120mm	
	Size:	85*120*H140mm			Color:	Black	
	Lamp holder:	GX53			Lamp holder:	GX53	
	Install:	Surface			Install:	Surface	
	Model:	SY-3234					
	Color:	Black					
	Size:	230*85*H120mm					
	Lamp holder:	GX53					
	Install:	Surface					



- Lamp Material: Aluminum Spray
- Surface treatment : powder
- Use environment : Indoor
- Lamp holder : MR16/GU10/G5.3



- Lamp Material: Aluminum Spray
- Surface treatment : powder
- Use environment : Indoor
- Lamp holder : MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-3024A Size: 57*57*H160mm Color: Black Lamp holder: GU10 / G5.3			Model: SY-3022 Size: ø60*170mm Color: Black Lamp holder: GU10 / G5.3	

COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ MATERIAL AL








COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ MATERIAL AL

- Lamp Material: Aluminum + Iron
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: GU10



- Lamp Material: Aluminum + Iron
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: GU10



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-3030W Size: ø60*120mm Color: White / Black / Gray Lamp holder: GU10 / G5.3			Model: SY -3033 Size: ø55*100*H160mm Color: White / Black / Gray Lamp holder: GU10 / G5.3	
	Model: SY -3030B Size: ø60*120mm Color: White / Black / Gray Lamp holder: GU10 / G5.3			Model: SY -3031 Size: ø60*100*H170mm Color: White / Black / Gray Lamp holder: GU10 / G5.3	
	Model: SY-3030 Size: 110*60*160mm Color: White / Black / Gray Lamp holder: GU10 / G5.3				
	Model: SY -3230 Size: 230*60*160mm Color: White / Black / Gray Lamp holder: GU10 / G5.3				
	Model: SY -3330S Size: 330*60*160mm Color: White / Black / Gray Lamp holder: GU10 / G5.3				
	Model: SY -3330 Size: ø220*160mm Color: White / Black / Gray Lamp holder: GU10 / G5.3				
	Model: SY -3430 Size: 220*220*160mm Color: White / Black / Gray Lamp holder: GU10 / G5.3				

| COLOUR BK ■ WH □ GRAY ■ GD ■ CH ■ NI ■ GB ■ RB ■ | MATERIAL | AL |

P56



Wall Downlight Series



Aesthetically correct



Sustainable



Energy saving



- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: G9









Pictures	Parameter		Line diagram
	Model:	SY-8003	
	Color:	White	
	Size:	90*D125*H102mm	
	Lamp holder:	G9	
	Install:	Surface	
	Model:	SY-8003W	
	Color:	White & Gold	
	Size:	90*D125*H102mm	
	Lamp holder:	G9	
	Install:	Surface	
	Model:	SY-8003B	
	Color:	Black & Gold	
	Size:	90*D125*H102mm	
	Lamp holder:	G9	
	Install:	Surface	

- Lamp Material: Aluminum
- Surface treatment : Spray powder
- Use environment : Indoor
- Lamp holder : G9



- Lamp Material: Aluminum
- Surface treatment : Spray powder
- Use environment : Indoor
- Lamp holder : GU10



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-8004B Size: 160*93*H80mm Color: Black+Gold Lamp holder: G9 Install: Surface			Model: SY-8001 Size: 68*80*H80mm Color: White Lamp Holder: MR16/GU10 Install: Surface	
	Model: SY-8004W Size: 160*93*H80mmmm Color: White+Gold Lamp holder: G9 Install: Surface			Model: SY-8001-2 Size: 68*80*H150mm Color: Black Lamp Holder: MR16/GU10 Install: Surface	
				Model: SY-8002 Size: 68*80*H80mm Color: Black Lamp Holder: MR16/GU10 Install: Surface	
				Model: SY-8002-2 Size: 68*80*H150mm Color: Black Lamp Holder: MR16/GU10 Install: Surface	

P59



Concealed Downlight




Aesthetically correct



Sustainable



Energy saving



- Lamp Material: Aluminum Spray
- Surface treatment: Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3









Pictures	Parameter	Line diagram
	Model: SY6004 Size: $\varnothing 60 \times H300\text{mm}$ Color: White & Black Lamp holder: GU10 Install: Surface	
	Model: SY6005W Size: $\varnothing 60 \times H250\text{mm}$ Color: White & Black Lamp holder: GU10 Install: Surface	
	Model: SY6005B Size: $\varnothing 60 \times H250\text{mm}$ Color: White & Black Lamp holder: GU10 Install: Surface	

- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-2009S Size: 100*100*H40mm Color: White+Black Lamp holder: GU10 Cutout: 85*85mm			Model: SY-2010S Size: 105*105*H30mm Color: White Lamp holder: GU10 Cutout: 100*100mm	
	Model: SY-2209S Size: 185*100*H40mm Color: White+Black Lamp holder: GU10 Cutout: 175*85mm			Model: SY-2210S Size: 210*105*H30mm Color: White Lamp holder: GU10 Cutout: 195*100mm	
	Model: SY-2309S Size: 270*100*H40mm Color: White+Black Lamp holder: GU10 Cutout: 260*85mm			Model: SY-2310S Size: 285*105*H30mm Color: White Lamp holder: GU10 Cutout: 270*100mm	

- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-2048 Size: ø90*H50mm Color: White+Black Lamp holder: GU10 Cutout: 85mm			Model : SY -2005 Size : ø85*H35mm Color: White+Black Lamp holder : GU10 Cutout : 75mm	
	Model: SY -2048S Size: 92*92*H50mm Color: White+Black Lamp holder: GU10 Cutout: 85*85mm			Model : SY -2005S Size : 85*85*H35mm Color: White+Black Lamp holder : GU10 Cutout : 75mm	
	Model: SY -2048B Size: 90*H35mm Color: White+Black Lamp holder: GU10 Cutout: 85mm				
	Model: SY -2048BS Size: 90*90*H35mm Color: White+Black Lamp holder: GU10 Cutout: 85*85mm				

- Lamp Material: PC
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: PC
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-PC2003 Size: ø90*H50mm Color: White+Black Lamp holder: GU10 Cutout: 85*85mm			Model: SY-PC2001 Size: ø90*H35mm Color: White+Black Lamp holder: GU10 Cutout: 75mm	
	Model: SY-PC2003S Size: 90*90*H50mm Color: White+Black Lamp holder: GU10 Cutout: 85*85mm				
	Model: SY-PC2002 Size: ø90*H40mm Color: White+Black Lamp holder: GU10 Cutout: 75mm			Model: SY-PC2001S Size: 90*90*H35mm Color: White+Black Lamp holder: GU10 Cutout: 75*75mm	
	Model: SY-PC2002S Size: 90*90*H40mm Color: White+Black Lamp holder: GU10 Cutout: 75*75mm				

- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Pictures

Parameter

Line diagram



Pictures

Parameter


Line diagram




Model: SY-PC2005
 Size: ø90*H30mm
 Color: White+Black
 Lamp holder: GU10
 Cutout: 75mm




Model: SY-PC2005S
 Size: 90*90*H30mm
 Color: White+Black
 Lamp holder: GU10
 Cutout: 75mm




Model: SY-PC2007
 Size: ø92*H25mm
 Color: White+Black
 Lamp holder: GU10
 Cutout: 75mm




Model: SY-PC2007S
 Size: 92*92*H25mm
 Color: White+Black
 Lamp holder: GU10
 Cutout: 75mm



Model: SY-PC2207
 Size: 92*173*H25mm
 Color: White+Black
 Lamp holder: GU10
 Cutout: 75*150mm



Model: SY-PC2307
 Size: 92*255*H25mm
 Color: White+Black
 Lamp holder: GU10
 Cutout: 75*235mm



- Lamp Material: PC
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: PC
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3









Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-PC2007 Size: ø92*H25mm Color: White+Black Lamp holder: GU10 Cutout: 75mm			Model: SY-PC2006S Size: 102*102*H35mm Color: White+Black Lamp holder: GU10 Cutout: 80*80mm	
	Model: SY-PC2007S Size: 92*92*H25mm Color: White+Black Lamp holder: GU10 Cutout: 75mm			Model: SY-PC2206S Size: 180*102*H35mm Color: White+Black Lamp holder: GU10 Cutout: 80*160mm	
	Model: SY-PC2207 Size: 92*173*H25mm Color: White+Black Lamp holder: GU10 Cutout: 75*150mm			Model: SY-PC2306S Size: 270*102*H35mm Color: White+Black Lamp holder: GU10 Cutout: 80*250mm	
	Model: SY-PC2307 Size: 92*255*H25mm Color: White+Black Lamp holder: GU10 Cutout: 75*235mm				

- Lamp Material: PC
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: PC
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3









Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-PC2003A Size: ø85*H35mm Color: White+Black Lamp holder: GU10 Cutout: 75mm			Model: SY-PC1001S Size: 96*H105mm Color: White+Black Lamp holder: GU10 Cutout: GU10	
	Model: SY-PC2010 Size: ø85*H35mm Color: White+Black Lamp holder: GU10 Cutout: 75mm			Model: SY-PC1001 Size: ø96*H105mm Color: White+Black Lamp holder: GU10 Cutout: GU10	
	Model: SY-PC2004 Size: ø82*H35mm Color: White+Black Lamp holder: GU10 Cutout: 75mm				
	Model: SY-PC2004S Size: 82*82*H35mm Color: White+Black Lamp holder: GU10 Cutout: 75mm				

- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-2007S Size: 92*92*H25mm Color: White Lamp holder: GU10 Cutout: Ø75mm			Model: SY-2007 Size: Ø94*H25mm Color: White Lamp holder: GU10 Cutout: Ø75mm	
	Model: SY-2207S Size: 175*92*H25mm Color: White Lamp holder: GU10 Cutout: 160*75mm			Model: SY-2207 Size: 175*94*H25mm Color: White Lamp holder: GU10 Cutout: 160*75mm	
	Model: SY-2307S Size: 240*92*H25mm Color: White Lamp holder: GU10 Cutout: 240*75mm			Model: SY-2307 Size: 260*94*H25mm Color: White Lamp holder: GU10 Cutout: 240*75mm	

- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3







Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-L2008S-AR111 Size: 185*185*H30mm Color: White+Black Lamp holder: GU10 Cutout: 75*75mm			Model: SY-2003 Size: Ø92*H40mm Color: White Lamp holder: GU10 Cutout: 80mm	
	Model: SY-L2208S-AR111 Size: 355*185*H30mm Color: White+Black Lamp holder: GU10 Cutout: 345*175mm			Model: SY-2003S Size: 92*92*H40 Color: Black Lamp holder: GU10 Cutout: 80mm	
	Model: SY-L2308S-AR111 Size: 480*185*H30mm Color: White+Black Lamp holder: GU10 Cutout: 470*175mm			Model: SY-2203S Size: 175*92*H40mm Color: White Lamp holder: GU10 Cutout: 165*80mm	
				Model: SY-2303S Size: 260*92*H40mm Color: Black Lamp holder: GU10 Cutout: 245*80mm	

- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3









Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-2002B Size: Ø78*H70mm Color: Black+Gold Lamp holder: GU10 Cutout: Ø65mmmm			Model: SY -2001B Size: Ø78*H70mm Color: Black+Gold Lamp holder: GU10 Cutout: Ø65mmmm	
	Model: SY -2002W Size: Ø78*H70mm Color: White Lamp holder: GU10 Cutout: Ø65mmmm			Model: SY -2001W Size: Ø78*H70mm Color: White Lamp holder: GU10 Cutout: Ø65mmmm	

- Lamp Material: Aluminum
 - Surface treatment: Spray Powder
 - Use environment: Indoor
 - Lamp holder: MR16/GU10/G5.3
- CE CB
 




- Lamp Material: Aluminum
 - Surface treatment: Spray Powder
 - Use environment: Indoor
 - Lamp holder: MR16/GU10/G5.3
- CE CB
 




Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-2026 Size: Ø98*H25mm Color: White Lamp holder: GU10 Cutout: Ø85mmmm			Model: SY -2019W Size: 80*80*H35mm Color: White Lamp holder: GU10 Cutout: Ø70mm	
	Model: SY -2026S Size: 100*100*H25mm Color: Black Lamp holder: GU10 Cutout: Ø85mmmm			Model: SY -2019B Size: 100*100*H35mm Color: Black Lamp holder: GU10 Cutout: Ø70mm	
	Model: SY -2065 Size: ø85*H33mm Color: Black Lamp holder: GU10 Cutout: Ø75mm		COLOUR BK WH GRAY GD CH NI GB RB MATERIAL AL		
	Model: SY -2065S Size: 85*85*H33mm Color: Black Lamp holder: GU10 Cutout: Ø75mm				

- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



- Lamp Material: Aluminum
- Surface treatment: Spray Powder
- Use environment: Indoor
- Lamp holder: MR16/GU10/G5.3



Pictures	Parameter	Line diagram	Pictures	Parameter	Line diagram
	Model: SY-2027A Size: Ø85*H23mm Color: White Lamp holder: GU10 Cutout: Ø85mm			Model: SY -2013S Size: 82*82*H55mm Color: White+Gold Lamp holder: GU10 Cutout: Ø70mm	
	Model: SY -2027B Size: 85*85*H23mm Color: Black Lamp holder: GU10 Cutout: Ø85mm			Model: SY -2013SG Size: 82*82*H55mm Color: White+Gray Lamp holder: GU10 Cutout: Ø70mm	
	Model: SY-2027C Size: 80*80*H35mm Color: White Lamp holder: GU10 Cutout: Ø70mm			Model: SY -2013SR Size: 82*82*H55mm Color: White+Red+bronze Lamp holder: GU10 Cutout: Ø70mm	
	Model: SY -2027D Size: 80*80*H35mm Color: Black Lamp holder: GU10 Cutout: Ø70mm			Model: SY -2013SC Size: 82*82*H55mm Color: White+Chrome Lamp holder: GU10 Cutout: Ø70mm	

OUTDOOR



OUTDOOR

Effective outdoor lighting means greater visibility, which in turn helps to maximize public safety and sense of security.

Our Outdoor lighting solutions savings energy costs with efficient LED luminaires and aesthetically as well.

you can touch our pioneered products in the following area :

 Residential streets

 Public PEDESTRIAN

 Highways, Tunnels

 Petrol stations

Our partners technology can creating a bright white light that improves safety through improved visibility, while also reducing energy consumption and associated costs. High performance area lighting is designed to ensure that the light is aimed directly where it's needed while also delivering optimum performance in terms of luminance, uniformity and glare. that have transformed the outdoor environment and enhanced the night time experience for millions.



Aesthetically correct



Sustainable



Energy saving

P74



Street Light



Aesthetically correct



Sustainable



Energy saving



Street Light



- Every chip 50W and 1W/140LM.50W High PF drivers .
- Keep 3 years



Original Design by Dreamlux



Samsung chips included in this product

Model	Power	Size mm	Beam Angle	CRI	IP	LED Chips
NSR-1001	100	720X280X80	62	70-80	66	2PCS*5000lm
NSR-1002	150	860X330X80	62	70-80	66	3PCS*5000lm
NSR-2003	200	950X350X80	62	70-80	66	4PCS*5000lm

P76



HIGH BAY



Aesthetically correct



Sustainable



Energy saving



1 Angle Adjustable

2 Thickened aluminum

3 Imported lamp beads

4 Faster heat dissipation



Product parameters

100W NSR- 1101



460mm

120mm

Product Name: Butterfly mining lamp
Luminous angle: adjustable
Lamp bead lumen: 120lm / W
Number of lamp beads: 192pcs
Whole lamp lumen: 12000
Exposure range: 4-6 m, 40 m high ² above

150W NSR- 1102



450mm

120mm

Product Name: Butterfly mining lamp
Luminous angle: adjustable
Lamp bead lumen: 120lm / W
Number of lamp beads: 288pcs
Whole lamp lumen: 18000
Exposure range: 6-8 m, 70 m high ² above

200W NSR- 1103



460mm

120mm


Product Name: Butterfly mining lamp
Luminous angle: adjustable
Lamp bead lumen: 120lm / W
Number of lamp beads: 384pcs
Whole lamp lumen: 24000
Exposure range: 8-10 m, 110 m high ² above



200W

HIGHBAY luminaires are designed for professional industrial installations in areas with very high ceilings, such as warehouses and shop floors. The luminaires are fitted with Philips Lumileds chips with luminous efficacy of 150 lm/W and a long lifetime.

- Main benefits:
 - IP65 rating ensures water resistance
 - outstanding performance and light quality – CRI > 80
 - option for dimming using accessories (0–10 V, DALI)
- Areas of use:
 - industrial
 - and warehouse buildings, large halls.



Model	Watt	Size mm	CCT	Luminous	Beam angle	CRI	Input Vol
NSR-1201	100	292*150	3000	12000	90	80	85-277V ac
NSR-1202	100	292*150	4000	12000	90	80	85-277V ac
NSR-1203	100	292*150	6500	12000	90	80	85-277V ac
NSR-1204	150	342*155	3000	18000	90	80	85-277V ac
NSR-1205	150	342*155	4000	18000	90	80	85-277V ac
NSR-1206	150	342*155	3000	18000	90	80	85-277V ac
NSR-1210	200	400*155	3000	24000	90	80	85-277V ac
NSR-1211	200	400*155	4000	24000	90	80	85-277V ac
NSR-1221	200	400*155	6500	24000	90	80	85-277V ac



100W



150W

P80



Flood Light



Aesthetically correct



Sustainable






Energy saving

Flood Light

PHILIPS LUMILEDS INSIDE



Lifetime (L80)	50 000 hours
CRI	> 80
Body material	aluminium
Diffuser material	plastic (PC)
IP rating	IP65
IK	IK10
Cable length	1 m



Model	Power	Luminous Flux	CCT	PF	Beam Angle	Luminous Efficacy	Flicker-Free	Dimmable	W/D/H
NSR-1301	100 W	12 000 lm	4 000 K	> 0.9	120 × 90°	120 lm/W	no	yes	340 × 60 × 298 mm
NSR-1302	150 W	20 000 lm	4 000 K	> 0.9	120 × 90°	133 lm/W	yes	yes	341 × 60 × 360 mm
NSR-1303	230 W	30 000 lm	4 000 K	> 0.9	120 × 90°	130 lm/W	yes	yes	340 × 60 × 435 mm

SYNERGIES

Synergies Middle East
Europe Trading and
Manufacturing Budapest,
Hungary.

www.synergieshu.com

 *Aesthetically correct*

 *Sustainable*

 *Energy saving*