



WIDE FLANGE

| Nominal Size in Inches | Weight Per Foot in Lbs | Depth in Inches 'A' | Flange Width in Inches 'B' | Flange Thickness in Inches 'C' | Web Thickness in Inches 'D' | Weight in Lbs | | | |
|------------------------|------------------------|---------------------|----------------------------|--------------------------------|-----------------------------|---------------|-------|---------------|----------|
| | | | | | | 20' | 40' | Galv Per Foot | Galv 20' |
| 4 X 4 | 13 | 4.16 | 4.060 | 0.345 | 0.280 | 260 | 520 | 14 | 273 |
| 5 X 5 | 16 | 5.01 | 5.000 | 0.360 | 0.240 | 320 | 640 | 17 | 336 |
| | 19 | 5.15 | 5.030 | 0.430 | 0.270 | 380 | 760 | 20 | 399 |
| 6 X 4 | 9 | 5.90 | 3.940 | 0.215 | 0.170 | 180 | 360 | 10 | 189 |
| | 12 | 6.03 | 4.000 | 0.280 | 0.230 | 240 | 480 | 13 | 252 |
| | 16 | 6.28 | 4.030 | 0.405 | 0.260 | 320 | 640 | 17 | 336 |
| 6 X 6 | 15 | 5.99 | 5.990 | 0.260 | 0.230 | 300 | 600 | 16 | 315 |
| | 20 | 6.20 | 6.020 | 0.365 | 0.260 | 400 | 800 | 21 | 420 |
| | 25 | 6.38 | 6.080 | 0.455 | 0.320 | 500 | 1,000 | 27 | 525 |
| 8 X 4 | 10 | 7.89 | 3.940 | 0.205 | 0.170 | 200 | 400 | 11 | 210 |
| | 13 | 7.99 | 4.000 | 0.255 | 0.230 | 260 | 520 | 14 | 273 |
| | 15 | 8.11 | 4.015 | 0.315 | 0.245 | 300 | 600 | 16 | 315 |
| 8 X 5 1/4 | 18 | 8.14 | 5.250 | 0.330 | 0.230 | 360 | 720 | 19 | 378 |
| | 21 | 8.28 | 5.270 | 0.400 | 0.250 | 420 | 840 | 23 | 441 |
| 8 X 6 1/2 | 24 | 7.93 | 6.495 | 0.400 | 0.245 | 480 | 960 | 26 | 504 |
| | 28 | 8.06 | 6.535 | 0.465 | 0.285 | 560 | 1,120 | 30 | 588 |
| 8 X 8 | 31 | 8.00 | 7.995 | 0.435 | 0.285 | 620 | 1,240 | 33 | 651 |
| | 35 | 8.12 | 8.020 | 0.495 | 0.310 | 700 | 1,400 | 37 | 735 |
| | 40 | 8.25 | 8.070 | 0.560 | 0.360 | 800 | 1,600 | 42 | 840 |
| | 48 | 8.50 | 8.110 | 0.685 | 0.400 | 960 | 1,920 | 51 | 1,008 |
| | 58 | 8.75 | 8.220 | 0.810 | 0.510 | 1,160 | 2,320 | 61 | 1,218 |
| | 67 | 9.00 | 8.280 | 0.935 | 0.570 | 1,340 | 2,680 | 71 | 1,407 |
| 10 X 4 | 12 | 9.87 | 3.960 | 0.210 | 0.190 | 240 | 480 | 13 | 252 |
| | 15 | 9.99 | 4.000 | 0.270 | 0.230 | 300 | 600 | 16 | 315 |
| | 17 | 10.11 | 4.010 | 0.330 | 0.240 | 340 | 680 | 18 | 357 |
| | 19 | 10.24 | 4.020 | 0.395 | 0.250 | 380 | 760 | 20 | 399 |
| 10 X 5 3/4 | 22 | 10.17 | 5.750 | 0.360 | 0.240 | 440 | 880 | 24 | 462 |
| | 26 | 10.33 | 5.770 | 0.440 | 0.260 | 520 | 1,040 | 28 | 546 |
| | 30 | 10.47 | 5.810 | 0.510 | 0.300 | 600 | 1,200 | 32 | 630 |
| 10 X 8 | 33 | 9.73 | 7.960 | 0.435 | 0.290 | 660 | 1,320 | 35 | 693 |
| | 39 | 9.92 | 7.985 | 0.530 | 0.315 | 780 | 1,560 | 41 | 819 |
| | 45 | 10.10 | 8.020 | 0.620 | 0.350 | 900 | 1,800 | 48 | 945 |
| 10 X 10 | 49 | 9.98 | 10.000 | 0.560 | 0.340 | 980 | 1,960 | 52 | 1,029 |
| | 54 | 10.09 | 10.030 | 0.315 | 0.370 | 1,080 | 2,160 | 57 | 1,134 |
| | 60 | 10.22 | 10.080 | 0.680 | 0.420 | 1,200 | 2,400 | 63 | 1,260 |
| | 68 | 10.40 | 10.130 | 0.770 | 0.470 | 1,360 | 2,720 | 72 | 1,428 |
| | 77 | 10.60 | 10.190 | 0.870 | 0.530 | 1,540 | 3,080 | 81 | 1,617 |
| | 88 | 10.84 | 10.265 | 0.990 | 0.605 | 1,760 | 3,520 | 93 | 1,848 |
| | 100 | 11.10 | 10.340 | 1.120 | 0.680 | 2,000 | 4,000 | 105 | 2,100 |
| 12 X 4 | 14 | 11.91 | 3.970 | 0.225 | 0.200 | 280 | 560 | 15 | 294 |
| | 16 | 11.99 | 3.990 | 0.265 | 0.220 | 320 | 640 | 17 | 336 |
| | 19 | 12.16 | 4.005 | 0.350 | 0.235 | 380 | 760 | 20 | 399 |
| | 22 | 12.31 | 4.030 | 0.425 | 0.260 | 440 | 880 | 24 | 462 |




WIDE FLANGE

| Nominal Size in Inches | Weight Per Foot in Lbs | Depth in Inches 'A' | Flange Width in Inches 'B' | Flange Thickness In Inches 'C' | Web Thickness In Inches 'D' | Weight in Lbs | | | |
|------------------------|------------------------|---------------------|----------------------------|--------------------------------|-----------------------------|---------------|--------|---------------|----------|
| | | | | | | 20' | 40' | Galv Per Foot | Galv 20' |
| 12 X 6 1/2 | 26 | 12.22 | 6.49 0 | 0.380 | 0.230 | 520 | 1,040 | 28 | 546 |
| | 30 | 12.34 | 6.520 | 0.440 | 0.260 | 600 | 1,200 | 32 | 630 |
| | 35 | 12.50 | 6.560 | 0.520 | 0.300 | 700 | 1,400 | 37 | 735 |
| 12 X 8 | 40 | 11.94 | 8.005 | 0.515 | 0.295 | 800 | 1,600 | 42 | 840 |
| | 45 | 12.06 | 8.045 | 0.575 | 0.335 | 900 | 1,800 | 48 | 945 |
| | 50 | 12.19 | 8.080 | 0.640 | 0.370 | 1,000 | 2,000 | 53 | 1,050 |
| 12 X 10 | 53 | 12.06 | 9.9 9 5 | 0.575 | 0.345 | 1,060 | 2,120 | 56 | 1,113 |
| | 58 | 12.19 | 10.010 | 0.640 | 0.360 | 1,160 | 2,320 | 61 | 1,218 |
| 12 X 12 | 65 | 12.12 | 12.000 | 0.605 | 0.390 | 1,300 | 2,600 | 69 | 1,365 |
| | 72 | 12.25 | 12.040 | 0.670 | 0.430 | 1,440 | 2,880 | 76 | 1,512 |
| | 79 | 12.38 | 12.080 | 0.735 | 0.470 | 1,580 | 3,160 | 83 | 1,659 |
| | 87 | 12.53 | 12.125 | 0.810 | 0.515 | 1,74 0 | 3,480 | 92 | 1,827 |
| | 96 | 12.71 | 12.160 | 0.900 | 0.550 | 1,920 | 3,840 | 101 | 2,016 |
| | 106 | 12.89 | 12.220 | 0.990 | 0.610 | 2,120 | 4,240 | 112 | 2,226 |
| | 120 | 13.10 | 12.300 | 1.110 | 0.710 | 2,400 | 4,800 | 126 | 2,520 |
| | 136 | 13.4 0 | 12.400 | 1.250 | 0.790 | 2,720 | 5,440 | 143 | 2,856 |
| | 152 | 13.70 | 12.500 | 1.400 | 0.870 | 3,040 | 6,080 | 160 | 3,192 |
| | 170 | 14.0 0 | 12.600 | 1.560 | 0.960 | 3,4 0 0 | 6,800 | 179 | 3,570 |
| | 190 | 14.4 0 | 12.700 | 1.740 | 1.060 | 3,800 | 7,600 | 200 | 3,9 9 0 |
| | 210 | 14.70 | 12.800 | 1.900 | 1.290 | 4,200 | 8,400 | 221 | 4,410 |
| | 230 | 15.10 | 12.900 | 2.070 | 1.290 | 4,600 | 9,200 | 242 | 4,830 |
| | 252 | 15.4 0 | 13.000 | 2.250 | 1.400 | 5,040 | 10,080 | 265 | 5,292 |
| 279 | 15.9 0 | 13.100 | 2.470 | 1.530 | 5,580 | 11,160 | 293 | 5,8 5 9 | |
| 305 | 16.30 | 13.200 | 2.710 | 1.630 | 6,100 | 12,200 | 321 | 6,405 | |
| 14 X 5 | 22 | 13.74 | 5.0 0 0 | 0.335 | 0.230 | 440 | 880 | 24 | 462 |
| | 26 | 13.91 | 5.0 2 5 | 0.420 | 0.255 | 520 | 1,040 | 28 | 546 |
| 14 X 6 3/4 | 30 | 13.84 | 6.7 30 | 0.385 | 0.270 | 600 | 1,200 | 32 | 630 |
| | 34 | 13.98 | 6.745 | 0.455 | 0.285 | 680 | 1,360 | 36 | 714 |
| | 38 | 14.10 | 6.7 70 | 0.515 | 0.310 | 760 | 1,520 | 40 | 798 |
| 14 X 8 | 43 | 13.66 | 7.995 | 0.530 | 0.305 | 860 | 1,720 | 46 | 903 |
| | 48 | 13.79 | 8.030 | 0.595 | 0.340 | 960 | 1,920 | 51 | 1,008 |
| | 53 | 13.92 | 8.060 | 0.660 | 0.370 | 1,060 | 2,120 | 56 | 1,113 |
| 14 X 10 | 61 | 13.89 | 9.9 9 5 | 0.645 | 0.375 | 1,220 | 2,440 | 65 | 1,281 |
| | 68 | 14.0 0 | 10.000 | 0.720 | 0.415 | 1,360 | 2,720 | 72 | 1,428 |
| | 74 | 14.17 | 10.070 | 0.785 | 0.450 | 1,480 | 2,960 | 78 | 1,554 |
| | 82 | 14.3 1 | 10.130 | 0.855 | 0.510 | 1,640 | 3,280 | 87 | 1,722 |
| 14 X 14 1/2 | 90 | 14.02 | 14.520 | 0.710 | 0.440 | 1,800 | 3,600 | 95 | 1,890 |
| | 99 | 14.16 | 14.565 | 0.780 | 0.485 | 1,980 | 3,960 | 104 | 2,079 |
| | 109 | 14.3 2 | 14.605 | 0.860 | 0.525 | 2,180 | 4,360 | 115 | 2,289 |
| | 120 | 14.5 0 | 14.700 | 0.940 | 0.590 | 2,400 | 4,800 | 126 | 2,520 |
| | 132 | 14.70 | 14.700 | 1.030 | 0.645 | 2,640 | 5,280 | 139 | 2,7 7 2 |




WIDE FLANGE

| Nominal Size in Inches | Weight Per Foot in Lbs | Depth in Inches 'A' | Flange Width in Inches 'B' | Flange Thickness In Inches 'C' | Web Thickness In Inches 'D' | Weight in Lbs | | | |
|------------------------|------------------------|---------------------|----------------------------|--------------------------------|-----------------------------|---------------|--------|---------------|----------|
| | | | | | | 20' | 40' | Galv Per Foot | Galv 20' |
| 14 X 16 | 145 | 14.80 | 15.500 | 1.090 | 0.680 | 2,900 | 5,800 | 153 | 3,045 |
| | 159 | 15.00 | 15.600 | 1.190 | 0.745 | 3,180 | 6,360 | 167 | 3,339 |
| | 176 | 15.20 | 15.700 | 1.310 | 0.830 | 3,520 | 7,040 | 185 | 3,696 |
| | 211 | 15.70 | 15.800 | 1.560 | 0.980 | 4,220 | 8,440 | 222 | 4,431 |
| | 233 | 16.00 | 15.900 | 1.720 | 1.070 | 4,660 | 9,320 | 245 | 4,893 |
| | 257 | 16.40 | 16.000 | 1.890 | 1.180 | 5,140 | 10,280 | 270 | 5,397 |
| 16 X 5 1/2 | 26 | 15.69 | 5.500 | 0.345 | 0.250 | 520 | 1,040 | 28 | 546 |
| | 31 | 15.88 | 5.525 | 0.440 | 0.275 | 620 | 1,240 | 33 | 651 |
| 16 X 7 | 36 | 15.86 | 6.985 | 0.430 | 0.295 | 720 | 1,440 | 38 | 756 |
| | 40 | 16.01 | 6.995 | 0.505 | 0.305 | 800 | 1,600 | 42 | 840 |
| | 45 | 16.13 | 7.035 | 0.565 | 0.345 | 900 | 1,800 | 48 | 945 |
| | 50 | 16.26 | 7.070 | 0.630 | 0.380 | 1,000 | 2,000 | 53 | 1,050 |
| | 57 | 16.43 | 7.120 | 0.715 | 0.430 | 1,140 | 2,280 | 60 | 1,197 |
| 16 X 10 1/4 | 67 | 16.33 | 10.235 | 0.665 | 0.395 | 1,340 | 2,680 | 71 | 1,407 |
| | 77 | 16.52 | 10.295 | 0.760 | 0.455 | 1,540 | 3,080 | 81 | 1,617 |
| | 89 | 16.75 | 10.365 | 0.875 | 0.525 | 1,780 | 3,560 | 94 | 1,869 |
| | 100 | 16.97 | 10.425 | 0.985 | 0.585 | 2,000 | 4,000 | 105 | 2,100 |
| 18 X 6 | 35 | 17.70 | 6.000 | 0.425 | 0.300 | 700 | 1,400 | 37 | 735 |
| | 40 | 17.90 | 6.015 | 0.525 | 0.315 | 800 | 1,600 | 42 | 840 |
| | 46 | 18.06 | 6.060 | 0.605 | 0.360 | 920 | 1,840 | 49 | 966 |
| 18 X 7 1/2 | 50 | 17.99 | 7.495 | 0.570 | 0.355 | 1,000 | 2,000 | 53 | 1,050 |
| | 55 | 18.11 | 7.530 | 0.630 | 0.390 | 1,100 | 2,200 | 58 | 1,155 |
| | 60 | 18.24 | 7.555 | 0.695 | 0.415 | 1,200 | 2,400 | 63 | 1,260 |
| | 65 | 18.35 | 7.590 | 0.750 | 0.450 | 1,300 | 2,600 | 69 | 1,365 |
| | 71 | 18.47 | 7.635 | 0.810 | 0.495 | 1,420 | 2,840 | 75 | 1,491 |
| 18 X 11 | 76 | 18.20 | 11.000 | 0.680 | 0.425 | 1,520 | 3,040 | 80 | 1,596 |
| | 86 | 18.39 | 11.090 | 0.770 | 0.480 | 1,720 | 3,440 | 91 | 1,806 |
| | 97 | 18.59 | 11.145 | 0.870 | 0.535 | 1,940 | 3,880 | 102 | 2,037 |
| | 106 | 18.73 | 11.200 | 0.940 | 0.590 | 2,120 | 4,240 | 112 | 2,226 |
| | 119 | 18.97 | 11.265 | 1.060 | 0.655 | 2,380 | 4,760 | 125 | 2,499 |
| 21 X 6 1/2 | 44 | 20.66 | 6.500 | 0.450 | 0.350 | 880 | 1,760 | 47 | 924 |
| | 50 | 20.83 | 6.530 | 0.535 | 0.380 | 1,000 | 2,000 | 53 | 1,050 |
| | 57 | 21.06 | 6.555 | 0.650 | 0.405 | 1,140 | 2,280 | 60 | 1,197 |
| 21 X 8 1/4 | 62 | 20.99 | 8.240 | 0.615 | 0.400 | 1,240 | 2,480 | 66 | 1,302 |
| | 68 | 21.13 | 8.270 | 0.685 | 0.430 | 1,360 | 2,720 | 72 | 1,428 |
| | 73 | 21.24 | 8.295 | 0.740 | 0.455 | 1,460 | 2,920 | 77 | 1,533 |
| | 83 | 21.40 | 8.360 | 0.835 | 0.515 | 1,660 | 3,320 | 88 | 1,743 |
| | 93 | 21.60 | 8.420 | 0.930 | 0.580 | 1,860 | 3,720 | 98 | 1,953 |
| 21 X 12 1/4 | 101 | 21.40 | 12.300 | 0.800 | 0.500 | 2,020 | 4,040 | 107 | 2,121 |
| | 111 | 21.51 | 12.340 | 0.875 | 0.550 | 2,220 | 4,440 | 117 | 2,331 |
| | 122 | 21.70 | 12.400 | 0.960 | 0.600 | 2,440 | 4,880 | 129 | 2,562 |
| | 132 | 21.80 | 12.400 | 1.040 | 0.650 | 2,640 | 5,280 | 139 | 2,772 |
| | 147 | 22.10 | 12.500 | 1.150 | 0.720 | 2,940 | 5,880 | 155 | 3,087 |



WIDE FLANGE

| Nominal Size in Inches | Weight Per Foot in Lbs | Depth in Inches 'A' | Flange Width in Inches 'B' | Flange Thickness In Inches 'C' | Web Thickness In Inches 'D' | Weight in Lbs | | | |
|------------------------|------------------------|---------------------|----------------------------|--------------------------------|-----------------------------|---------------|--------|---------------|----------|
| | | | | | | 20' | 40' | Galv Per Foot | Galv 20' |
| 24 X 7 | 55 | 23.57 | 7.005 | 0.505 | 0.395 | 1,100 | 2,200 | 58 | 1,155 |
| | 62 | 23.74 | 7.040 | 0.590 | 0.430 | 1,240 | 2,480 | 66 | 1,302 |
| | 68 | 23.73 | 8.965 | 0.585 | 0.415 | 1,360 | 2,720 | 72 | 1,428 |
| 24 X 9 | 76 | 23.92 | 8.990 | 0.680 | 0.440 | 1,520 | 3,040 | 80 | 1,596 |
| | 84 | 24.10 | 9.020 | 0.770 | 0.470 | 1,680 | 3,360 | 89 | 1,764 |
| | 94 | 24.31 | 9.065 | 0.875 | 0.515 | 1,880 | 3,760 | 99 | 1,974 |
| | 103 | 24.50 | 9.000 | 0.980 | 0.550 | 2,060 | 4,120 | 109 | 2,163 |
| 24 X 12 3/4 | 104 | 24.10 | 12.800 | 0.750 | 0.500 | 2,080 | 4,160 | 110 | 2,184 |
| | 117 | 24.30 | 12.800 | 0.850 | 0.550 | 2,340 | 4,680 | 123 | 2,457 |
| | 131 | 24.50 | 12.900 | 0.960 | 0.605 | 2,620 | 5,240 | 138 | 2,751 |
| | 146 | 24.70 | 12.900 | 1.090 | 0.650 | 2,920 | 5,840 | 154 | 3,066 |
| | 162 | 25.00 | 13.000 | 1.220 | 0.705 | 3,240 | 6,480 | 171 | 3,402 |
| | 176 | 25.20 | 12.900 | 1.340 | 0.750 | 3,520 | 7,040 | 185 | 3,696 |
| | 306 | 27.10 | 13.400 | 2.280 | 1.260 | 6,120 | 12,240 | 322 | 6,426 |
| 27 X 10 | 84 | 26.70 | 10.000 | 0.640 | 0.460 | 1,680 | 3,360 | 89 | 1,764 |
| | 94 | 26.92 | 10.000 | 0.745 | 0.490 | 1,880 | 3,760 | 99 | 1,974 |
| | 102 | 27.10 | 10.000 | 0.830 | 0.515 | 2,040 | 4,080 | 108 | 2,142 |
| | 114 | 27.30 | 10.100 | 0.930 | 0.570 | 2,280 | 4,560 | 120 | 2,394 |
| 27 X 14 | 146 | 27.40 | 14.000 | 0.975 | 0.605 | 2,920 | 5,840 | 154 | 3,066 |
| | 161 | 27.60 | 14.000 | 1.080 | 0.660 | 3,220 | 6,440 | 170 | 3,381 |
| | 178 | 27.80 | 14.100 | 1.190 | 0.725 | 3,560 | 7,120 | 187 | 3,738 |
| 30 X 10 1/2 | 90 | 29.50 | 10.400 | 0.610 | 0.470 | 1,800 | 3,600 | 95 | 1,890 |
| | 99 | 29.70 | 10.500 | 0.670 | 0.520 | 1,980 | 3,960 | 104 | 2,079 |
| | 132 | 30.30 | 10.500 | 1.000 | 0.615 | 2,640 | 5,280 | 139 | 2,772 |
| 30 X 15 | 173 | 30.40 | 15.000 | 1.070 | 0.655 | 3,460 | 6,920 | 182 | 3,633 |
| | 191 | 30.70 | 15.000 | 1.190 | 0.710 | 3,820 | 7,640 | 201 | 4,011 |
| 33 X 11 1/2 | 118 | 32.90 | 11.500 | 0.740 | 0.550 | 2,360 | 4,720 | 124 | 2,478 |
| | 130 | 33.10 | 11.500 | 0.855 | 0.580 | 2,600 | 5,200 | 137 | 2,730 |
| 36 X 12 | 135 | 35.60 | 12.000 | 0.790 | 0.600 | 2,700 | 5,400 | 142 | 2,835 |
| | 150 | 35.90 | 12.000 | 0.940 | 0.625 | 3,000 | 6,000 | 158 | 3,150 |
| | 160 | 36.00 | 12.000 | 1.020 | 0.650 | 3,200 | 6,400 | 168 | 3,360 |
| | 170 | 36.20 | 12.000 | 1.100 | 0.680 | 3,400 | 6,800 | 179 | 3,570 |
| | 182 | 36.30 | 12.100 | 1.180 | 0.725 | 3,640 | 7,280 | 192 | 3,822 |
| 36 X 16 1/2 | 231 | 36.50 | 16.500 | 1.260 | 0.760 | 4,620 | 9,240 | 243 | 4,851 |
| | 247 | 36.70 | 16.500 | 1.350 | 0.800 | 4,940 | 9,880 | 260 | 5,187 |
| | 262 | 36.90 | 16.600 | 1.440 | 0.840 | 5,240 | 10,480 | 276 | 5,502 |
| | 302 | 37.30 | 16.700 | 1.680 | 0.945 | 6,040 | 12,080 | 318 | 6,342 |
| | 361 | 38.00 | 16.700 | 2.010 | 1.120 | 7,220 | 14,440 | 380 | 7,581 |
| | 395 | 38.40 | 16.800 | 2.200 | 1.220 | 7,900 | 15,800 | 415 | 8,295 |



I-BEAM

| Depth in Inches 'A' | Weight Per Foot in Lbs | Flange Width in Inches 'B' | Web Thickness In Inches 'C' | Flange Thickness In Inches 'D' | Weight in Lbs | | | |
|---------------------|------------------------|----------------------------|-----------------------------|--------------------------------|---------------|-------|---------------|----------|
| | | | | | 20' | 40' | Galv Per Foot | Galv 20' |
| 3 | 5.7 | 2.330 | .170 | .260 | 114 | 228 | 6 | 120 |
| | 7.5 | 2.509 | .349 | .260 | 150 | 300 | 8 | 158 |
| 4 | 7.7 | 2.663 | .193 | .293 | 154 | 308 | 9 | 162 |
| | 9.5 | 2.796 | .326 | .293 | 190 | 380 | 10 | 200 |
| 5 | 10.0 | 3.004 | .214 | .326 | 200 | 400 | 11 | 210 |
| 6 | 12.5 | 3.332 | .232 | .359 | 250 | 500 | 14 | 263 |
| | 17.25 | 3.565 | .465 | .359 | 345 | 690 | 19 | 363 |
| 7 | 15.3 | 3.662 | .252 | .392 | 306 | 612 | 17 | 322 |
| | 20.0 | 3.860 | .450 | .392 | 400 | 800 | 21 | 420 |
| 8 | 18.4 | 4.001 | .271 | .425 | 368 | 736 | 20 | 387 |
| | 23.0 | 4.171 | .441 | .425 | 460 | 920 | 25 | 483 |
| 10 | 25.4 | 4.661 | .311 | .491 | 508 | 1,016 | 27 | 534 |
| | 35.0 | 4.944 | .594 | .491 | 700 | 1,400 | 37 | 735 |
| 12 | 31.8 | 5.000 | .350 | .544 | 636 | 1,272 | 34 | 668 |
| | 35.0 | 5.078 | .428 | .544 | 700 | 1,400 | 37 | 735 |
| | 40.8 | 5.252 | .472 | .659 | 816 | 1,632 | 43 | 857 |
| | 50.0 | 5.477 | .687 | .659 | 1,000 | 2,000 | 53 | 1,050 |
| 15 | 42.9 | 5.501 | .411 | .622 | 858 | 1,716 | 46 | 901 |
| | 50.0 | 5.640 | .550 | .622 | 1,000 | 2,000 | 53 | 1,050 |
| 18 | 54.7 | 6.001 | .461 | .691 | 1,094 | 2,188 | 58 | 1,149 |
| | 70.0 | 6.251 | .711 | .691 | 1,400 | 2,800 | 74 | 1,470 |
| 20 | 66.0 | 6.255 | .505 | .795 | 1,320 | 2,640 | 70 | 1,386 |
| | 86.0 | 7.060 | .660 | .920 | 1,720 | 3,440 | 91 | 1,806 |
| | 96.0 | 7.200 | .800 | .920 | 1,920 | 3,840 | 101 | 2,016 |
| | 80.0 | 7.000 | .500 | .870 | 1,600 | 3,200 | 84 | 1,680 |
| 24 | 90.0 | 7.130 | .625 | .870 | 1,800 | 3,600 | 95 | 1,890 |
| | 100.0 | 7.250 | .745 | .870 | 2,000 | 4,000 | 105 | 2,100 |
| | 106.0 | 7.870 | .620 | 1.090 | 2,120 | 4,240 | 112 | 2,226 |
| | 121.0 | 8.050 | .800 | 1.090 | 2,420 | 4,840 | 128 | 2,541 |