



**ALWAYS IN STOCK
BEST PRICE GUARANTEE**

**SAFETY
JOGGER**
WORKS



**ENGINEERED
IN EUROPE**

**HEAD-TO-TOE
PROTECTION**
2023
NEW ARRIVAL

INDUSTRIAL PROFESSIONAL TACTICAL TIGER GRIP

LEAFLET
Worldwide 2023

SHOWROOM.SAFETYJOGGER.COM
WWW.SAFETYJOGGER.COM

LESS WASTE. MORE SAFETY.

made from
recycled
materials



Our most responsible safety shoe

ORDER ONLINE | order.safetyjogger.com

**SAFETY
JOGGER**
INDUSTRIAL

INDUSTRIAL

ECO-FRIENDLY COLLECTION



MORRIS **S1P**

SRC ESD

Sole Phylon + natural rubber
Toecap Nano carbon
Midsole Puncture resistant lightweight
Lining Recycle black mesh
Footbed SJ Foam
Category S1P / SRC ESD
Size Range EU 35-47 • UK 3-12 • US 3-13
KOR 23-31 • JPN 21.5-31.0



NEW

ECONILA **S1 LOW**

SRC ESD

Sole Phylon/Rubber
Toecap Composite
Midsole N/A
Lining Recycled breathable mesh
Footbed SJ Foam
Category S1 / SRC ESD
Size Range EU 35-48 • UK 3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



ECOLOBI **S1P LOW TLS**

SRC ESD

Sole Phylon/Rubber
Toecap Composite
Midsole Anti-puncture textile plate
Lining Recycled breathable mesh
Footbed SJ Foam
Category S1P / SRC ESD
Size Range EU 35-48 • UK 3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



NEW

ECOFITZ **S1P LOW**

SRC

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Recycled breathable mesh
Footbed SJ Foam
Category S1P / SRC
Size Range EU 35-47 • UK 3-12 • US 3-13
KOR 23-31 • JPN 21.5-31.0



ECODESERT **S1P MID**

SRC

Sole PU/PU
Toecap Steel
Midsole Steel
Lining Recycled breathable mesh
Footbed SJ Foam
Category S1P / SRC
Size Range EU 35-48 • UK 3-13 • US 3-13.5
KOR 23-31.5 • JPN 21.5-31.5



DARE TO GO GREEN





ABSOLUTE S1P

SRC ESD

Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midsole	Puncture resistant lightweight
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



LIGERO S1P

SRC ESD

Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midsole	Puncture resistant lightweight
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

LIGERO2 S1P MID TLS

SRC ESD

Sole	BASF PU
Toecap	Nano carbon
Midsole	Puncture resistant aramid
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

LIGERO2 S1P LOW

SRC ESD

Sole	BASF PU
Toecap	Nano carbon
Midsole	Puncture resistant aramid
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

LOBI S1P LOW TLS

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

ALTO TLS

SRC ESD

Sole	Phylon/Rubber
Toecap	PC wide toecap
Midsole	N/A
Lining	Breathable mesh
Footbed	SJ Foam
Category	JSA(100J) /SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

AAK S1P LOW

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5




NEW

AZUMA

SRC ESD

Sole	Phylon/Rubber
Toecap	PC wide toecap
Midsole	N/A
Lining	Breathable mesh
Footbed	SJ Foam
Category	JSA(100J) /SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



Extremely light

LIGHTEST SAFETY SHOE
ON THE MARKET

You will have one of the
lightest safety shoes
on the market.

**Lightweight collection
is the ideal shoe for
a hybrid workplace**



NEW

MILOS S1P MID

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

MILOS S1P LOW

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

PACCO S3 LOW TLS

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

PACCO S1P LOW

SRC ESD

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

TANA P1

SRC ESD

Sole	Phylon/Rubber
Toecap	PC wide toecap
Midsole	N/A
Lining	Breathable mesh
Footbed	SJ Foam
Category	JSAA(100J) / SRC ESD
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



HIKING COLLECTION

X2020P31 S3
X200031 S3

SRC

Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0 EU 37-47 • UK 4-12 • US 4.5-13 KOR 24-31 • JPN 23.0-31.0

JUMPER31 S3
CLIMBER31 S3

SRC

Sole	BASF PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



GOBI S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-46 • UK 3-11 • US 3-12 KOR 23-30 • JPN 21.5-30.0



DESERT S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cotton
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



DAKAR S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh suede
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



SAHARA S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh suede
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



RUSH S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh suede
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



RUSH S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh Nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



How it works



Press in the dial



Turn clockwise to tighten



Pull up for quick release

Safety with a twist

CADOR **S3** LOW TLS

Benefits of the TLS closing

Fast, effective and time efficient

Easy to close with one hand

Uniform pressure distribution

Easy adjustable for a **precision fit**

Retains tension

Prevents from tripping and entanglement

Extremely strong, durable and hard wearing



SPORTS COLLECTION



4



CADOR **S1P** MID

SRC ESD

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



CADOR **S1P**

SRC ESD

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



CADOR **S3** MID TLS

SRC ESD

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



CADOR **S3** LOW TLS

SRC ESD

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



CADOR **S3** MID

SRC ESD

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



CADOR **S3** LOW

SRC ESD

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



CADOR **S1P** MID TLS

SRC ESD

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



CADOR **S1P** LOW TLS

SRC ESD

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5





CADOR S1P SANDAL

SRC ESD

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / ESD SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



FLOW S1P SANDAL TLS

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



FLOW S1P MID TLS

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



FLOW S1P LOW TLS

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



FLOW S3 MID TLS

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



FLOW S3 LOW TLS

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



FLOW S3 MID

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



FLOW S3 LOW

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



FLOW S1P LOW

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1P / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



FITZ S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 37-47 • UK 4-12 • US 4.5-13 KOR 24-31 • JPN 23.0-31.0



BALTO S1

SRC

Sole	Phylon/Rubber
Toecap	Steel
Midsole	-
Lining	Imbkmesh
Footbed	SJ Foam
Category	S1 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



YUKON S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-47 • UK3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



SPEEDY S3

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 KOR 25-31 • JPN 24.0-31.0



TURBO S3

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



RAPTOR S1P

SRC

Sole	Phylon+Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



XPLORE S3

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 KOR 25-31 • JPN 24.0-31.0



**X430 S3**

SRC ESD WR HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	S3 / SRC ESD WR HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5

**X330 S3**

SRC ESD WR HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	S3 / SRC ESD WR HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 25-31.5 • JPN 24.0-31.5

**ULTIMA S3**

SRC ESD HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax® / Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC HRO ESD
Size Range	EU 37-48 • UK 4-13 • US 4.5-13.5 KOR 24-31.5 • JPN 23.0-31.5



NEW

MAGO S3 MIDEXTRA WIDE TOE CAP
SRC HRO

Sole	Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



NEW

ALTAR S3 HIGH

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh polyester
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



NEW

ALTAR S3 MID

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh polyester
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



6



NEW

BASALT S3

SRC ESD WR

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	3D Mesh+membrane
Footbed	SJ Foam
Category	S3 / SRC ESD WR
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**LAVA S3**

SRC ESD WR

Sole	PU/PU
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax® / cosmo
Footbed	SJ Foam
Category	S3 / SRC ESD WR
Size Range	EU 42-47 • UK 8-12 • US 9-13 KOR 27-31 • JPN 26.5-31.0

**DYNAMICA S3**

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**WORKERPLUS S3**

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh Nylon
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**POWER2 S3**

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 KOR 25-31 • JPN 24.0-31.0



**DESERT-EH SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Cotton
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**GOBI EH LOW SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0

**X430-EH SB**

EH SRC WR HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	SB / SRC WR HRO EH
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5

**X330-EH SB**

EH SRC WR HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	SB / SRC WR HRO EH
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5

**JUMPER-EH SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0

**PLUTO-EH SB****MARS-EH SB**

EH SRC

Sole	PU/TPU
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh Nylon
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 23.5-31 • JPN 22.5-31.0



018

019

DAKAR-EH SB

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh suede
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**X1110-EH SB****X1100N-EH SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Cambrella
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0

**FLOW EH LOW SB**

EH SRC

Sole	PU/PU
Toecap	Composite
Midssole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0

**RENA-EH SB**

EH SRC HRO

Sole	Rubber
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	SB / SRC HRO EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0

**X1100N79 EH**WARM LINING
EH SRC CI

Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Teddy
Footbed	Warm lining
Category	SB / SRC CI EH
Size Range	U 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5

**BERLINEH OB**

EH SRC

Sole	PU/Rubber
Toecap	-
Midssole	-
Lining	Mesh suede
Footbed	SJ Foam
Category	OB / SRC EH
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 25.5-31 • JPN 25.0-31.0



AURA EOS S3

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 22.5-31.0 EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



X1110 S3 X1100N S3

SRC

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



BLK
DBN

JACKMAN S3

EXTRA WIDE TOE CAP
SRC

Sole	Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



MANAGER S3

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 KOR 25-31 • JPN 24.0-31.0



DBN
BLK

BESTFIT S1P

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



BESTZIP S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



NEW

BLK
SND

BESTBOY EW S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



BESTRUN251 S3 BESTBOY251 S3

SRC HRO

Sole	BASF PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



BESTBOY S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



BESTRUN S3

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 US 3-13 KOR 23-31 • JPN 21.5-31.0



BESTBOY231 S3

SRC

Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 23.5-31 • JPN 22.5-31.0



BESTRUN231 S3

SRC

Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



LABOR S3

EXTRA WIDE TOE CAP
SRC HRO

Sole	Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



RENA S3

EXTRA WIDE TOE CAP
SRC HRO

Sole	Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0





SAFETYRUN S1P

SAFETYBOY S1P

SRC

Sole	PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Footbed	SJECO EVA
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 23.5-31 • JPN 22.5-31.0



SAFETYSTAR S3

SRC

Sole	PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Footbed	SJ ECO EVA
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 23.5-31 • JPN 22.5-31.0



NEW

CONSTRUBOY S3 MID

SRC

Sole	BASF PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



NEW

CONSTRUBOY S3 LOW

SRC

Sole	BASF PU
Toecap	Steel
Midssole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5

SNEAKERS COLLECTION



EXTRA WIDE TOE CAP UNISEX

OBELIX S3

SRC ESD HRO

Sole	Rubber
Toecap	Aluminium
Midssole	Puncture resistant SJ FLEX
Lining	Nalo mesh
Footbed	SJ Foam
Category	S3 / SRC ESD HRO
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



EXTRA WIDE TOE CAP

CERRO S3 MID

SRC ESD HRO

Sole	Rubber
Toecap	Aluminium
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh polyester
Footbed	SJ Foam
Category	S3 / SRC ESD HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



NEW

HAVEN S3

EXTRA WIDE TOE CAP

SRC ESD HRO



Sole	Rubber
Toecap	Nano Carbon
Midssole	Nonwoven
Lining	Nalo mesh
Footbed	SJ Foam
Category	S3 / SRC ESD HRO
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5

LADIES COLLECTION



BOTANIC S1P

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cotton
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



ORGANIC S1P

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cotton
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



BESTGIRL S3

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-42 • UK 3.5-8 • US 6-10.5 KOR 23.5-27 • JPN 22.5-26.5



CERES S3

SRC

Sole	Rubber
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-42 • UK 3.5-8 • US 6-10.5 KOR 23.5-27 • JPN 22.5-26.5





ROCKET81 S1P

SRC HRO



Sole	Phylon/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S1P / SRC HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 25-31.5 • JPN 24.0-31.5



BRIO S2

LIGHTWEIGHT
SRC ESD

Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midssole	-
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S2 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



X1100N81 S3

SRC HRO



Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



X111081 S3

SRC HRO



Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



DOLCE81 S3

SRC HRO



Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 3-12 • US 3.5-13 KOR 23-31.5 • JPN 21.5-31.5



GUSTO81 S3

SRC HRO



Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



DOLCE S3

SRC



Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



GUSTO S2

SRC



Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Mesh nylon
Footbed	SJ Foam
Category	S2 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



X0500 S2

SRC



Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Nylon
Footbed	SJ Foam
Category	S2 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



WHT

BLK



BESTLIGHT1

SRC

Sole	EVA/Rubber
Toecap	-
Midssole	-
Lining	EVA
Footbed	EVA
Category	SB / SRC
Size Range	EU 36-46 • UK 3.5-11 • US 4-12 KOR 23.5-30 • JPN 22.5-30.0



POSEIDON S4

SRA



Sole	PVC
Toecap	Steel
Midssole	-
Lining	Textile
Footbed	-
Category	S4 / SRA
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



composite safety toe cap

BLK

SAFETYCLOG PB

SRC

Standard	CE standard EN ISO 20346 PB SRC
Slip resistant	SRC
Anti-static	-
Toe cap	Composite 200 Joules
Material	EVA+Rubber outsole
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



**SONORA S1P**

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**FORZA S1P**

SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 KOR 25-31 • JPN 24.0-31.0

**BESTBOOT S3**WARM LINING
SRC CI

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Fur
Footbed	Fur
Category	S3 / SRC CI
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**BESTBOOT2 S3**

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**BOREAS2 S3**

SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 24.0-31.0

**ALASKAC S3**

SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0

**NORDIC S3**WARM LINING
SRC CI

Sole	PU/TPU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	SJ Teddy
Footbed	Fur
Category	S3 / SRC CI
Size Range	EU 35-46 • UK 3-11 • US 3-12 KOR 23-30 • JPN 21.5-30.0

**ARAS S3**

SRC CI

Sole	PU/TPU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	3M Thinsulate
Footbed	SJ Foam
Category	S3 / SRC CI ESD
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 25-31.5 • JPN 24.0-31.5

**BESTBOY252 S3**WARM LINING
SRC HRO CI

Sole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	SJ Teddy
Footbed	Warm lining
Category	S3 / SRC HRO CI
Size Range	U 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5

**X1100N79 EH**WARM LINING
EH SRC CI

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Teddy
Footbed	Warm lining
Category	SB / SRC CI EH
Size Range	U 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5

**HERCULES S5**

SRA

Sole	PVC
Toecap	Steel
Midsole	Steel
Category	S5 / SRA
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0





PROSHIELD 4X42F 1 PACKS

- Ultra-high level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 15 gauge lining
- Anti cut level 5/F
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test

TOUCHSCREEN GLOVE

DMF FREE



PROCUT 4X42D 1 PACKS

- High level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 18 gauge lining
- DMF free
- Anti cut level 5/D
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test

TOUCHSCREEN GLOVE

DMF FREE



PROTECTOR 4X44C BULK

- HPPE liner
- 1st layer in blue nitrile
- 2nd layer in black foamed nitrile
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test

DMF FREE



SHIELD 4X43C 1 PACKS BULK

- HPPE liner
- Polyurethane grip
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test

DMF FREE



ALLFLEX 4131X 1 PACKS BULK

- Nylon/spandex glove
- PU-nitrile micro foam coating
- DMF free
- Sizes 7, 8, 9, 10 and 11

TOUCHSCREEN GLOVE

DMF FREE



CONSTRUCTO 3243X 1 PACKS BULK

- Cotton/polyester glove
- Wrinkled latex grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11

DMF FREE



SUPERPRO 4121X BULK

- Polyester glove
- Black nitrile coating
- Oil resistant
- Sizes 8, 9, 10 and 11

DMF FREE



MULTITASK 4131X BULK

- Polyester glove
- PU coating
- Oil resistant
- Available in black and white
- Sizes 8, 9, 10 and 11

ACCESSORIES



NEW SJ BAMBOO SOCK 2 PAIRS PER PACK 2 KINDS OF CARTON PACKAGE

SOLID SIZE 60PAIRS PER CARTON
MIXED SIZE 60PAIRS PER CARTON
3 SIZES IN 1

Material	77% bamboo fiber - 3% polyamide fiber 3% spandex - 17% polyester
Sizes	EU 38/40 - 41/43 - 44/46 - 47/48 UK 5/7 - 7.5/9 - 10/11 - 12/13 US 5.5/7.5 - 8/10 - 10.5/12 - 13/13.5 CM 24/25.5 - 26/27 - 28/30 - 31/31.5



SJ SOCK2 3 PACKS 150 PAIRS PER CARTON 4 SIZES IN 1

Material	75% cotton - 23% polyester - 2% elastic
Sizes	EU 39/42 - 43/47 UK 6/8 - 9/12 US 6.5/9 - 10/13 CM 25.5/27 - 28/31



SJCOMFORT 48 PAIRS PER SIZE/CARTON

Specifications	Extra comfortable heel support Ultra high ergonomic comfort Air breathability technology Arch support Coolmax®
Sizes	EU 36/38 - 39/41 - 42/44 - 45/47 UK 3.5/5 - 6/7 - 8/10 - 10.5/12 US 4/5.5 - 6.5/7.5 - 9/10.5 - 11.5/13 CM 23.5/25 - 25.5/26 - 27/28.5 - 29.5/31



SJ JACKET

Material	Nylon
Sizes	XL



GLOVES | 120 pairs in export carton per size, per model.
SJ SOCK2 | single package per 3 pairs - 150 pairs per carton.
SJCOMFORT | 48 pairs per carton.

**SAFETY
JOGGER**
TACTICAL

ALLROUND TACTICAL BOOTS

ENGINEERED
IN EUROPE

ORDER ONLINE | order.safetyjogger.com

**SAFETY
JOGGER**
TACTICAL

TACTICAL

SECURITY COLLECTION



DRAGON **S3**

SRC ESD

Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 23-31 • JPN 21.5-31.0



KOMODO **S3**

SRC ESD

Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 23-31 • JPN 21.5-31.0

LAW ENFORCEMENT COLLECTION



SHARK **S3**

SRC ESD WR

Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh + unbranded waterproof membrane
Footbed	SJ Foam
Category	S3/SRC ESD WR
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 23-31 • JPN 21.5-31.0



TROOPER **S3**

SRC WR HRO

Sole	Phylon/Rubber
Toecap	Composite
Midsole	Puncture resistant SJ Flex
Lining	Coolmax® + unbranded waterproof membrane
Footbed	SJ Foam
Category	S3 / SRC WR HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 23.5-31.5 • JPN 22.5-31.5



TACTIC **OB**

SRA FO HRO

Sole	Rubber
Toecap	-
Midsole	-
Lining	Breathable technomesh
Footbed	SJ Foam
Category	OB / SRA FO HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 23.5-31 • JPN 22.5-31.0



DUNE **OB**

SRA FO HRO

Sole	Rubber
Toecap	-
Midsole	-
Lining	Mesh Nylon
Footbed	SJ Foam
Category	OB / SRA FO HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 25-31.5 • JPN 24.0-31.5



**SAFETY
JOGGER**
PROFESSIONAL



just feels like
DANCING



BESTNURSE

Flexible and comfortable
slip-on sneaker

CHAMP 02

Contemporary comfortable
work sneaker



just feels like
DANCING

SLOAN 01

Fashionable sneaker look, reliable
comfort and **protection**



just feels like
DANCING

ELIS 02

Breathable work sneaker that
offers a **wider fit**



just feels like
DANCING

CLOGS COLLECTION



SMOOTH OB

SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA + rubber outsole
Maintenance	Not autoclavable, Washable at 30°C Chemically and UV sterilisable
Weight	ca. 240 gr. per shoe
Size Range	EU 36-46 • UK 3.5-11 • US 4-12 KOR 23.5-30 • JPN 22.5-30.0



SONIC OB

SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • KOR 23/23.5-29.5/30 JPN 21.5/22.5-29.0/30.0



OXYCLOG OB

SRA ESD

Standard	CE standard EN ISO 20347 OB SRA ESD
Slip resistant	SRA
Anti-static	ESD
Material	TPE (thermoplastic elastomer)
Footbed	N/A
Maintenance	Autoclavable at 135°C Washable at 90°C Chemically and UV sterilisable
Weight	ca. 240 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • KOR 23/23.5-29.5/30 JPN 21.5/22.5-29.0/30.0



OXYVA 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 200 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • KOR 23/23.5-29.5/30 JPN 21.5/22.5-29.0/30.0



OXYSAFE PB

SRC ESD

Standard	CE standard EN ISO 20346 PB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Safety toe cap	Composite 100 Jules
Material	EVA
Footbed	SJ Foam
Maintenance	Not autoclavable, Washable at 30°C Chemically and UV sterilisable
Weight	ca. 280 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • KOR 23/23.5-29.5/30 JPN 21.5/22.5-29.0/30.0



BESTLIGHT 1 OB

SRC

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	SRC
Anti-static	-
Material	EVA + rubber outsole
Footbed	SJ Foam
Safety toe cap	-
Maintenance	Not autoclavable, Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr. per shoe
Size Range	EU 36-46 • UK 3.5-11 • US 4-12 KOR 23.5-30 • JPN 22.5-30.0



BESTCLOG OB

SRC

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	SRC
Anti-static	-
Material	EVA+Rubber outsole
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



BESTCLOG OB

SRC

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	SRC
Anti-static	-
Material	EVA+Rubber outsole
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



MOTION COLLECTION

COOLMAX



EVAN 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Footbed	Memory foam
Weight	ca. 320 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 KOR 25.5-30 • JPN 25.0-30.0



EVA 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Footbed	Memory foam
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5



REMY OB

SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Footbed	Memory foam
Weight	ca. 260 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 KOR 25.5-30 • JPN 25.0-30.0



ROY 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Footbed	Memory foam
Weight	ca. 280 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 KOR 25.5-30 • JPN 25.0-30.0

DUBLIN 02

SRC



Standard	CE standard EN ISO 20347 02 SRC
Slip resistant	SRC
Anti-static	Y
Material	Nappa Leather+PU/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 404 gr. per shoe
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 25.5-31 • JPN 25.0-31.0

**JULIA 0B**

SRC



BLK



WHT

Standard	CE standard EN ISO 20347 0B SRC
Slip resistant	SRC
Anti-static	-
Material	Synthetic leather+PU/Rubber
Lining	Coolmax®
Footbed	SJ Foam
Weight	ca. 190 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5

**JULINE 0B**

SRC



BLK

Standard	CE standard EN ISO 20347 0B SRC
Slip resistant	SRC
Anti-static	-
Material	Synthetic leather+Rubber
Lining	Coolmax®
Footbed	Not removable PU
Weight	ca. 250 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5



NEW

SUN 0B SLP

SRC ESD



BLK



WHT

Standard	CE standard EN ISO 20347 0B SRC
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather+PU/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 192 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5

**BERLIN 02**

SRC

Standard	CE standard EN ISO 20347 02 SRC
Slip resistant	SRC
Anti-static	Y
Material	Nappa Leather+PU/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 450 gr. per shoe
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 25.5-31 • JPN 25.0-31.0

**JULIA 2 0B**

SRC



Standard	CE standard EN ISO 20347 0B SRC
Slip resistant	SRC
Anti-static	-
Material	Synthetic leather+PU/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 235 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5

**COLETTE 01**

SRC ESD



BLK



WHT

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather+EVA/Rubber
Lining	Coolmax®
Footbed	Removable
Weight	ca. 220 gr. per shoe
Size Range	EU 35-44 • UK 3-9.5 • US 3-10.5 KOR 23-28.5 • JPN 21.5-28.0

**EVELYN 01**

SRC ESD



BLK



LBL

WHT

Standard	CE standard EN ISO 20347 01 SRC
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	3D Mesh+Phylon/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 195 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



NEW

ELIS 02 LOW

SRC ESD



WHT

Standard	CE standard EN ISO 20347 02 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	3D Mesh
Footbed	SJ Foam
Weight	ca. 220 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

ELIS 02 LOW

SRC ESD



BLK

Standard	CE standard EN ISO 20347 02 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	3D Mesh
Footbed	SJ Foam
Weight	ca. 220 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



NEW

EDEN 01 LOW

SRC ESD



BLK

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	3D Mesh
Footbed	SJ Foam
Weight	ca. 220 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



BLK



WHT

FLR

FUC

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 217 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5

**ALIZEE 0B**

SRC ESD



WHT



LBL

FUC

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 205 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



BLK



WHT

LBL

FUC

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 236 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5





DANY 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 216 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



CARINNE 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 247 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



NILDA 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 215 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



CAMILLE 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



SPORTS STYLE COLLECTION



LINA 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 217 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



SLOAN 01 LOW

SRC ESD

Standard	EN ISO 20347:2012 - 01 SRC, ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Textile/Synthetic+EVA/Rubber
Lining	Textile
Footbed	SJ Foam
Weight	ca. 225 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5



DOMINIQUE 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Leather+PU/Rubber
Lining	3D Mesh
Footbed	SJ Foam
Weight	ca. 410 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



CHAMP 02 LOW

SRC ESD

Standard	EN ISO 20347:2012 - 02 SRC, ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Synthetic+EVA/Rubber
Lining	Textile
Footbed	SJ Foam
Weight	ca. 350 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 23-31 • JPN 21.5-31.0



JAMES 0B

SRA

Standard	CE standard EN ISO 20347 0B SRA
Slip resistant	SRA
Anti-static	-
Material	3D mesh+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 310 gr. per shoe
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 25.5-31 • JPN 25.0-31.0



MAUD 0B

SRA

Standard	CE standard EN ISO 20347 0B SRA
Slip resistant	SRA
Anti-static	-
Material	3D mesh+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 310 gr. per shoe
Size Range	EU 36-42 • UK 3.5-8 • US 4-9 KOR 23.5-27 • JPN 22.5-26.5



KAYLA 02

SRC ESD

Standard	CE standard EN ISO 20347 02 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Nappa Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 280 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



KASSIE 01

SRC

Standard	CE standard EN ISO 20347 01 SRC
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	3D Mesh+Phylon/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 225 gr. per shoe
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 23-31.5 • JPN 21.5-31.5



ROMAN 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather+EVA/Rubber
Lining	Coolmax®
Footbed	Removable, memory foam
Weight	ca. 250 gr. per shoe
Size Range	EU 40-47 • UK 7-12 • US 7.5-13 KOR 26-31 • JPN 25.5-31.0



PATRICIA 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather+EVA/Rubber
Lining	Coolmax®
Footbed	Removable, memory foam
Weight	ca. 250 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5



MOVE UP COLLECTION



NEW

HESTIA 01

SRC ESD



WHT

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Nappa action Leather+Phylon/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 265 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



BLK



WHT

LBL

LISBETH 02

SRC ESD

Standard	CE standard EN ISO 20347 02 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Nappa Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 233 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



SHEILA 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Nappa Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 229 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



BLK



WHT

LBL

SAMANTHA 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Material	Nappa Leather+EVA/Rubber
Lining	Mesh
Footbed	SJ Foam
Weight	ca. 239 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 23-27 • JPN 21.5-26.5



FUC

LITEWALK COLLECTION



LAUREN 0B

Standard	EN ISO 20347 0B
Slip resistant	N/A
Anti-static	-
Material	Mesh+EVA
Lining	Coolmax®
Footbed	Memory foam
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5



WHT



BLK

NEW

BESTNURSE 0B

Standard	EN ISO 20347 0B
Slip resistant	N/A
Anti-static	N/A
Material	Mesh+Synthetic Leather+EVA/Rubber
Lining	Textile
Footbed	Memory foam
Weight	ca. 210 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 23-27 • JPN 21.5-26.5



WHT

ACCESSORIES

OXYFOAM

PER 24 PAIRS



Specifications	Maximum cushioning Reduces muscle, foot, knee and back pain ESD standard ensures the dissipation of electrostatic charges 3 sizes in 1: adjustable to every foot Coolmax®
Size Range	3 sizes in 1, adjustable to every foot: 36/37/38 and 39/40/41

SJ PRODUCT ICONS



WATER
RESISTANT
UPPERS



BREATHABLE
UPPER



OXYGRIP



AUTOCLAVABLE
135°C



VEGAN
LORICA



SLIP
RESISTANT
OUTSOLE



ANTI
STATIC
SHOE



NON-MARKING
OUTSOLE



ANTI CUT



SHOES FOR
CREWS



SAFETY
TOE CAP



WASHABLE
90°C



METALFREE



ANTIBACTERIAL



100%
VEGAN



REMOVABLE
INSOLE



WATERPROOF



MEMORY
FOAM



ANATOMICALLY
SHAPED
FOOTBED



DGUV



PUNCTURE
RESISTANT



WASHABLE
30°C



HEAT
INSULATED



LIGHT
WEIGHT



SYMPATEX
LINING



OIL & FUEL
RESISTANT
OUTSOLE



WARM
LINING



EXTRA
WIDE



INSTANT
DRY



3-FIT-SYSTEM



HEEL
ENERGY
ABSORPTION



SUPER
BREATHABLE



COLD
INSULATED



HEAT
RESISTANT
OUTSOLE



COOLMAX
LINING



ELECTRICAL
HAZARD
PROTECTION



STRETCH



CHEMICAL
AND UV
STERILIZABLE



LEATHER



HAZARD ANALYSIS
AND CRITICAL
CONTROL POINT



CE NORM



SOFT IMPACT
FOAM
INSOLE



ELECTROSTATIC
DISCHARGE



DMF FREE



HEARING PROTECTION COLLECTION



NEW

ARUSHA

Material	Polyurethane foam - Anti allergic
Size range	EU UNI
Norms	EN 352-2:2003

200prs/Box
2000prs=10Box/Carton



NEW

ARUSHA CORDED

Material	Polyurethane foam - Anti allergic
Size range	EU UNI
Norms	EN 352-2:2003

100prs/Box
1000prs=10Box/Carton



NEW

ETOSHA I

Shell	Polyethylene
Headband	Polyethylene
Cushions	PVC
Foam	Polyester
Size range	EU UNI
Norms	EN 352-1:2003



NEW

ETOSHA II

Shell	ABS
Headband	Steel wire + PVC
Cushions	PVC
Foam	Polyethylene
Size range	EU UNI
Norms	EN 352-1:2003

HEAD PROTECTION COLLECTION



NEW

KANHA L CHINSTRAP

Shell	HDPE
Headband	Polyethylene
Liner strip	Textile
Ratchet	Polyethylene
Sweat absorber	Microfibre
Chin strap	Textile
Size range	EN UNI
Norms	EN 397:2012+A1:2012



NEW

KANHA S CHINSTRAP

Shell	HDPE
Headband	Polyethylene
Liner strip	Polyethylene
Ratchet	N/A
Sweat absorber	Microfibre
Chin strap	Textile
Size range	EN UNI
Norms	EN 397:2012+A1:2012

RESPIRATORY MASKS COLLECTION



STORA P2

Headband	Textile
Body	Polyester+non-woven fabric +melt-blown fabric
Valve	N/A
Sealing	N/A
Lock	Polyethylene
Size range	EN UNI
Sample weight	0.011 kg
Norms	BS EN 149:2001+A1:2009

200pcs=10box/Carton
10pcs of masks in a polybag
2 polybag / box



STORA V P2

Headband	Textile
Body	Polyester+non-woven fabric +melt-blown fabric
Valve	Polyamide
Sealing	N/A
Lock	Polyethylene
Size range	EN UNI
Sample weight	0.014 kg
Norms	BS EN 149:2001+A1:2009

100pcs=10box/Carton
10 masks in a polybag
1 polybag / box

EYEWEAR COLLECTION

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW

YOHO



Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate +TPR
Nose Pads	TPR
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW

TSAVO



Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate +TPR
Removable Gasket	Nylon + EVA
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW

VIRUNGA



Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Norms	EN 166:2001

60pcs=6box/Carton
Pack individual polybag 10Pcs/Box

NEW

SAREK



Headband	Elastic Nylon
Lenses	Polycarbonate
Frame	TPR
Temples	N/A
Safety standard	*F-Impact with a small object travelling at 45 meters per second, B-Impact with a small object travelling at 120 meters per second, *OF2-Optical Filter 2-1,2
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW

YOHO SUN SPECTACLE



Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate + TPR
Nose Pads	TPR
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF5-Optical Filter 5-2,5, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW

TSAVO SUN



Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate +TPR
Removable Gasket	Nylon + EVA
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF5-Optical Filter 5-2,5, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

NEW

VIRUNGA COVER



Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Norms	EN 166:2001



SAFETY JOGGER

TIGER GRIP



ORDER ONLINE | order.safetyjogger.com

SAFETY JOGGER
TIGER GRIP

TIGER GRIP

OCCASIONAL SAFETY COLLECTION



VISITOR

Safety cap overshoe



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-38-UK2-5-US2-5.5-CM22-24 M- EU39-43-UK6-9-US6.5-10-CM25-28 XL- EU44-48-UK10-13-US10.5-13.5-CM28.5-33+

VISITORMF

Non magnetic safety cap overshoe



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Composite
Material	Rubber + nylon rivets metal free
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-38-UK2-5-US2-5.5-CM22-24 M- EU39-43-UK6-9-US6.5-10-CM25-28 XL- EU44-48-UK10-13-US10.5-13.5-CM28.5-33+



VISITORP

Anti-slip overshoe with safety cap



Standard	CE standard EN ISO 12378 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-37-UK2-4-US2-4.5-CM22-23 M- EU38-42-UK5-8-US5.5-9-CM24-27 L- EU43-45-UK9-10.5-US10-11.5-CM28-29.5+ XL- EU46-48-UK11-13-US12-13.5-CM30-33+



VISITORI

Anti slip overshoe with safety cap and anti-puncture sole

Standard	CE standard EN ISO 12378 / EN ISO 12568 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Midsole	Steel
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-37-UK2-4-US2-4.5-CM22-23 M- EU38-42-UK5-8-US5.5-9-CM24-27 L- EU43-45-UK9-10.5-US10-11.5-CM28-29.5+ XL- EU46-48-UK11-13-US12-13.5-CM30-33+



VISITORC

Safety cap overshoe with two way strap



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-38-UK2-5-US2-5.5-CM22-24 M- EU39-43-UK6-9-US6.5-10-CM25-28 XL- EU44-48-UK10-13-US10.5-13.5-CM28.5-33+





Interchangeable spike per order

WINTERGRIP

Ice and all surfaces overshoe

Standard	CE standard EN ISO 20344 SATRA TM 144:2011
Slip resistant	Tiger-grip® SRC
Material	Rubber+spikes in steel
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	EU38-42 • UK5-8 • US5.5-9 • CM24-27



CITYGRIP

Ice and snow traction overshoe

Standard	CE standard EN ISO 20344 SATRA TM 144:2011
Slip resistant	Tiger-grip® SRC
Material	Rubber+spikes in steel
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-38 • UK2-5 • US2-5.5 • CM22-24 M- EU39-43 • UK6-9 • US6.5-10 • CM25-28 XL- EU44-48 • UK10-13 • US10.5-13.5 • CM28.5-33+



EASYGRIP

Anti-slip overshoe

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Material	100% Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-37 • UK2-4 • US2-4.5 • CM22-23 M- EU38-42 • UK5-8 • US5.5-9 • CM24-27 L- EU43-45 • UK9-10.5 • US10-11.5 • CM28-29.5+ XL- EU46-48 • UK11-13+ • US12-13.5+ • CM30-33+



EASYMAX

Anti-slip overshoe, special for safety and oversized shoes (boots, trekking, catering shoes)

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Material	100% Rubber
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-37 • UK2-4 • US2-4.5 • CM22-24 M- EU38-40 • UK5-7 • US5.5-7.5 • CM24-25.5 L- EU41-42 • UK5-8 • US8-9 • CM26.5-27 XL- EU43-45 • UK9-10.5 • US10-11.5 • CM28-29.5 XXL- EU46-48 • UK11-13 • US12-13.5 • CM30-33+

TOTPROTEC

Anti-slip overshoe with safety cap



Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-37 • UK2-4 • US2-4.5 • CM22-23 M- EU38-42 • UK5-8 • US5.5-9 • CM24-27 L- EU43-45 • UK9-10.5 • US10-11.5 • CM28-29.5+ XL- EU46-48 • UK11-13 • US12-13.5 • CM30-33+



TOTPROTEC

Anti-slip over shoe with safety cap and anti puncture outsole

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Midsole	Kevlar+Steel
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	S- EU34-37 • UK2-4 • US2-4.5 • CM22-23 M- EU38-42 • UK5-8 • US5.5-9 • CM24-27 L- EU43-45 • UK9-10.5 • US10-11.5 • CM28-29.5+ XL- EU46-48 • UK11-13+ • US12-13.5+ • CM30-33+



JACKSGRIP

Antislip work clog with heel's dynamic hold system



Standard	CE standard EN ISO 20347:2012 / EN13287 / Oil resistance (FO)
Slip resistant	Tiger-grip® SRC
Material	EVA
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	EU 35-46 • UK 3-11 • US 3-12 • CM 23-30



AQUAGRIP

Professional antislip shoe built-in water drainage system

Standard	NF EN 113287
Slip resistant	Tiger-grip® SRC
Material	EVA
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	EU 35-46 • UK 3-11 • US 3-12 • CM 23-30

SKIPGRIP

Professional antislip flip-flop



Standard	NF EN 113287
Slip resistant	Tiger-grip® SRC
Material	Antifungal foam+waterproof cloth
Outsole	Rubber+triple density
Maintenance	Hand washable, dry naturally use ≥ -20°C
Size Range	EU 35-46 • UK 3-11 • US 3-12 • CM 23-30





Solutions for every workplace

INDUSTRIAL PROFESSIONAL TACTICAL TIGER GRIP ADVENTURE

**ENGINEERED
IN EUROPE**

WWW.SAFETYJOGGER.COM

EUROPE

Meersbloem Melden 42
9700 Oudenaarde
Belgium

Phone: +32 55 33 44 44
info@safetyjogger.com

UNITED STATES

Fitron Americas Inc
suite220, 9250 Wilshire Blvd.
Beverly Hills CA90212-USA

Phone: +1 877 669 9727
info@fitronamericas.com

CHINA

Niu Dun Industrial estate
Hengli, Wang Niu Dun, Dongguan
Guangdong Province
China (postal code 523216)

广东省东莞市望牛墩镇横沥村牛顿工业区
二楼直销部(邮编523216)

Phone: +86 769 3901 8500
safetyjogger@cortinachina.com

RUSSIA

Невский проспект 55 А
191025 Санкт-Петербург
Россия

Телефон: +7 812 313 92 96
info@safetyjogger.com