

# Certificate of Analysis

## Sample Information

CTLA ID: 118332  
 Date Received: 10/30/2024  
 Sample Name: Nature's Elixir  
 Lot Number: N/A  
 Customer: Nevada Service Research

Analysis	Method	MDL	Specification	Result	Units
<b>Complete Micro</b>					
Total Aerobic Microbial Count (USP)	USP <2021>	100	Report	7,700	cfu/g
Total Coliforms (BAM) (MOD)	BAM CH.4 (MOD)	10	Report	<10	cfu/g
E. Coli BAM (MOD)	BAM CH. 4 (MOD)		Report	Absent	
<i>Salmonella</i>	USP <2022>		Report	Absent	
<i>Staphylococcus aureus</i> <2022>	USP <2022>		Report	Absent	
Yeast & Mold	USP <2021>	100	Report	4,100	cfu/g
<b>Heavy Metals</b>					
Arsenic	<USP 233>	.001	Report	0.903	ppm
Cadmium	<USP 233>	.001	Report	0.080	ppm
Mercury	<USP 233>	.001	Report	<0.001	ppm
Lead	<USP 233>	.001	Report	1.242	ppm
<b>Mineral Analysis</b>	ICP-MS	0.050	Report	Nickel <0.050	ppm
<b>Mineral Analysis-Additional</b>	ICP-MS		Report	Chromium 1.089	ppm
<b>Mineral Analysis-Additional</b>	ICP-MS		Report	Copper 2.786	ppm
<b>Mineral Analysis-Additional</b>	ICP-MS	.001	Report	Silver <0.001	ppm

11/7/2024

DATE



Quality Manager

Specifications provided by the Customer. Results with an asterisk (\*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Method Detection Limit. This document is not to be altered or reproduced except by the original authorizing body (CTLA)