



SUNSHINE NONWOVEN FABRIC CO.,LTD

Add: A2406 Wanda Center, Baozhou Road, Quanzhou, Fujian, China
MOBILE/WHATSAPP 0086-15715987336 FAX NO: 0086-595-28020304
E-mail:nonwoven1@sunshinecompany.com.cn ATTN: Fiona
Web: www.nonwovensuppliers.com

Own Factory

- (1) Professional manufacturer of **100% pp spunbond nonwoven fabric/ SS /SSS/ SMS/ SMMS/ Meltblown** with more than 16years experience. It covers about 20000 m² and have 120 workers.
- (2) We have 13 spunbond production lines and various automatic process machine.
- (3) Our capacity can be 1800TONS/Month.
- (4) Various emboss and package for your choose
- (5) Non woven series products produced: nonwoven bag, tablecloth, bedsheet,mask etc.
- (6) Strict quality control as the standard of ISO9001:2008 and SGS

YOUR SOURCE FOR PP NONWOVEN FABRICS

Nonwoven lines Meltblown line 100%PP Cutting Workshop Press Workshop

Strength tester Electronic scale Roll package Loading Full container

Own factory, Low price, Good quality and service

Fiona | Sunshine Nonwoven Fabric Co.,Ltd

Email: nonwoven1@sunshinecompany.com.cn | Cell: 0086-15715987336- Wechat/ WhatsApp | Skype: fionachenxj

Product Description

- ◆ Material ----100%polypropylene
- ◆ Gram weight ---- 10-180gsm
- ◆ Technology ---- Spunbonded non woven
- ◆ Feature ---- printed, UV, perforated, non-slip, laminated, fire resistant, hydrophilic
- ◆ Width ----1-320cm , agriculture can offer extra width max 36m
- ◆ Machine line ----1.6m, 2.1m,2.2m, 2.4m, 3.2m
- ◆ Length ----as your request
- ◆ Color ----all color have offer (Sunshine Colors catalog & Pantone color code & Customized Colors)
- ◆ Printed logo ----as your request
- ◆ MOQ---- 1000kgs per color (Any quantity can accept for white/black)
- ◆ Port ---- Xiamen
- ◆ Delivery ----7-15 days after received your deposit
- ◆ Payment---- 30% deposit, against BL copy, pay the balance.


Our design




Diamond dot



Cross dot



Sesamiod dot



New emboss



Hydrophobic



Printing




Laminated with PE/OPP firm




Perforated



Hydrophilic



Join wide width



Non slip with PVC



Flame retardants

Fiona | Sunshine Nonwoven Fabric Co.,Ltd

Email: nonwoven1@sunshinecompany.com.cn | Cell: 0086-15715987336– Wechat/ WhatsApp | Skype: fionachenxj



Material: 100%Polypropylene
 Technical: Spunbond / SS/ SSS/ SMS
 /SMMS/SSMMS/ MELBLOWN
 Weight: 10gsm, 20gsm, 25gsm,30gsm,40gsm etc.
 Color: white,Black, blue, green,pink,purple etc.

Spunbond Machine width:1.6/2.4/3.2m
 SS machine width :1.6/2.4m
 SSS machine width: 2.4m
 SMS/SMMS machine width: 1.6/3.2m
 MELTBLOWN Machine width: 1.6m

Main usage:

Medical / Surgical products: Masks, Medical disposable clothing,Gown, Bed sheets, Headwear, Shoe covers, Packs, Bed linen, Shrouds, Car / Auto upholstery.



Mask, gown, cap etc
 Medical products



Perforated bed cover roll



Shoe covers



Pre-cut bed sheets

Personal healthy products: Hygiene diapers, Feminine hygiene, Adult incontinence products.

- 1) For the top sheet: - 15g 170mm and 17g 170mm hydrophilic
- 2) For the leg cuff: - 15g 180mm SMS hydrophobic and 17g 180mm SMS hydrophobic
- 3)ADL-ES Hot Air Through Nonwoven Fabric.- 35-40gsm blue pink purple and white
- 4) PE film





MEDICAL NONWOVEN & MATERIALS

S / SS / SSS NONWOVEN FABRIC
 SMS / SMMS NONWOVEN FABRIC
 MELT-BLOWN NONWOVEN
 ELASTIC EAR LOOP
 NOSE WIRE

Mask material one-step sourcing

Spunbond + Meltblown + Spunbond

Nose Wire

Elastic Earloop 3-5MM

Perforation
 Allows
 Easy
 Tearing

Disposable bedsheet

3ply mask material:
 Outer layer: Spunbond 25gsm*17.5cm*2000m
 Middle layer: Meltblown 25gsm*17.5cm*2000m
 Inner layer: Spunbond 25gsm*19.5cm*2000m
 Nose wire: Single wire/ double wire/ full plastic 3mm
 Elastic earloop: Round/flat 3mm

KN95 mask material:
 1st layer: Spunbond 50gsm*26cm*1000m
 2nd layer: Meltblown 25gsm*26cm*2000m
 3rd layer: Meltblown 25gsm*26cm*2000m
 4th layer: Hot air cotton 25/45gsm*26cm*1200m
 Nose wire: double wire 5mm
 Elastic earloop: Flat 4/5mm

New embossed nonwoven:

Material :100% VIRGIN PP
 Technic: spunbonded
 Emboss: Flower, wave, grid, star, bubble, cross etc.
 Weight valid :50gsm -120gsm
 Color : sunshine color book or pantone color
 Width : 160cm
 Roll length: 10m to 1000m ,according your request
 paper tube size: 1.5"(3.8cm) , 2"(5cm) ,3"(7.6cm)




EMBOSS 1

EMBOSS 2

EMBOSS 3

EMBOSS 4



EMBOSS 5

EMBOSS 6

EMBOSS 7

EMBOSS 8



EMBOSS 9

EMBOSS 10

EMBOSS 11

EMBOSS 12

Usage/Application: flower wrapping/gift packing/ table cloth/ shopping bag etc.



Most of the nonwoven fabric bag raw materials used are 100%polypropylene nonwoven fabric, it is ecofriendly, waterproof, recycle and Biodegradable.



Nonwoven Bag type we can do:

| | | |
|------------|---|------------------|
| Type | T-Shirt Bag/ Vest Bag, with sides,no bottom | |
| Material | 100% PP NON WOVEN | |
| Weight | 30gsm ,35gsm, 40gsm,70gsm | |
| Color | Any color is ok | |
| Stock Size | 20x35+10cm | 25x40+12cm |
| | 30x50+14cm | 32x60+16cm |
| | 35x65+20cm | or customization |
| LOGO | Customized LOGO/ brand printed | |
| Package | 50pcs/bundle ,4000-5000pcs by a woven bag | |



| | |
|------------|---|
| Type | D-Cut bag, without sides and bottom, ultrasonic |
| Material | 100% PP NON WOVEN (Laminated nonwoven is accept) |
| Weight | 40gsm 60gsm 70gsm 80gsm |
| Color | All color is ok |
| Stock Size | 35H*25W 40H*30W 50H*40W or customization |
| LOGO | Customized LOGO/ brand printed |
| Package | 50pcs/bundle ,500pcs per carton |

| | |
|------------|---|
| Type | Handle bag |
| Material | 100% PP NON WOVEN (Laminated nonwoven is accept) |
| Weight | 70gsm 80gsm |
| Color | Any color is ok |
| Stock Size | 35W*25H+10cm 25W*35H+10cm 40W*30H+10cm |
| | 30W*38H+10cm 45W*35H+12cm 35W*41H+12cm |
| | Or customized |
| LOGO | Customized LOGO/ brand printed |
| Package | 50pcs/bundle ,200pcs per carton |





NON WOVEN TABLECLOTH

- ▲ NON WOVEN TABLECLOTH
- ▲ PRE-CUT NON WOVEN TABLECLOTH
- ▲ NON WOVEN TABLE RUNNER
- ▲ NON WOVEN PLACMAT

tovaglia-tntThe tablecloths

USAGE/APPLICATION:

*ideal for restaurants, pizzerias and hotel supplies

* to organize business dinners, parties, events, conferences, cocktails and buffets

Table cloths of nonwoven fabric are products made of **microfiber polypropylene** which makes the fabric

FEATURE:

*waterproof

*tear-proof

*washable at 30 °

The tablecloths are GRADE A and are accompanied by the technical file and the certificate for contact with food (EU Reg. 10/2011)

Nonwoven Pre-cut Table cloth:

| | |
|--------------------|---|
| Material | 100% Virgin Polypropylene |
| Nonwoven Technics | Spun-Bonded |
| Pattern | Embossed/diamond |
| Weight | 45g, 50g, 60g and 70g or customized |
| MOQ | 1000Kilograms |
| Color | Full Color Range (Panton matched) |
| Label Supply | Customer label/Neutral label |
| Cutting piece size | 1m x 1m, 0.5m x 1.2m, 1.2m x 1.2m, 1.4m x 1.4m, 0.3m x 0.4m or customized |
| Package | 25pcs/polybag, 100pcs/carton 4.5Ton/20ft, 9-10ton/40HQ |



Cut/folded by automatic machine

25pcs/bag

4bags/carton(100pcs)

Fiona | Sunshine Nonwoven Fabric Co.,Ltd

Email: nonwoven1@sunshinecompany.com.cn | Cell: 0086-15715987336- Wechat/ WhatsApp | Skype: fionachenxj

Small nonwoven fabric rolls:

| | |
|-------------------|--|
| Material | 100% Virgin Polypropylene |
| Nonwoven Technics | Spun-Bonded |
| Pattern | Embossed/diamond |
| Weight | 45g, 50g, 60g and 70g or customized |
| MOQ | 1000Kilograms |
| Color | Full Color Range (Panton matched) |
| Label Supply | Customer label/Neutral label |
| Small roll | 1.2m x 12m, 1.4m x 8m, 0.5m x 24m or customized (Precut is acceptable) |
| Package | Individual packed with shrink film 12-20rolls/carton |



❖ **small rolls(without perforated) ;**

9-20rolls in a carton or bulk in polybag



❖ **Perforated pack in rolls**(such as :Roll Tablecloth 120 cm x 10 m Precut 1 m ;Roll 40cm*10 mt Precut 30cm);

shrink clear wrapped
12-20rolls in a carton



The roll in TnT is adatable to every single need because it is 10 meters long but you can do a precut each meter. This alternative is practical and convenient for those who from, time to time, decide how great their tablecloth should be.



Weed control fabric is a highly specified Spunbond polypropylene material designed to have the maximum effect on preventing weed growth, It also helps to retain moisture in the soil and stops the various mulches, including decorative aggregates, from being lost into the ground.

PP nonwoven landscape fabric/ weed control rolls:

| | |
|-------------------|---|
| Material | 100% Virgin Polypropylene |
| Nonwoven Technics | Spun-Bonded |
| Weight | 45g, 50g, 60g and 70g or customized |
| Color | White/black/dark grey |
| Label Supply | Customer label/Neutral label |
| Small roll | 1m x 10m, 1m x 25m, 1x50m ,2m x 25m(fold to 1m is ok) or customized |
| Package | Individual packed with shrink film and color label |
| Benefits: | 1.An economical membrane which will prevent most rhizome growth from penetrating from 2.below No need for chemicals when installing Water and feed passes through to the soil below 3.Low maintenance gardening |

Step 1



Step 2



Step 3



Small roll package:



8-20rolls per polybag

8-20rolls per polybag



Individual packed with shrink film



4-12rolls per carton

PP spunbond Non Woven Crop Covers help protect your crops from insects, wind, rain and burning sun. The list of useful benefits from these crop covers include capturing heat on sunny days; retaining heat radiating from the ground at night; protecting plants from cold snaps; reducing occurrences of aphids, root maggots and flea beetles; helping to deter birds and deer from decimating crops through camouflage and helping to extend the growing season into late fall. The standard weight of the fabric is 17 gsm to 30 gsm. We give UV treatment to crop cover as per buyer's requirement like 1% UV, 2% UV or 3% UV.



Garten Vlies/Unkraut Vlies

Weight: 17gsm, 19gsm,22gsm, 30gsm etc.

Size: 1.5x5m, 1.5x10m , 4.2mx5m or customized

Package: fold Individual packed with polybag with leaflet (Bag with white handle is accept)

Properties:



- *Protects plants from harmful solar radiation ripens vegetation of plants
- *Protects plants from pests and weather
- *Protects plants from warm up during sunny days
- *Protects plants from freeze and improve thermal condition during cool days
- *Not allow to create a steam and decrease a risk of many illness
- *Under cover is created a favourable microclimate blocks weed growing
- *Air permeability, water permeability
- *UV treated
- *Mothproof , eco-friendly, breathable, anti-bacteria, tear-resistant



| Data | | | | | |
|--|------|------|------|------|------|
| Weight (g/m ²) | 17 | 19 | 22 | 30 | 19 |
| Light transmission (%) | 85 | 85 | 81 | 77 | 80 |
| Air permeability (l/m ² /s) | 8200 | 8200 | 7500 | 4700 | 5700 |
| Tensile strength - length (n/5cm) | 30 | 30 | 34 | 53 | 44 |
| Tensile strength - width (n/5cm) | 23 | 23 | 26 | 41 | 13 |
| Elongation -length (%) | 35 | 35 | 38 | 35 | 60 |
| Elongation - width (%) | 45 | 45 | 45 | 45 | 50 |
| Toughness Length (J) | 1.7 | 1.7 | 1.9 | 2.9 | 5 |
| Toughness Width (J) | 1.5 | 1.5 | 1.6 | 2.5 | 1 |



Extra width with join like 6.4m, 12m, 36M etc. is ok , color of glue can be choosed (white, green, red,blue etc.)
15~30cm reinforce edge available based request.



Fiona | Sunshine Nonwoven Fabric Co.,Ltd

Email: nonwoven1@sunshinecompany.com.cn | Cell: 0086-15715987336– Wechat/ WhatsApp | Skype: fionachenxj

Banana protection bag

Material: 100%polypropylene nonwoven

Weight: 15gsm ,17gsm, 20gsm,25gsm etc.

Width: 0.8m 0.9m, 1m or customized size

Length: 2m pack in rolls with polybag can save your cost, you can cut to the request size yourself (perforated is ok)



Fruit bag/ seed bag /Tree cover




Fiona | Sunshine Nonwoven Fabric Co.,Ltd

Email: nonwoven1@sunshinecompany.com.cn | Cell: 0086-15715987336- Wechat/ WhatsApp | Skype: fionachenxj

Nonwoven fabric for furniture :

- + as a sliding layer between a foam and the covering material,which facilitates to pull a cover
- + as a sliding layer in seats
- + in the production of pillows, quilts, counterpanes and bolsters
- + as a covering material to invisible parts of furniture
- + in the production of special pockets for springs(sofa/mattress)
- + in the production of bedding mattresses
- + in the production of garden furniture



Mattress Spring pocket



Pillow cover



Mattress Flange



The list of standard Specs for Furniture :

15&17g/m2 1000 M/R

20- 30 g/m2 500 M/R

40 g/m2 500M/R


50 g/m2 500M/R

60 - 120 g/m2 250 M/R

Width 1.6m, 2.1m, 2.2m, 2.4m etc as request.

Color white, black, grey, beige etc.

Fire Retardant is available by request



Fiona | Sunshine Nonwoven Fabric Co.,Ltd

Email: nonwoven1@sunshinecompany.com.cn | Cell: 0086-15715987336- Wechat/ WhatsApp | Skype: fionachenxj

Technical data for PP spunbond fabrics

| PROPERTIES | TEST METHOD | UNIT | | NONWOVENS FABRICS | | | | | | | | | | | | | | | | |
|------------------|-------------|--------------------------------------|-----------|-------------------|------|------|-----|------|------|------|------|------|------|------|------|------|-----|-----|--|--|
| | | | | 12 | 15 | 18 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 150 | | |
| WEIGHT | ERT40.3-90 | g/sq.m | | | | | | | | | | | | | | | | | | |
| THICKNESS | ERT30.4-89 | mm | | 0.12 | 0.15 | 0.18 | 0.2 | 0.28 | 0.33 | 0.38 | 0.43 | 0.46 | 0.49 | 0.53 | 0.58 | 0.61 | 0.7 | 0.7 | | |
| TENSILE STRENGTH | ERT20.2-89 | n/5cm | MD | 24 | 31 | 35 | 40 | 61 | 82 | 104 | 123 | 145 | 165 | 178 | 195 | 202 | 215 | 225 | | |
| | | | CD | 19 | 23 | 27 | 33 | 54 | 68 | 89 | 108 | 127 | 146 | 160 | 174 | 188 | 192 | 197 | | |
| ELONGATION | ERT20.2-89 | % | MD | 54 | 61 | 65 | 68 | 77 | 81 | 76 | 68 | 66 | 61 | 75 | 71 | 73 | 80 | 57 | | |
| | | | CD | 59 | 67 | 71 | 75 | 81 | 87 | 83 | 75 | 72 | 67 | 86 | 76 | 81 | 85 | 63 | | |
| TEAR STRENGTH | ERT70.4-99 | N | MD | 18 | 20 | 22 | 30 | 38 | 40 | 60 | 72 | 74 | 76 | 77 | 78 | 80 | 90 | 104 | | |
| | | | CD | 20 | 22 | 25 | 30 | 43 | 52 | 68 | 80 | 85 | 88 | 90 | 90 | 94 | 98 | 110 | | |
| AIR PERMEABILITY | ERT140.2-99 | cm ³ /cm ² .sn | | 185 | 175 | 165 | 160 | 145 | 140 | 130 | 125 | 115 | 95 | 80 | 70 | 60 | 56 | 50 | | |
| STRIKE THROUGH | ERT150.5-02 | S | 2.5<X<3.5 | | | | | | | | | | | | | | | | | |
| REWET | ERT151.3-02 | g | <0.2 | | | | | | | | | | | | | | | | | |









Packing & Loading

- Inside paper tube, outside poly bag
- Tube 1" or 1.5" or 2" or 3"
- 5.5Tons per 1x20GP
- 12.5-15Tons per 1x40HQ



Our Service

- ◆ Free samples, sample book and catalogue are provided for your reference.
- ◆ We supply 24-hour service. Your inquiry related to our products or prices will be replied in 24 hours.
- ◆ Well-trained and experienced staffs will answer all your enquiries in fluent English.
- ◆ OEM & ODM, any your customized products we can help you to design and put into production.
- ◆ Protection of your sales area, idea of design and all you private information

| | | | |
|--|---|--|---|
|  |  |  |  |
|  <p>1 day samples delivery, free sample will be sent for your evaluation!</p> |  <p>14 years' experiences in manufacture, made by ourselves manufacture.</p> |  <p>24 hours fast response, best service and punctual delivery(own colorist).</p> |  <p>100% guarantee value-added oriented, best price direct from own factory.</p> |

| OUR CUSTOMERS |

SUNSHINE



| CERTIFICATE |

SUNSHINE



Contact:

Ms.Fiona

SUNSHINE NONWOVEN FABRIC CO.,LTD

Add: A2406 Wanda Centre Baozhou Road


Quanzhou Fujian China

Whatsapp/wechat: +86 15715987336

E-mail: nonwoven1@sunshinecompany.com.cn

Web: nonwovensuppliers.com

Sample Book
All Color



Fiona | Sunshine Nonwoven Fabric Co.,Ltd

Email: nonwoven1@sunshinecompany.com.cn | Cell: 0086-15715987336- Wechat/ WhatsApp | Skype: fionachenxj