



Accu-Blend Corporation
364 Malbert Street
Perris, CA 92570
Tel: (626) 334-7744
E-mail: sales@accu-blend.com



ACCU-SOY® #10 ALL NATURAL SOY CONTAINER BLEND

Accu-Soy® #10 All Natural Soy Container Blend is a smooth all natural blend of 100% soy wax ingredients. It has excellent color retention, jar adhesion, hot and cold scent throw, and is clean burning. No additives are required. It is blended to eliminate frosting of colored candle and adheres very well to the glass. Pours with a smooth surface. It has very long burn times. As with all natural products, soy blends can vary slightly from batch to batch.

Physical Properties	ASTM Method	Specifications
Melting Point (°F)	D-87	122
Brookfield Viscosity@190 (°F)	D-445	10 cps
Congealing Point (°F)	D-938	124 - 127
Needle Penetration @ 77 (°F)	D-1321	51 dmm
Color, ASTM	D-1500	L.05
Appearance		Soft, Creamy, Opaque



How to Use

Heat to 160-180°F degrees, remove from heat source, add fragrance oil and dye, blend and stir while cooling, and then pour at 160 to 180°F degrees for best results. It is always best to try different temperatures to see what temperature works best for you as there are so many different situations such as glass size, temperature of work area, fragrance percentage, etc..

FDA Status

This product meets USP requirements and FDA requirements for use in non-food articles in contact with food as per 21 CFR 172.880.

Health and Safety

Please contact us for Health and Safety recommendations for this product on the Material Safety Data Sheet (MSDS).

Warranty Disclaimer Statement

The information contained in this document is based on tests which are believed to be reliable. As actual conditions of use may vary and are beyond the control of Accu-Blend Corporation, the products specified characteristics cannot be guaranteed and are offered solely for the buyer evaluation and verification. There are no expressed or implied warranties of merchantability or fitness for a particular purpose made by Accu-Blend Corporation, or its directors, officers, employees, or affiliates in connection with the sale of the products.



Accu-Blend Corporation
364 Malbert Street
Perris, CA 92570
Tel: (626) 334-7744
E-mail: sales@accu-blend.com



ACCU-SOY® #16 ALL NATURAL SOY PILLAR AND VOTIVE BLEND

Accu-Soy® #16 All Natural Soy Pillar and Votive Blend is a smooth all natural blend of 100% soy wax ingredients. It has excellent color retention, hot and cold scent throw, and is clean burning. No additives are required. It is blended to eliminate frosting of colored candles. Pours with a smooth surface. It can release from the mold very easily. As with all natural products, soy blends can vary slightly from batch to batch.

Physical Properties	ASTM Method	Specifications
Melting Point (°F)	D-87	139
Brookfield Viscosity @190 (°F)	D-445	10 cps
Congealing Point (°F)	D-938	142
Needle Penetration @ 77 (°F)	D-1321	20 dmm
Color, ASTM	D-1500	L.05
Appearance		Hard, Creamy, Opaque

How to Use

Heat to 160-180 °F degrees, remove from heat source, add fragrance oil and dye, blend and stir while cooling, and then pour at 160 to 180 °F degrees for best results. It is always best to try different temperatures to see what temperature works best for you as there are so many different situations such as glass size, temperature of work area, fragrance percentage, etc..

FDA Status

This product meets USP requirements and FDA requirements for use in non-food articles in contact with food as per 21 CFR 172.880.

Health and Safety

Please contact us for Health and Safety recommendations for this product on the Material Safety Data Sheet (MSDS).

Warranty Disclaimer Statement

The information contained in this document is based on tests which are believed to be reliable. As actual conditions of use may vary and are beyond the control of Accu-Blend Corporation, the products specified characteristics cannot be guaranteed and are offered solely for the buyer evaluation and verification. There are no expressed or implied warranties of merchantability or fitness for a particular purpose made by Accu-Blend Corporation, or its directors, officers, employees, or affiliates in connection with the sale of the products.



Accu-Blend Corporation
364 Malbert Street
Perris, CA 92570
Tel: (626) 334-7744
E-mail: sales@accu-blend.com



ACCU-PURE® #83 ALL NATURAL COCONUT CONTAINER BLEND

Accu-Pure® #83 All Natural Coconut Container Blend is a container blend of all natural organic coconut wax and other natural quality ingredients. It has excellent color retention, jar adhesion, hot and cold scent throw, and is very clean burning. No additives are required. It is also blended to eliminate frosting of colored candles, and is a one pour blend. It has a smooth surface and burns cooler so it burns longer. As with all natural products, blends can vary slightly from batch to batch.

Physical Properties	ASTM Method	Specifications
Melting Point (°F)	D-87	118
Congealing Point (°F)	D-938	126
Needle Penetration @ 77 (°F)	D-1321	50 dmm
Color, ASTM	D-1500	L.05
Appearance		Soft, Creamy, Opaque



How to Use

Heat to 150-170°F degrees, remove from heat source, add fragrance oil and dye, blend and stir while cooling, and then pour at 150-170°F degrees for best results. For thick glass and or cooler room temperatures below 65°F, pre-heating the glass is recommended and poured at 150-170°F. For smoother top surfaces, it is recommended to heat lamp the surface after candle has set up. All our natural blends were formulated to pour hot with a temperature range from 150 °F to 170°F for slower cooling rate which will result in consistently smoother looking candles and minimize any blooming. Maximum fragrance load is 8%, but higher fragrance loads should be tested per fragrance.

FDA Status

This product meets USP requirements and FDA requirements for use in non-food articles in contact with food as per 21 CFR 172.880.

Health and Safety

Please contact us for Health and Safety recommendations for this product on the Material Safety Data Sheet (MSDS).

Warranty Disclaimer Statement

The information contained in this document is based on tests which are believed to be reliable. As actual conditions of use may vary and are beyond the control of Accu-Blend Corporation, the products specified characteristics cannot be guaranteed and are offered solely for the buyer evaluation and verification. There are no expressed or implied warranties of merchantability or fitness for a particular purpose made by Accu-Blend Corporation, or its directors, officers, employees, or affiliates in connection with the sale of the products.



Accu-Blend Corporation
364 Malbert Street
Perris, CA 92570
Tel: (626) 334-7744
E-mail: sales@accu-blend.com



ACCU-PURE® #43 ALL NATURAL OLIVE OIL CONTAINER BLEND

Accu-Pure® #43 All Natural Olive Oil Container Blend is a brand new container blend of all natural virgin olive oil and other natural quality ingredients. It has excellent color retention, jar adhesion, hot and cold scent throw, and is clean burning. No additives are required. It is blended to eliminate frosting of colored candles and is a one pour blend. It has a smooth surface and burns cooler so it can burn longer. As with all natural products, blends can vary slightly from batch to batch.

Physical Properties	ASTM Method	Specifications
Congealing Point (°F)	D-938	126
Needle Penetration @ 77 (°F)	D-1321	50 dmm
Color, ASTM	D-1500	L.05
Appearance		Soft, Creamy, Opaque

How to Use

Heat to 150-170°F degrees, remove from heat source, add fragrance oil and dye, blend and stir while cooling, and then pour at 150-170°F degrees for best results. For thick glass and or cooler room temperatures below 65°F, pre-heating the glass is recommended and poured at 150-170°F. For smoother top surfaces, it is recommended to heat lamp the surface after candle has set up. All our natural blends were formulated to pour hot with a temperature range from 150 °F to 170°F for slower cooling rate which will result in consistently smoother looking candles and minimize any blooming. Maximum fragrance load is 8%, but higher fragrance loads should be tested per fragrance.

FDA Status

This product meets USP requirements and FDA requirements for use in non-food articles in contact with food as per 21 CFR 172.880.

Health and Safety

Please contact us for Health and Safety recommendations for this product on the Material Safety Data Sheet (MSDS).

Warranty Disclaimer Statement

The information contained in this document is based on tests which are believed to be reliable. As actual conditions of use may vary and are beyond the control of Accu-Blend Corporation, the products specified characteristics cannot be guaranteed and are offered solely for the buyer evaluation and verification. There are no expressed or implied warranties of merchantability or fitness for a particular purpose made by Accu-Blend Corporation, or its directors, officers, employees, or affiliates in connection with the sale of the products.