Choose Your Own Adventure Bracelet



Choose Your Own Adventure Bracelet

Instructions by Joyce Trowbridge

Materials: (will make up to a triple wrap bracelet, depending on design pattern)

- 50 4mm Fire-Polished Beads
- 50 3mm Fire-Polished Beads
- 50 2mm Fire-Polished Beads
- 50 Czechmates Tiles
- 50 GemDuos
- 50 SuperDuos
- 3 grams 11/0 Seed Beads
- 1 Cup Button
- 1 Snap Clasp
- 4 Crimp Beads
- 2 Medium Oval Jump Rings
- 5 feet Fine .014 Soft Flex Beading Wire

Tools:

- 1 Bead Mat
- 2 Chain Nose Pliers
- 1 Crimper
- 1 Flexible Beading Wire Cutter



Step 1 Choose a Bracelet length for a Single, Double or Triple Wrap

Double Wrap: Cut 3 Feet of **Beading Wire**



Single Wrap: Cut 2 Feet of Beading Wire

Button



Snap Clasp

Step 2

A. String **3 Seed Beads**. *Or*

1 Seed Bead, 1 2mm, 1 Seed Bead as shown.

Let beads slide to the middle of the Beading Wire. Bring one end up into each hole of the Button.



B. String 3 Seed Beads onto each Beading Wire.

Bring both Beading Wires together. String **1 Crimp** onto both Beading Wires.

Use Crimping Pliers to secure Crimp.

Be sure to leave a little slack.



C. Use Crimping Pliers to secure Crimp (*be sure to leave a little slack*). Onto both Beading Wires, string **1 4mm**. Separate Beading Wires and string **2 Seed Beads on each** Beading Wire.



D. Continue to string beads in desired pattern. See *Pattern Samples on next page*.



Step 2

A.

Attach **Oval Jump Rings** onto Clasp. String through Jump Ring on one side of Clasp.



B. String 1 2mm, 1 3mm, and 1 4mm on each Beading Wire.



Or String 3 Seed Beads on each Beading Wire.



C. Continue to string beads in desired pattern. See Pattern Samples on next page.






Step 3

Choose a pattern.

String enough beads for desired length.



Please Note: GemDuos have a Front (Shape Side) and a Back (Flat Side).

Pattern 1



Pattern 2



Pattern 3



Pattern 4



Pattern 5 (Design Your Own)

Button Loop Ending

ÖR ····· Snap Clasp Ending

Step 4

A. String 2 Seed Beads onto each Beading Wire.

Bring both Beading Wires together. String 1 4mm and 1 Crimp onto both Beading Wires.



B. Onto one Beading Wire string 7 Seed Beads, 1 2mm, 1 3mm, 1 4mm, 1 3mm, 1 2mm and 7 Seed Beads (as shown) or both together. This can depend on the holes of the seed beads. Bring the Beading Wire back through the Crimp and 4mm bead. Use Crimping Pliers to secure Crimp. Trim Beading Wire.





Step 4 Option A String 2 Seed Beads onto

each Beading Wire. Bring both together.

String 1 4mm, 1 Crimp.

Go through second part of Clasp. Bring Beading Wires back through the Crimp and 4mm bead.

Use Crimping Pliers to secure Crimp. Trim Beading Wire.



Option B

Onto one Beading Wire string 1 Crimp, 1 2mm, 1 3mm, 1 4mm, 1 Seed Bead, Clasp, 1 Seed Bead, 1 4mm, 1 3mm, 1 2mm and 1 Crimp.

Take the second Beading Wire and cross through all beads that were just added, plus through one bead past the Crimp on the other side. Take the first wire through one bead past the Crimp.

Note: If seed beads don't allow for two beading wires, use 2mm instead.

Use Crimping Pliers to secure Crimp. Trim Beading Wire.

