

Combustion Technology & Custom Metal Fabrication

Specification Sheet

FL-5 Liquid Propane Burner

2299 Childs Lake Rd. • Milford • MI • 48381 • 800-878-2876

Liquid propane coil style burners are used in many applications like roofing & paving kettles, agricultural weed flaming, welding & process heating, commercial cooking, and special effects. The coil style burner incorporates an on-board, liquid vaporizer. This allows you to fuel the burner directly with liquid L.P. Gas (liquid withdrawal propane).

IMPORTANT - The use of liquid LP Gas requires the use of special system components and a hydro-static pressure relief valve. Please refer to NFPA-58 and your local municipal governing agency.

- Easy Installation
- Mounting Hole In Base
- Fully Welded Construction
- Every Unit is Function Tested
- Shipped With HD Brass Vlave
- Includes Adjustable Air Shutters

Specifications	
BTU Rating	2,000,000 @ 25 psi
Fuel	Liquid L.P. Gas (Propane)
Fuel Connection	9/16" - 18 LH (Ball Seat)
Coil - Diameter	6"
Coil- Material	3/8" Mild Steel Pipe
Length	24"
Height	37"
Base	5" x 12"
Weight	16 lbs.
Color	Blue



visit us online: www.burnersinc.com

GUARANTEE

All equipment is guaranteed to be free from defect in either material or workmanship. All equipment is guaranteed to the extent of operating specifications of the equipment. No claim will be allowed for subsequent damage caused by improper installation, improper use (misuse), neglect, or improper fuel and/or electrical supply (if applicable)

While this information is presented in good faith and believed to be accurate - Burners, Inc. does not guarantee satisfactory results from reliance upon such information. Nothing contained within this document is to be construed as a warranty or guarantee, expressed or implied, regarding the performance, merchantability, fitness or any other matter with respect to this product, nor as a recommendation to use this product in a specific application. Burners, Inc. reserves the right, without notice, to alter, or improve the designs or specifications of the product, described herein.