

HARO



INTRODUCING THE

SAGUARO

(SA-WAH-ROH)



HARDCORE HARDTAIL





THE SAGUARO

SIMPLE, SLACK AND FULL-ON FUN

The Saguaro 29-inch hardtail is purpose built to be the most versatile bike in your quiver. Make no mistake, this hardcore hardtail is no XC bike. With an aggressive geometry and slack head angle that is more inclined to hauling down hills than pedaling up them, the Saguaro is stretched out in the front and shortened up in the back for a stable ride at speed. As one of our testers put it: "It makes mellow trails more fun". Hit the jumps, hammer the single track and rip the turns. The Saguaro is everything you need, and nothing you don't.



SAGUARO 1



MSRP: \$3,999.99

Matte Metallic Green :
S/ 14450, M/ 14451
L/ 14452, XL/ 14453



Matte Mauve :
S/ 14454, M/ 14455
L/ 14456, XL/ 14457



THE LOWDOWN

No corners were cut in creating the Saguaro 1. We didn't skimp on secondary components, either. From the Fox 36 Elite fork, to the DT Swiss wheel set to the Race Face cockpit and SRAM GX Transmission, every single part is ready for the highest level ride. No upgrades necessary.

THE FEATURES

- Hydroformed, heat-treated 6061-T6 aluminum hardtail frame. Double-buttressed top and down tubes. Internal cable routing. Tapered head tube.
- Modern geometry: 64.5 degree head tube angle with a longer front triangle and shorter rear end.
- Fox 36 Performance Elite 140mm fork. Plenty of travel for steep, techy descents.
- DT Swiss aluminum wheel set. Tubeless ready with included sealant.
- SRAM GX Transmission 12-speed drivetrain
- Tubeless Kenda Pinner 29 X 2.4" ATC (front)/Kenda Nevegal 2, 29 X 2.4" ATC (rear). Sealant included.
- TranzX JD-YS135 RAD adjustable travel dropper post, size-specific per frame size
- TRP Trail EVO 4-piston brakes, 203mm rotor front, 180mm rotor rear
- Full 29er. Small size features "mullet" wheel configuration with 29" front, 27.5" rear.

SAGUARO 2



MSRP: \$2,399.99

Matte Metallic Green :
S/ 14442, M/ 14443
L/ 14444, XL/ 14445



Matte Mauve :
S/ 14446, M/ 14447
L/ 14448, XL/ 14449



THE LOWDOWN

Meet in the middle on the Saguardo level 2. Built on the same bulletproof alloy frame as the rest of the family, the Saguardo 2 has a Marzocchi Bomber Z2 fork, SRAM NX Eagle 12-speed drivetrain and a TranzX dropper post in frame size-specific lengths. The perfect blend of value and high-performance fun.

THE FEATURES

- Hydroformed, heat-treated 6061-T6 aluminum hardtail frame. Double-buttressed top and down tubes. Internal cable routing. Tapered head tube.
- Modern geometry: 64.5 degree head tube angle with a longer front triangle and shorter rear end.
- Marzocchi Bomber Z2 fork. 140mm travel. 44mm rake.
- WTB KOM Tough sealed wheel set. 15mm thru-axle (front), 12mm thru-axle (rear).
- NX Eagle 12-speed
- Tubeless Kenda Pinner 29 X 2.4" ATC (front)/Kenda Nevegal 2, 29 X 2.4" ATC (rear). Sealant included.
- TranzX JD-YSP39J dropper post, size-specific per frame size
- TRP Slate Evo 4-piston hydraulic brakes, 203mm rotor front, 180mm rotor rear
- Full 29er. Small size features "mullet" wheel configuration with 29" front, 27.5" rear.

SAGUARO 3



MSRP: \$1,899.99

Matte Metallic Green :
S/ 14434, M/ 14435
L/ 14436, XL/ 14437



Matte Mauve :
S/ 14438, M/ 14439
L/ 14440, XL/ 14441



THE LOWDOWN

The most affordable of the Saguardo family. The Saguardo 3 features the same top-shelf aluminum frame set as level 1 and 2. We dialed back the spec a little to bring the cost down, but there's no compromise in performance: RockShox TK35 140mm travel fork, Shimano Cues 11-speed gearing, WTB wheel set, dropper post- everything to handle business in style.

THE FEATURES

- Hydroformed, heat-treated 6061-T6 aluminum hardtail frame. Double-buttressed top and down tubes. Internal cable routing. Tapered head tube.
- Modern geometry: 64.5 degree head tube angle with a longer front triangle and shorter rear end.
- RockShox TK35 Silver. 140mm travel fork.
- WTB KOM Team sealed wheel set. 15mm thru-axle (front), 12mm thru-axle (rear).
- Shimano Cues 11-speed Shadow Plus
- Tubeless Kenda Pinner 29 X 2.4" ATC (front)/Kenda Nevegal 2, 29 X 2.4" ATC (rear). Sealant included.
- TranzX dropper post, size-specific per frame size.
- Tektro Gemini HD-M530 hydraulic brakes. 4-piston front, 2-piston rear, 2.3mm 180mm rotors (front & rear).
- Full 29er. Small size features "mullet" wheel configuration with 29" front, 27.5" rear.



THE SPECS

SAGUARO 1

SAGUARO 2

SAGUARO 3

FRAME	Hydroformed, heat-treated 6061-T6 aluminum hardtail frame. Double-butted top and down tubes. Internal cable routing. UDH derailleur hanger. Tapered head tube. Frame will accommodate up to 2.6" tires.
FORK	FOX 36 Performance Elite; 140mm travel. Grip X2. 44mm rake.
HEADSET	FSA Orbit sealed, tapered 1-1/8" - 1-1/5"
CRANKS	SRAM GX Transmission 32T Chainring, 170mm
REAR DERAILLEUR	SRAM GX Transmission 12-speed
CASSETTE	SRAM GX Transmission 10-52T
HANDLEBAR	Race Face Turbine R. 800mm wide X 20mm rise
STEM	Race Face Turbine R. 35mm Reach
GRIPS	WTB Wavelength Lock-On
SHIFTER	SRAM GX Transmission
SEAT	WTB Volt Medium chromoly rails. PU Leather. Flex-tuned.
SEATPOST	TranzX JD-Y5135 RAD adjustable travel dropper. Small 160mm, Medium 160mm, Large 180mm, X-Large 210mm
RIMS	DT Swiss XM 1700 Aluminum, Hooked, Crotchet tubeless TC, 30mm inner width
FRONT HUB	DT Swiss XM 1700 Spline, 110mm Boost 15mm thru-axle
REAR HUB	DT Swiss XM 1700 Spline, 148mm Boost 12mm thru-axle
TIRES	Tubeless Kenda Pinner 29 X 2.4" ATC (front)/Kenda Nevegal 2, 29 X 2.4" ATC (rear). Small size features 27.5 X 2.4" rear "mullet" configuration.
BRAKES	TRP Trail Evo 4-piston hydraulic brakes, 203mm rotor (front), 180mm rotor (rear).
EXTRAS	Tubeless sealant included

FRAME	Hydroformed, heat-treated 6061-T6 aluminum hardtail frame. Double-butted top and down tubes. Internal cable routing. UDH derailleur hanger. Tapered head tube. Frame will accommodate up to 2.6" tires.
FORK	Marzocchi Bomber Z2; 140mm travel. 44mm rake.
HEADSET	FSA Orbit sealed, tapered 1-1/8" - 1-1/5"
CRANKS	SRAM NX Eagle 32T, 170mm
REAR DERAILLEUR	SRAM NX Eagle 12-speed
CASSETTE	SRAM Eagle 11-50T
HANDLEBAR	Haro Alloy 800mm wide, 20mm Rise, 6° back sweep, 4° up sweep
STEM	Satori Ursa 35mm reach, 0° rise
GRIPS	WTB Wavelength lock-on
SHIFTER	SRAM NX Eagle 12-speed
SEAT	WTB Volt Medium chromoly rails. PU Leather. Flex-tuned.
SEATPOST	TranzX JD-YSP39J dropper. Small 150mm, Medium 150mm, Large 170mm, X-Large 200mm
RIMS	WTB KOM Tough i30 TCS 2.0 Rim, 32h, dual beam design, PV drilled, sleeved joint, 6069 series alloy
FRONT HUB	WTB Proterra 110x15mm, Ezo stainless steel radial bearings, 6-bolt disc
REAR HUB	WTB Proterra Boost 148x12mm, Ezo stainless steel radial bearings, 6-bolt disc, ultra-quick 3.7 degree engagement
TIRES	Tubeless Kenda Pinner 29 X 2.4" ATC (front)/Kenda Nevegal 2, 29 X 2.4" ATC (rear). Small size features 27.5 X 2.4" rear "mullet" configuration.
BRAKES	TRP Slate Evo 4-piston hydraulic, 203mm rotor (front)/180mm rotor (rear).
EXTRAS	Tubeless sealant included

FRAME	Hydroformed, heat-treated 6061-T6 aluminum hardtail frame. Double-butted top and down tubes. Internal cable routing. UDH derailleur hanger. Tapered head tube. Frame will accommodate up to 2.6" tires.
FORK	RockShox TK 35 Silver 140mm.
HEADSET	FSA Orbit sealed, tapered 1-1/8" - 1-1/5"
CRANKS	Shimano Cues 2-piece. 170mm. 32T chainring
REAR DERAILLEUR	Shimano Cues 11-speed
CASSETTE	Shimano Cues 11-speed, 11-50T
HANDLEBAR	Haro Alloy 800mm wide, 20mm rise, 6° back sweep, 4° up sweep
STEM	Satori Ursa 35mm reach, 0° rise
GRIPS	WTB Wavelength lock-on
SHIFTER	Shimano Cues 11-speed
SEAT	WTB Volt Medium chromoly rails. PU Leather. Flex-tuned.
SEATPOST	TranzX dropper. Small 150mm, Medium 150mm, X-Large/Large 170mm
RIMS	WTB KOM Team i30; TCS 2.0 Rim; Sleeved; 32h
FRONT HUB	WTB Frequency Sport 110x15mm , sealed bearings, 6-bolt disc
REAR HUB	WTB Frequency Sport 148x12mm, sealed-bearings, 3-pawl cassette, 6-bolt disc
TIRES	Tubeless Kenda Pinner 29 X 2.4" ATC (front)/Kenda Nevegal 2, 29 X 2.4" ATC (rear). Small size features 27.5 X 2.4" rear "mullet" configuration.
BRAKES	Front: HD-M530-F, 4-piston hydraulic disc, 180mm rotor Rear: HD-M530-R, 2-piston hydraulic disc, 180mm rotor
EXTRAS	Tubeless sealant included

THE GEO

SIZE	SMALL	MEDIUM	LARGE	X-LARGE
SEAT TUBE	350mm	405mm	430mm	480mm
TOP TUBE EFFECTIVE	574.2mm	601.2mm	633.4mm	650.7mm
HEAD TUBE ANGLE	64.5°	64.5°	64.5°	64.5°
SEAT TUBE ANGLE	76°	76.5°	76.5°	76.5°
CHAINSTAY/ RC LENGTH	418mm	430mm	435mm	435mm
BB DROP	50mm	70mm	70mm	70mm
WHEELBASE	1156.6mm	1195.1mm	1234.4mm	1253.7mm
HEAD TUBE LENGTH	100mm	110mm	120mm	130mm
STANDOVER	N/A	N/A	N/A	N/A
STACKHEIGHT	642.3mm	650.8mm	659.9mm	668.9mm
REACH	420mm	445mm	475mm	490mm
AXLE TO CROWN	554.7mm	554.7mm	554.7mm	554.7mm
FORK OFFSET	44mm	44mm	44mm	44mm
FRONT WHEEL SIZE	29"	29"	29"	29"
REAR WHEEL SIZE	27.5"	29"	29"	29"



HARO

HAROBIKES.COM