Jungbunzlauer

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: SDS Number: Date of last issue: 11/29/2021 US / EN 02/23/2022 100000000514 Date of first issue: 11/29/2021

SECTION 1. IDENTIFICATION

Product name : L(+)-Lactic Acid 88%

Substance name : L(+)-lactic acid

Trade name : L(+)-lactic acid aqueous solution 88%

Molecular formula : C3-H6-O3

Chemical identity : S(+)-2-Hydroxypropanoic acid

CAS-No. : 79-33-4

Chemical nature : Liquid

Manufacturer or supplier's details

Details of the supplier of the safety data sheet

Company : Jungbunzlauer Inc.

95 Wells Avenue, Suite 150 Newton, Massachusetts 02459

USA

www.jungbunzlauer.com

Telephone : +1 617 969-0900 Telefax : +1 617 964-2921

E-mail address : msds@jungbunzlauer.com

Responsible/issuing person

Emergency telephone number

National Chemical Emergency Centre (NCEC)

+1 202 464 2554

Recommended use of the chemical and restrictions on use

Recommended use : Food additive

Personal care Cleaning agent Biocidal product Industrial use

Pharmaceutical raw material

Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR

1910.1200)

Skin corrosion : Category 1

SAFETY DATA SHEET

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: SDS Number: Date of last issue: 11/29/2021 US / EN 02/23/2022 100000000514 Date of first issue: 11/29/2021

Serious eye damage : Category 1

GHS label elements

Hazard pictograms

T.S.

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements : Prevention:

P260 Do not breathe vapours.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Immediately call a POISON

CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazards Not Otherwise Classified

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Liquid

Hazardous components

Chemical name CAS-No	o. Concentration (% v	//w)
----------------------	-----------------------	------

Jungbunzlauer

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: SDS Number: Date of last issue: 11/29/2021 US / EN 02/23/2022 100000000514 Date of first issue: 11/29/2021

L(+)-lactic acid 79-33-4 >= 70 - < 90

Non-hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
H2O	7732-18-5	>= 10 - <= 30

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

No artificial respiration, mouth-to-mouth or mouth to nose. Use

suitable instruments/apparatus.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Keep respiratory tract clear. Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

: Severe eye irritation

Erythema Skin disorders

Causes serious eye damage.

Causes severe burns.

Jungbunzlauer

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: US / EN 02/23/2022

SDS Number: 100000000514

Date of last issue: 11/29/2021 Date of first issue: 11/29/2021

Protection of first-aiders : Wear personal protective equipment.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water mist

Dry powder

Carbon dioxide (CO2)

Foam

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

Exposure to decomposition products may be a hazard to

health.

Do not allow run-off from fire fighting to enter drains or water

courses

Hazardous combustion

products

Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

Further information : Standard procedure for chemical fires.

Use water spray to cool unopened containers.

In the event of fire and/or explosion do not breathe fumes.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Use personal protective equipment.

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Material can create slippery conditions.
Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Clean contaminated surface thoroughly.

Jungbunzlauer

L(+)-Lactic Acid 88%

 Version 1.1 Revision Date:
 SDS Number:
 Date of last issue: 11/29/2021

 US / EN
 02/23/2022
 100000000514
 Date of first issue: 11/29/2021

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Technical measures : Avoid temperatures above 200°C.

Local/Total ventilation : Ensure adequate ventilation, especially in confined areas.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep in an area equipped with acid resistant flooring.

Store in original container.

Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on

storage conditions

Keep away from direct sunlight.

Materials to avoid : Incompatible with bases.

Recommended storage

temperature

> 41 °F

Further information on

storage stability

: No decomposition if stored and applied as directed.

Packaging material : Suitable material: Plastic container of HDPE, Stainless steel

316L

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Jungbunzlauer

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: SDS Number: Date of last issue: 11/29/2021 US / EN 02/23/2022 100000000514 Date of first issue: 11/29/2021

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter.

Use NIOSH approved respiratory protection.

No personal respiratory protective equipment normally

required.

Hand protection

Remarks : Wear suitable gloves tested to EN374.

The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Ensure that eyewash stations and safety showers are close

to the workstation location.
Safety glasses with side-shields
Eye wash bottle with pure water
Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : acid-resistant protective clothing

Long sleeved clothing

Footwear protecting against chemicals

Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Take off all contaminated clothing immediately. Wash contaminated clothing before re-use.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution, viscous

Colour : colourless, light yellow

Odour : characteristic

Odour Threshold : Not relevant

Jungbunzlauer

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: SDS Number: Date of last issue: 11/29/2021 US / EN 02/23/2022 100000000514 Date of first issue: 11/29/2021

pH : <2 (77 °F / 25 °C)

Melting point/freezing point : <-112 °F / <-80 °C

(ca. 1,013.25 hPa)

Boiling point/boiling range : 230 - 266 °F / 110 - 130 °C

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : ca. 0.038 Pa (68 °F / 20 °C)

Relative vapour density : No data available

Density : 1.0 - 1.3 g/cm3

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

log Pow: -0.54 (68 °F / 20 °C)

Auto-ignition temperature : 752 °F / 400 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 18.4 mPa.s (77 °F / 25 °C)

Viscosity, kinematic : No data available

Explosive properties : Not applicable

Oxidizing properties : Not applicable

Surface tension : 70.7 mN/m, 1 g/l, 68 °F / 20 °C

Metal corrosion rate : Not classified due to data which are conclusive although

insufficient for classification.

Jungbunzlauer

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: SDS Number: Date of last issue: 11/29/2021 US / EN 02/23/2022 100000000514 Date of first issue: 11/29/2021

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

No decomposition if stored and applied as directed.

Conditions to avoid : Temperature > 200 °C

Incompatible materials : Bases

Oxidizing agents

Hazardous decomposition

products

Build-up of dangerous/toxic fumes possible in cases of

fire/high temperature. Carbon dioxide (CO2) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

L(+)-lactic acid:

Acute oral toxicity : LD50 Oral (Rat, female): 3,543 mg/kg

Test substance: Lactic acid

Assessment: The substance or mixture has no acute oral

toxicity

LD50 Oral (Rat, male): 4,936 mg/kg

Test substance: Lactic acid

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): 7.94 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Test substance: Lactic acid

Assessment: The substance or mixture has no acute inhalation toxicity, Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 Dermal (Rabbit): 2,000 mg/kg

Test substance: Lactic acid

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Extremely corrosive and destructive to tissue.

SAFETY DATA SHEET

L(+)-Lactic Acid 88%

 Version 1.1 Revision Date:
 SDS Number:
 Date of last issue: 11/29/2021

 US / EN
 02/23/2022
 100000000514
 Date of first issue: 11/29/2021

Components:

L(+)-lactic acid:

Species : Rabbit Exposure time : 4 h

Assessment : Corrosive after 1 to 4 hours of exposure Result : Corrosive after 1 to 4 hours of exposure

Test substance : Lactic acid

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

L(+)-lactic acid:

Species : chicken

Result : Severe irritation
Test substance : Lactic acid

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

L(+)-lactic acid:

Species : Guinea pig

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

L(+)-lactic acid:

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects

Assessment

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET

L(+)-Lactic Acid 88%

 Version 1.1 Revision Date:
 SDS Number:
 Date of last issue: 11/29/2021

 US / EN
 02/23/2022
 100000000514
 Date of first issue: 11/29/2021

Components:

L(+)-lactic acid:

Species : Rat, male and female

Result : Animal testing did not show any carcinogenic effects.

Test substance : Calcium lactate

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

L(+)-lactic acid:

STOT - single exposure

Not classified based on available information.

Components:

L(+)-lactic acid:

Assessment : No data available

STOT - repeated exposure

Not classified based on available information.

Components:

L(+)-lactic acid:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

L(+)-lactic acid:

Species : Rat

LOAEL : 886 mg/kg
Application Route : Dermal
Exposure time : 13 wk
Number of exposures : 5 d/wk

Dose : 886 mg/kg bw
Test substance : Lactic acid
Assessment : slight irritation

SAFETY DATA SHEET

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: SDS Number: Date of last issue: 11/29/2021 Date of first issue: 11/29/2021 US / EN 02/23/2022 10000000514

Rat, female Species NOAEL 50,000 mg/l Application Route Exposure time Oral : 13 wk Number of exposures : 1/d Dose 5%

Test substance Calcium lactate Assessment : No adverse effects

Aspiration toxicity

Not classified based on available information.

Components:

L(+)-lactic acid:

No data available

Experience with human exposure

Product:

Inhalation : Target Organs: Respiratory system

Symptoms: No information available.

Skin contact : Target Organs: Skin

Symptoms: May cause skin irritation in susceptible persons.

Eye contact : Target Organs: Eyes

Symptoms: Redness, Itching

Ingestion Target Organs: Digestive organs

Symptoms: No information available.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

L(+)-lactic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l

> Exposure time: 96 h Test substance: Lactic acid Remarks: Not classified

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 130 mg/l

aquatic invertebrates

End point: Immobilization

Jungbunzlauer

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: US / EN 02/23/2022

SDS Number: 10000000514

Date of last issue: 11/29/2021 Date of first issue: 11/29/2021

Exposure time: 48 h
Test substance: Lactic acid

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (algae)): > 2,800 mg/l

Exposure time: 72 h

Test substance: Lactic acid

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,900

mg/l

Exposure time: 70 h
Test substance: Lactic acid

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Toxicity to fish (Chronic

toxicity)

LOEC (Fish (Oreochromus mossambica)): ca. 2.18 mg/l

Exposure time: 90 d Test substance: Lactic acid

Remarks: Environmental exposure assessment for this

scenario is not relevant.

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Test substance: Lactic acid

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Toxicity to terrestrial

organisms

LC50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

Exposure time: 14 d

Test substance: Lactic acid

Persistence and degradability

Components:

L(+)-lactic acid:

Biodegradability : Closed Bottle test

Inoculum: activated sludge Biochemical oxygen demand Biodegradation: 80 % Exposure time: 28 d

Method: OECD Test Guideline 301 Test substance: L(+)-Lactic acid

Remarks: Readily biodegradable.

Ready biodegradability Method: QSAR

Test substance: Lactic acid Remarks: Readily biodegradable.

Jungbunzlauer

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: SDS Number: Date of last issue: 11/29/2021 US / EN 02/23/2022 100000000514 Date of first issue: 11/29/2021

Stability in water : Remarks: Not applicable

Bioaccumulative potential

Components:

L(+)-lactic acid:

Bioaccumulation : Remarks: The product is miscible in water and readily

biodegradable in both water and soil. Accumulation is not

expected.

Partition coefficient: n-

octanol/water

: log Pow: -0.54 (68 °F / 20 °C)

Mobility in soil

Components:

L(+)-lactic acid:

Mobility : Method: Calculation, Mackay Level III Fugacity Model

Remarks: After release, disperses through ground water.

Distribution among

environmental compartments

Koc: < 20.9, log Koc: < 1.32

Method: OECD Test Guideline 121

Remarks: Lactic acid

Stability in soil : Remarks: Readily biodegradable.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological

information

: No data available

Components:

L(+)-lactic acid:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Additional ecological

information

: No data available

SAFETY DATA SHEET

L(+)-Lactic Acid 88%

Version 1.1 Revision Date: SDS Number: Date of last issue: 11/29/2021 US / EN 02/23/2022 10000000514 Date of first issue: 11/29/2021

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN 3265 UN/ID No.

Proper shipping name Corrosive liquid, acidic, organic, n.o.s.

856

(lactic acid)

Class 8 Packing group Ш

Class 8 - Corrosive substances Labels

Packing instruction (cargo

aircraft)

Packing instruction 852

(passenger aircraft)

IMDG-Code

UN number UN 3265

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(lactic acid)

Class 8 Packing group Ш Labels 8 F-A, S-B EmS Code Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

DOT

: UN 3265 UN/ID/NA number

Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.

(lactic acid)

8 Class Packing group Ш

CORROSIVE Labels

ERG Code 153

SAFETY DATA SHEET

L(+)-Lactic Acid 88%

 Version 1.1 Revision Date:
 SDS Number:
 Date of last issue: 11/29/2021

 US / EN
 02/23/2022
 100000000514
 Date of first issue: 11/29/2021

Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311. Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

L(+)-lactic acid
H2O
Not Assigned
Not Assigned

L(+)-Lactic Acid 88%

 Version 1.1 Revision Date:
 SDS Number:
 Date of last issue: 11/29/2021

 US / EN
 02/23/2022
 100000000514
 Date of first issue: 11/29/2021

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The components of this product are reported in the following inventories:

TCSI On the inventory, or in compliance with the inventory TSCA All substances listed as active on the TSCA inventory AIIC On the inventory, or in compliance with the inventory DSL All components of this product are on the Canadian DSL **ENCS** On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory ISHL KECI On the inventory, or in compliance with the inventory **PICCS** On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory **IECSC** On the inventory, or in compliance with the inventory NZloC

REACH : This substance has been registered according to Regulation

(EC) No. 1907/2006 (REACH).

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

Jungbunzlauer

L(+)-Lactic Acid 88%

 Version 1.1 Revision Date:
 SDS Number:
 Date of last issue: 11/29/2021

 US / EN
 02/23/2022
 100000000514
 Date of first issue: 11/29/2021

Loading Rate; NTP - National Toxicology Program; NZloC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Items where relevant changes have been made to the previous version are highlighted in the body of this document by two vertical lines, red letters and grey shading.

Revision Date : 02/23/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN