



## TABLE OF CONTENTS

### **Electro-Mech Scoreboards**

#### **Full-Featured Runs-by-Inning Softball Line Scoreboards**

Choose from some of our largest displays featuring all of the traditional Baseball stats including individual Runs per Inning, numeric Ball, Strike, and Out Counts, Hit indicator, and Error Fielder Position ..... 1

#### **Compact Runs-by-Inning Softball Line Scoreboards**

These trimmed down line scoreboards include most traditional Baseball and Softball stats, along with Runs per Inning..... 19

#### **Abbreviated Softball Line Scoreboards**

These unique Baseball and Softball scoreboards include Totals columns for Runs, Hits, and Errors ..... 43

#### **Softball Scoreboards with Pitch Count, Timers, and Additional Features**

Choose from a variety of smaller Baseball and Softball displays that offer more than just the basic stats ..... 47

#### **Basic Softball Scoreboards**

These hard-working Baseball and Softball scoreboards are the most popular models in the Electro-Mech family ..... 71

#### **Multi-Sport Scoreboards with Softball Features**

When Baseball is just one of the sports played on your field, count on these Multi-Sport displays to perform season after season ..... 79

#### **Add-On Timers and Pitch Count Displays**

These stand-alone displays can be added to most Baseball scoreboards ..... 84

**ID Panels** ..... 87

**Electronic Team Names** ..... 90

**Portable Leg Kit**..... 92

### **Aer-Flo**

**Tuffy Windscreens**..... 95

**Windscreen Accessories**..... 97

**Fence Protection** ..... 98

**Field Tarps**..... 99


**Infield Covers**..... 100

**Turf Protectors** ..... 101

**Miscellaneous Padding** ..... 102

**Grand Slam Batting Cages**..... 103

**MODEL LX1740**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
20 ft x 6 ft	350 lb	Aluminum	8 in, 6 in, 4-1/2 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
15 in, 11 in	15 in	Amber or Red	3.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Hit and Error indicators along with Error Fielder Position, Batter Number, Ball, Strike, and Out digits are 15 inches tall, while all other digits are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

**MODEL LX1741**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
20 ft x 6 ft	350 lb	Aluminum	8 in, 6 in, 4-1/2 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
15 in, 11 in	15 in, 4 in	Amber or Red	3.7 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Hit and Error indicators along with Error Fielder Position, Timer, Ball, Strike, and Out digits are 15 inches tall, while all other digits are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1742-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
20 ft x 6 ft	350 lb	Aluminum	6 in, 4-1/2 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
15 in, 11 in	15 in, 4 in	Amber or Red	5.8 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 56 pixel matrix
- Three character fonts
- Up to 11 characters per team

**DIGITS / INDICATORS**

Hit and Error indicators along with Error Fielder Position, Timer, Ball, Strike, and Out digits are 15 inches tall, while all other digits are 11 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

**MODEL LX1743**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
20 ft x 6 ft	350 lb	Aluminum	8 in, 6 in, 4-1/2 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
15 in, 11 in	15 in	Amber or Red	3.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Hit and Error indicators along with Error Fielder Position, Pitch Count, Ball, Strike, and Out digits are 15 inches tall, while all other digits are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1744-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
20 ft x 6 ft	350 lb	Aluminum	6 in, 4-1/2 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
15 in, 11 in	15 in	Amber or Red	6.1 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 56 pixel matrix
- Three character fonts
- Up to 11 characters per team

**DIGITS / INDICATORS**

Hit and Error indicators along with Error Fielder Position, Timer, Ball, Strike, and Out digits are 15 inches tall, while all other digits are 11 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1746**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
20 ft x 6 ft	350 lb	Aluminum	8 in, 6 in, 4-1/2 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
15 in, 11 in	15 in	Amber or Red	3.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Radar gun kit with accessories
- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Hit and Error indicators along with Error Fielder Position, MPH, Ball, Strike, and Out digits are 15 inches tall, while all other digits are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1750**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
26 ft x 9 ft	800 lb	Aluminum	12 in, 10 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	15 in	Amber or Red	5.3 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Batter Number, Ball, Strike, and Out digits are 18 inches tall, while all other digits and indicators are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1751**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
26 ft x 9 ft	800 lb	Aluminum	12 in, 10 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	15 in, 4 in	Amber or Red	5.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Timer, Ball, Strike, and Out digits are 18 inches tall, while all other digits and indicators are 15 inches tall. Digits, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company


72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1752-ETN**

Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
26 ft x 9 ft	800 lb	Aluminum	10 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	15 in, 4 in	Amber or Red	10.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 11-inch character height
- 14 x 80 pixel matrix
- Three character fonts
- Up to 9 characters per team

**DIGITS / INDICATORS**

Timer, Ball, Strike, and Out digits are 18 inches tall, while all other digits and indicators are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1753**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
26 ft x 9 ft	800 lb	Aluminum	12 in, 10 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	15 in	Amber or Red	5.3 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Pitch Count, Ball, Strike, and Out digits are 18 inches tall, while all other digits are indicators 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1754-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
26 ft x 9 ft	800 lb	Aluminum	10 in, 6 in	2.4 mil cast vinyl

Digit Height	Indicator Size	Digit Colors	Electrical
18 in, 15 in	15 in	Amber or Red	10.7 Amps, 120 VAC

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 11-inch character height
- 14 x 80 pixel matrix
- Three character fonts
- Up to 9 characters per team

**DIGITS / INDICATORS**

Timer, Ball, Strike, and Out digits are 18 inches tall, while all other digits and indicators are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

**MODEL LX1756**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
26 ft x 9 ft	800 lb	Aluminum	12 in, 10 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	15 in	Amber or Red	5.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Radar gun kit with accessories
- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

MPH, Ball, Strike, and Out digits are 18 inches tall, while all other digits and indicators are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1780-ETN**

Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
36 ft x 10 ft	1100 lb	Aluminum	12 in, 7 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
24 in, 18 in, 15 in	15 in	Amber or Red	13.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 11-inch character height
- 14 x 112 pixel matrix
- Three character fonts
- Up to 12 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and Batter Number digits are 24 inches tall. Indicators for Hit and Error along with the Error Fielder Position digit are 15 inches tall. All other digits are 18 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1781**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
36 ft x 10 ft	1100 lb	Aluminum	14 in, 12 in, 7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
24 in, 18 in, 15 in	15 in, 4 in	Amber or Red	6.7 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 24 inches tall. Indicators for Hit and Error along with the Error Fielder Position digit are 15 inches tall. All other digits are 18 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1782-ETN**

Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
36 ft x 10 ft	1100 lb	Aluminum	12 in, 7 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
24 in, 18 in, 15 in	15 in, 4 in	Amber or Red	13.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 11-inch character height
- 14 x 112 pixel matrix
- Three character fonts
- Up to 12 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 24 inches tall. Indicators for Hit and Error along with the Error Fielder Position digit are 15 inches tall. All other digits are 18 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company


72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1783**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
36 ft x 10 ft	1100 lb	Aluminum	14 in, 12 in, 7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
24 in, 18 in, 15 in	15 in	Amber or Red	6.6 Amps, 120 VAC	

### STANDARD EQUIPMENT & FEATURES

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

### OPTIONAL EQUIPMENT & UPGRADES

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

### DIGITS / INDICATORS

Ball, Strike, Out, and Pitch Count digits are 24 inches tall. Indicators for Hit and Error along with the Error Fielder Position digit are 15 inches tall. All other digits are 18 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

### PAINT COLOR OPTIONS




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1784**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
36 ft x 10 ft	1100 lb	Aluminum	14 in, 12 in, 7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
24 in, 18 in, 15 in	15 in	Amber or Red	6.9 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 24 inches tall. Indicators for Hit and Error along with the Error Fielder Position digit are 15 inches tall. All other digits are 18 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1786-ETN**

Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
36 ft x 10 ft	1100 lb	Aluminum	12 in, 7 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
24 in, 18 in, 15 in	15 in	Amber or Red	13.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Radar gun kit with accessories
- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 11-inch character height
- 14 x 112 pixel matrix
- Three character fonts
- Up to 12 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and MPH digits are 24 inches tall. Indicators for Hit and Error along with the Error Fielder Position digit are 15 inches tall. All other digits are 18 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1620**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
18 ft x 6 ft	350 lb	Aluminum	10 in, 8 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
15 in	N/A	Amber or Red	3.2 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company  
72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

**MODEL LX1630-ETN**

Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
22 ft x 6-1/2 ft	450 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	N/A	Amber or Red	7.1 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 64 pixel matrix
- Three character fonts
- Up to 13 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and Batter Number digits are 18 inches tall, while all other digits are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1631-ETN**

Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
22 ft x 6-1/2 ft	450 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	4 in	Amber or Red	7.3 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 64 pixel matrix
- Three character fonts
- Up to 13 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 18 inches tall, while all other digits are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1632-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
22 ft x 6-1/2 ft	450 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	4 in	Amber or Red	7.1 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 64 pixel matrix
- Three character fonts
- Up to 13 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 18 inches tall, while all other digits are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1633**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
22 ft x 6-1/2 ft	450 lb	Aluminum	11 in, 7 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	N/A	Amber or Red	4.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and Pitch Count digits are 18 inches tall, while all other digits are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company


72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1634**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
22 ft x 6-1/2 ft	450 lb	Aluminum	11 in, 7 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	N/A	Amber or Red	4.9 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 18 inches tall, while all other digits are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1636-ETN**  
Outdoor  
Baseball / Softball



<b>BALL</b> 3	<b>STRIKE</b> █	<b>OUT</b> 2	<b>MPH</b> 85								
	1	2	3	4	5	6	7	8	<b>RUNS</b>	<b>HITS</b>	<b>ERRS</b>
<b>SERLING</b>	3	2	5	0	1	1	4	0	16	29	3
<b>HITCHCOCK</b>	0	4	2	3	7	3	6	█	25	41	4

<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
22 ft x 6-1/2 ft	450 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	N/A	Amber or Red	7.2 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Radar gun kit with accessories
- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 64 pixel matrix
- Three character fonts
- Up to 13 characters per team


**DIGITS / INDICATORS**

Ball, Strike, Out, and MPH digits are 18 inches tall, while all other digits are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**MODEL LX1637**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
22 ft x 6-1/2 ft	450 lb	Aluminum	11 in, 7 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	N/A	Amber or Red	4.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, and Out digits are 18 inches tall, while all other digits and indicators are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1700**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
14 ft x 5 ft	250 lb	Aluminum	8 in, 7 in, 5 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
11 in	N/A	Amber or Red	1.8 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1710**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
16 ft x 5 ft	300 lb	Aluminum	8 in, 6 in, 5 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
15 in, 11 in	N/A	Amber or Red	2.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and Batter Number digits are 15 inches tall, while all other digits are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1711-ETN**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
16 ft x 5 ft	300 lb	Aluminum	6 in, 5 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
15 in, 11 in	4 in	Amber or Red	5.0 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 56 pixel matrix
- Three character fonts
- Up to 11 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 15 inches tall, while all other digits are 11 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1712**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
16 ft x 5 ft	300 lb	Aluminum	8 in, 6 in, 5 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
15 in, 11 in	4 in	Amber or Red	2.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 15 inches tall, while all other digits are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1713**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
16 ft x 5 ft	300 lb	Aluminum	8 in, 6 in, 5 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
15 in, 11 in	N/A	Amber or Red	2.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and Pitch Count digits are 15 inches tall, while all other digits are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company


72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1714-ETN**

Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
16 ft x 5 ft	300 lb	Aluminum	6 in, 5 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
15 in, 11 in	N/A	Amber or Red	5.1 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 56 pixel matrix
- Three character fonts
- Up to 11 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 15 inches tall, while all other digits are 11 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1716**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
16 ft x 5 ft	300 lb	Aluminum	8 in, 6 in, 5 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
15 in, 11 in	N/A	Amber or Red	2.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Radar gun kit with accessories
- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product


**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and MPH digits are 15 inches tall, while all other digits are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1717**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
16 ft x 5 ft	300 lb	Aluminum	8 in, 6 in, 5 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
15 in, 11 in	15 in	Amber or Red	2.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Hit and Error indicators along with Error Filed Position, Ball, Strike, and Out digits are 15 inches tall, while all other digits are 11 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1720**  
Outdoor  
Baseball / Softball

Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
16 ft x 6 ft	300 lb	Aluminum	11 in, 9 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
15 in	N/A	Amber or Red	2.9 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1730-ETN**  
Outdoor  
Baseball / Softball

<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
20 ft x 6-1/2 ft	380 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	N/A	Amber or Red	6.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 64 pixel matrix
- Three character fonts
- Up to 13 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and Batter Number digits are 18 inches tall, while all other digits are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1731**  
Outdoor  
Baseball / Softball

<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
20 ft x 6-1/2 ft	380 lb	Aluminum	11-1/2 in, 7 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	4 in	Amber or Red	4.2 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 18 inches tall, while all other digits are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1732**  
Outdoor  
Baseball / Softball

<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
20 ft x 6-1/2 ft	380 lb	Aluminum	11-1/2 in, 7 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	4 in	Amber or Red	4.0 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and Timer digits are 18 inches tall, while all other digits are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1733-ETN**  
Outdoor  
Baseball / Softball

<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
20 ft x 6-1/2 ft	380 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	N/A	Amber or Red	6.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 64 pixel matrix
- Three character fonts
- Up to 13 characters per team

**DIGITS / INDICATORS**

Ball, Strike, Out, and Pith Count digits are 18 inches tall, while all other digits are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company


72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1734**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
20 ft x 6-1/2 ft	380 lb	Aluminum	11-1/2 in, 7 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	N/A	Amber or Red	4.3 Amps, 120 VAC	

### STANDARD EQUIPMENT & FEATURES

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

### OPTIONAL EQUIPMENT & UPGRADES

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

### DIGITS / INDICATORS

Ball, Strike, Out, and Timer digits are 18 inches tall, while all other digits are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

### PAINT COLOR OPTIONS




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1736**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
20 ft x 6-1/2 ft	380 lb	Aluminum	11-1/2 in, 7 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	N/A	Amber or Red	4.0 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Radar gun kit with accessories
- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out, and MPH digits are 18 inches tall, while all other digits are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1737-ETN**  
Outdoor  
Baseball / Softball

<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
20 ft x 6-1/2 ft	380 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in, 15 in	15 in	Amber or Red	6.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 64 pixel matrix
- Three character fonts
- Up to 13 characters per team

**DIGITS / INDICATORS**

Ball, Strike, and Out digits are 18 inches tall, while all other digits and indicators are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1440-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
16 ft x 8 ft	400 lb	Aluminum	9 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	N/A	Amber or Red	7.0 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 11-inch character height
- 14 x 72 pixel matrix
- Three character fonts
- Up to 8 characters per team

**DIGITS / INDICATORS**

Ball, Strike, and Out digits are 15 inches tall. All other digits are 18 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1480-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
20 ft x 10 ft	625 lb	Aluminum	11 in, 8 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
24 in, 18 in	15 in	Amber or Red	7.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 11-inch character height
- 14 x 72 pixel matrix
- Three character fonts
- Up to 8 characters per team

**DIGITS / INDICATORS**


Batter Number, Ball, Strike, and Out digits are 24 inches tall, while all others are 18 inches tall. Hit and Error indicators are 15 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company  
72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

**MODEL LX1486**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
20 ft x 10 ft	625 lb	Aluminum	15 in, 11 in, 8 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
24 in, 18 in	15 in	Amber or Red	3.0 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Radar gun kit with accessories
- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Ball, Strike, Out and MPH digits are 24 inches tall, while all other digits are 18 inches tall. Hit and Error indicators are 15 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1390-ETN**

Outdoor  
Multi-Sport



Reversible Captions  
for Baseball or Multi-Sport Mode



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
14 ft x 5 ft	235 lb	Aluminum	8-1/2 in, 6-1/2 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	4 in	Amber or Red	3.8 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Internal horn kit
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Control console includes fully programmable Practice Segment Timer mode
- Junction box and patch cable for hardwired installations

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 48 pixel matrix
- Three character fonts
- Up to 9 characters per team

**DIGITS / INDICATORS**

Guest Score, Home Score, and Timer digits are 18 inches tall, while Period digit is 15 inches tall. Indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1130**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
8 ft x 6 ft	170 lb	Aluminum	6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall. Pitch Count digits are 11 inches tall, and Ball, Strike, and Out indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1131**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
8 ft x 6 ft	170 lb	Aluminum	6 in, 4 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while Pitch Count and Timer digits are 11 inches tall. Ball, Strike, and Out indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company  
72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1132**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
8 ft x 6 ft	170 lb	Aluminum	6 in, 4 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while Pitch Count and Timer digits are 11 inches tall. All indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1135**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
8 ft x 6 ft	170 lb	Aluminum	6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.3 Amps, 120 VAC	

### STANDARD EQUIPMENT & FEATURES

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

### OPTIONAL EQUIPMENT & UPGRADES

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

### DIGITS / INDICATORS

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while Timer digits are 11 inches tall. All indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

### PAINT COLOR OPTIONS




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1136**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
8 ft x 6 ft	170 lb	Aluminum	6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.2 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while Timer digits are 11 inches tall. All indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1138**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
8 ft x 6 ft	170 lb	Aluminum	6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while Timer digits are 11 inches tall. Ball, Strike, and Out indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1160-ETN**

Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 7 ft	220 lb	Aluminum	7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	2.7 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 32 pixel matrix
- Three character fonts
- Up to 6 characters per team

**DIGITS / INDICATORS**

Guest Runs, Home Run, and Inning digits are 18 inches tall, while Pitch Count digits are 11 inches tall. All indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1161**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 7 ft	220 lb	Aluminum	7 in, 5 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.7 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while all other digits are 11 inches tall. All indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1162**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 7 ft	220 lb	Aluminum	7 in, 5 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.6 Amps, 120 VAC	

### STANDARD EQUIPMENT & FEATURES

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

### OPTIONAL EQUIPMENT & UPGRADES

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

### DIGITS / INDICATORS

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while all other digits are 11 inches tall. All indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

### PAINT COLOR OPTIONS



**Electro-Mech**  
Scoreboard Company


72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1164-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 7 ft	220 lb	Aluminum	7 in, 5 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	3.1 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 32 pixel matrix
- Three character fonts
- Up to 6 characters per team

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while all other digits are 11 inches tall. All indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1165**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 7 ft	220 lb	Aluminum	7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while Timer digits are 11 inches tall. All indicators are 4 inches. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1166**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 7 ft	220 lb	Aluminum	7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	1.3 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while Timer digits are 11 inches tall. All indicators are 4 inches. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1168-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 7 ft	220 lb	Aluminum	7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	4 in	Amber or Red	2.7 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 32 pixel matrix
- Three character fonts
- Up to 6 characters per team


**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while Timer digits are 11 inches tall. All indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**MODEL LX1241-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
12 ft x 5 ft	210 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	N/A	Amber or Red	3.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on two posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 48 pixel matrix
- Three character fonts
- Up to 9 characters per team

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while all other digits are 11 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1244-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
12 ft x 5 ft	210 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	N/A	Amber or Red	3.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on two posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 48 pixel matrix
- Three character fonts
- Up to 9 characters per team

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while all other digits are 11 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

**MODEL LX1340**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 5 ft	170 lb	Aluminum	7 in, 5 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	1.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Simplified 15-key control console
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Full-sized 37-key control console with LCD display
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company  
72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

**MODEL LX1341**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 5 ft	170 lb	Aluminum	7 in, 5 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	1.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Simplified 15-key control console
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Full-sized 37-key control console with LCD display
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company  
72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1370-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
14 ft x 6 ft	225 lb	Aluminum	9 in, 7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	4.3 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 56 pixel matrix
- Three character fonts
- Up to 11 characters per team

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1371**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
14 ft x 6 ft	225 lb	Aluminum	9 in, 7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	2.1 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1372-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
14 ft x 6 ft	225 lb	Aluminum	9 in, 7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	4.3 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 56 pixel matrix
- Three character fonts
- Up to 11 characters per team

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1373**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
14 ft x 6 ft	225 lb	Aluminum	9 in, 7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	2.0 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1374**  
Outdoor  
Baseball / Softball

Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
14 ft x 6 ft	225 lb	Aluminum	9 in, 7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	2.3 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1376-ETN**  
Outdoor  
Baseball / Softball



<b>Dimensions</b>	<b>Weight</b>	<b>Cabinet Material</b>	<b>Caption Height</b>	<b>Accent Material</b>
14 ft x 6 ft	225 lb	Aluminum	9 in, 7 in	2.4 mil cast vinyl
<b>Digit Height</b>	<b>Indicator Size</b>	<b>Digit Colors</b>	<b>Electrical</b>	
18 in	4 in	Amber or Red	4.3 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Radar gun kit with accessories
- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 56 pixel matrix
- Three character fonts
- Up to 11 characters per team

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1377**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
14 ft x 6 ft	225 lb	Aluminum	9 in, 7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	15 in	Amber or Red	1.8 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Electronic Team Names
- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

Hit and Error indicators and the Error Fielder position digit are 15 inches tall. All other digits are 18 inches tall. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1030**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
8 ft x 4 ft	113 lb	Aluminum	6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	1.1 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on two posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Simplified 15-key control console
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Full-sized 37-key control console with LCD display
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846



**MODEL LX1050**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
6 ft x 3 ft	78 lb	Aluminum	4-1/2 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
15 in	3 in	Amber or Red	0.8 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on two posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Simplified 15-key control console
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Full-sized 37-key control console with LCD display
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 15 inches tall, and indicators are 3 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1060-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 5 ft	160 lb	Aluminum	7 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	2.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on two posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 32 pixel matrix
- Three character fonts
- Up to 6 characters per team


**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**MODEL LX1070-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
16 ft x 5 ft	250 lb	Aluminum	9 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	3.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on two posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 56 pixel matrix
- Three character fonts
- Up to 11 characters per team

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1240-ETN**

Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 5 ft	160 lb	Aluminum	7 in, 6 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 11 in	N/A	Amber or Red	2.9 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on two posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 40 pixel matrix
- Three character fonts
- Up to 8 characters per team

**DIGITS / INDICATORS**

Guest Runs, Home Runs, and Inning digits are 18 inches tall, while Ball, Strike, and Out are 11 inches tall. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1250-ETN**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
14 ft x 5 ft	218 lb	Aluminum	9 in, 8 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	3.6 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on two posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 48 pixel matrix
- Three character fonts
- Up to 9 characters per team

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1260-ETN**

Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
12 ft x 8 ft	285 lb	Aluminum	8 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
24 in, 18 in	4 in	Amber or Red	3.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on two posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above or below the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 48 pixel matrix
- Three character fonts
- Up to 9 characters per team

**DIGITS / INDICATORS**

Home Runs and Guest Runs digits are 24 inches, while all other digits are 18 inches tall. Indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846



**MODEL LX1020**  
Outdoor  
Portable  
Baseball / Softball

Optional "T-Cart"  
Leg Kit

Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
5 ft x 3 ft	42 lb	Aluminum	4 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
11 in	3 in	Amber or Red	0.5Amps, 120 VAC	

### STANDARD EQUIPMENT & FEATURES

- Light weight rust free aluminum cabinet
- Automotive grade baked on enamel based paint applied to the entire cabinet
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Simplified 15-key control console
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

### OPTIONAL EQUIPMENT & UPGRADES

- Sturdy, easy to assemble leg kit with wheels for portable use
- Custom paint colors
- Team name in place of HOME
- Full-sized 37-key control console with LCD display
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

### DIGITS / INDICATORS

All digits for this model are 11 inches tall, and indicators are 3 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

### PAINT COLOR OPTIONS



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096


www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX6324**

Outdoor  
Portable  
Multi-Sport

Reversible Captions  
For Baseball, Football,  
and more



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
5 ft x 3-1/2 ft	40 lb	Aluminum	4 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
11 in	N/A	Amber or Red	0.8 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Light weight rust free aluminum cabinet
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Internally mounted horn
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Control console includes fully programmable Practice Segment Timer mode
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Sturdy, easy to assemble leg kit with wheels for portable use
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 11 inches tall and are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08



**MODEL LX1320**  
Outdoor  
Multi-Sport Portable



Reversible Captions  
for Baseball, Football,  
and more

Optional "T-Card"  
Leg Kit

Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
5 ft x 4 ft	50 lb	Aluminum	4 in, 3 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
11 in	3 in	Amber or Red	0.9 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Light weight, rust free, all aluminum construction
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Internal horn
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Sturdy, easy to assemble leg kit with wheels for portable use
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 11 inches tall, and indicators are 3 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096



www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1360**

Outdoor  
Multi-Sport

Reversible Captions  
for Baseball or Football



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
10 ft x 5 ft	180 lb	Aluminum	7 in, 4-1/2 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	4 in	Amber or Red	2.0 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Internal horn
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Team name in place of HOME
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall, and indicators are 4 inches in diameter. Digits and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1390-ETN**

Outdoor  
Multi-Sport



Reversible Captions  
for Baseball or Multi-Sport Mode



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
14 ft x 5 ft	235 lb	Aluminum	8-1/2 in, 6-1/2 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in, 15 in	4 in	Amber or Red	3.8 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Internal horn kit
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Control console includes fully programmable Practice Segment Timer mode
- Junction box and patch cable for hardwired installations

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 48 pixel matrix
- Three character fonts
- Up to 9 characters per team

**DIGITS / INDICATORS**

Guest Score, Home Score, and Timer digits are 18 inches tall, while Period digit is 15 inches tall. Indicators are 4 inches in diameter. Digits, ETN characters, and indicators are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096


www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX3450-ETN**

Outdoor  
Multi-Sport

Reversible Captions  
for Baseball or Football



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
16 ft x 8 ft	340 lb	Aluminum	9 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	N/A	Amber or Red	4.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Double cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Mounting hardware for permanent installation on posts without the need for on site fabrication
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Fifty programmable brightness levels
- Control console includes fully programmable Practice Segment Timer mode
- Junction box and patch cable for hardwired installations
- Five-year limited warranty

**OPTIONAL EQUIPMENT & UPGRADES**

- ID panels with custom graphics, in a variety of sizes, shapes and styles, to mount above, below, or beside the scoreboard
- Extended configurations for ID panels built into the left or right side of the scoreboard cabinet
- Full color video and other electronic display panels
- Stadium Sound System packages
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**ELECTRONIC TEAM NAMES (ETNs)**

- 7-inch character height
- 9 x 56 pixel matrix
- Three character fonts
- Up to 11 characters per team

**DIGITS / INDICATORS**

All digits for this model are 18 inches tall. Digits and ETN characters are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**




**Electro-Mech**  
Scoreboard Company

72 Industrial Blvd. • Wrightsville, GA 31096

www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1062**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
3 ft x 4 ft	40 lb	Aluminum	9 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	N/A	Amber or Red	0.4 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Simplified 15-key control console
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Extended cabinet configurations to allow the display to fit above or below an existing scoreboard
- Alternate digit sizes and layouts
- Customized graphics and text for advertisements, facility identification, team spirit, and more
- Custom paint colors
- Full-sized 37-key control console with LCD display
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

The digits shown in this configuration are 18 inches tall and are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.


**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company  
72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

**MODEL LX1064**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
7 ft x 3 ft	50 lb	Aluminum	9 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	N/A	Amber or Red	0.8 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Simplified 15-key control console
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Extended cabinet configurations to allow the display to fit above or below an existing scoreboard
- Alternate digit sizes and layouts
- Customized graphics and text for advertisements, facility identification, team spirit, and more
- Custom paint colors
- Full-sized 37-key control console with LCD display
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

The digits shown in this configuration are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company  
72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.15

**MODEL LX1118**  
Outdoor  
Baseball / Softball



Dimensions	Weight	Cabinet Material	Caption Height	Accent Material
3-1/2 ft x 3-1/2 ft	45 lb	Aluminum	9 in	2.4 mil cast vinyl
Digit Height	Indicator Size	Digit Colors	Electrical	
18 in	N/A	Amber or Red	0.5 Amps, 120 VAC	

**STANDARD EQUIPMENT & FEATURES**

- Single cabinet design with heavy duty extruded aluminum framing
- Light weight, rust free, all aluminum construction
- Automotive grade baked on enamel based paint applied to the scoreboard face
- Choice of 18 standard paint colors
- Choice of amber or red LED displays
- LED display circuit scoreboards conformal coated for outdoor use
- Full-sized 37-key control console with LCD display
- Junction box and patch cable for hardwired installations
- Five-year limited warranty
- Toll free technical support via phone and online for the life of the product

**OPTIONAL EQUIPMENT & UPGRADES**

- Extended cabinet configurations to allow the display to fit above or below an existing scoreboard
- Alternate digit sizes and layouts
- Customized graphics and text for advertisements, facility identification, team spirit, and more
- Custom paint colors
- Up to 1,000 feet of data cable for hardwired installations
- ScoreLink Wireless RF modem system for wireless communication
- Additional warranty and support plans

**DIGITS / INDICATORS**

The digits shown in this configuration are 18 inches tall and are formed from matrices of super-bright, long-lasting, energy-efficient LEDs (Light Emitting Diodes). Choose either amber or red LEDs for all outdoor products. Our LED assemblies are protected by aluminum masks that allow the hard epoxy shells of the LEDs to be exposed for maximum viewing angles.

**PAINT COLOR OPTIONS**



**Electro-Mech**  
Scoreboard Company  
72 Industrial Blvd. • Wrightsville, GA 31096  
www.electro-mech.com • 800-445-7846

Rev 2.0.2017.06.08

park or gym, it is important to choose equipment that makes the right statement. Let us help you build your identity by creating a custom set of ID panel options to suit your unique needs.



## Decorative Truss Structures



The unusual open look of a truss design conveys a sense of strength while adding an architectural flourish to your scoreboard package. Whether unadorned, with non-backlit lettering, or with dramatic backlit graphic elements such as channel letters, a decorative truss can be the visual enhancement that sets your scoreboard apart



from all others. Our custom truss structures are available for all permanently mounted indoor and outdoor scoreboard models. Talk to your Electro-Mech sales representative about using the unique style of a truss to add visual excitement to your scoreboard.



**Rectangular  
Structure**



**Pitched Top  
Structure**



**Arched Top  
Structure**


## ID Panels



ID panels are the perfect tool for building your school or team pride by showing off your mascot and logo. They can also provide a source of long term revenue. With the fans constantly returning their focus toward the scoreboard during a game, the area around the scoreboard display is prime real estate for advertising — an effective way for businesses to get their messages to customers while showing support for the local community. Let our Sales Team guide you to develop a plan for offsetting the cost of your scoreboard purchase by turning it into a source of ongoing income.

A visually striking scoreboard package not only dresses up the stadium, it enhances the messages of the advertisers and builds fan allegiance. At Electro-Mech, we love to work with customers who see the impact a scoreboard can have on the “personality” of their facility. We have the experience and the artistic talent on staff to bring out the best in your scoreboard.

## Arched and Domed ID Panels



Most scoreboards we manufacture are shipped with ID panels that include advertising, facility identification, team spirit slogans, mascots, or other graphic elements. Customized architectural details like domed or arched tops can take your scoreboard package to the next level visually. Whether you are designing a brand new professional stadium or upgrading an old community

# Electronic Team Names



Electro-Mech now offers Electronic Team Names on the majority of our new LX-series scoreboard models. Electronic Team Names (ETNs) allow you to customize your scoreboard with the names of the competing teams displayed above or beside their respective scoring data. Instead of GUEST vs. HOME, your ETN-equipped scoreboard can show the name of the schools, towns, team mascots, or any other text. Use a combination of upper case and lower case, numbers, and special characters to identify your home team and their opponents. You may also select from three font styles, justification, and reversed colors. All this is controlled through the same console used to operate your scoreboard and without the need for additional cabling or wireless systems.

## ETN Font Styles

Electro-Mech ETNs offer three different font styles: Regular, Compressed, and Bold. In addition, you may reverse the colors to select black letters set against the red or amber LEDs for a unique effect. You may center your text or align it along the left or right side of the display area. You may assign each team name its own combination of font style, color pattern, and justification.



## ETN Matrix Sizes

For Outdoor scoreboards, we offer Electronic Team Names in two character heights:

- 7-inch tall characters, formed with 9-pixel tall fonts (available in amber or red)

- 11-inch tall characters, formed with 14-pixel tall fonts (available in amber or red)

For Indoor scoreboards, we offer Electronic Team Names in two character heights:

- 5-inch tall characters, formed with 9-pixel tall fonts (available in amber only)
- 8-inch tall characters, formed with 14-pixel tall fonts (available in amber only)

The widths of our ETN displays vary according to the size of the scoreboard, with specific ETN sizes assigned to specific scoreboard models. You can visit the individual scoreboard model pages on this web site to see if a particular scoreboard is offered with ETNs and find more details.

### Outdoor Electronic Team Name Matrix Sizes

Matrix (Pixels)	Pitch (mm)	Active Area (in.)	Max Chars Regular Font	Max Chars Bold Font	Max Chars Comp. Font
9 x 32	22	7 x 26	5	4	6
9 x 40	22	7 x 33	6	5	8
9 x 48	22	7 x 40	8	7	9
9 x 56	22	7 x 47	9	8	11
9 x 64	22	7 x 54	10	9	13
9 x 72	22	7 x 60	12	10	14
14 x 72	22	11 x 60	6	5	8
14 x 80	22	11 x 67	7	6	9
14 x 88	22	11 x 74	8	6	10
14 x 96	22	11 x 81	9	7	11
14 x 112	22	11 x 94	10	8	12

### Indoor Electronic Team Name Matrix Sizes

Matrix (Pixels)	Pitch (mm)	Active Area (in.)	Max Chars Regular Font	Max Chars Bold Font	Max Chars Comp. Font
9 x 48	14.5	5 x 27	8	7	9
9 x 56	14.5	5 x 31	9	8	11
14 x 72	14.5	8 x 41	6	5	8

## Portable Leg Kit

The portable scoreboard models shown above are all compatible with our “T-Cart” leg kit. The removable legs in this kit bolt to each side of the scoreboard cabinet. One of the legs includes a pair of rubberized wheels that allows you to roll the scoreboard over grass, dirt, and other tricky surfaces. The other leg features a 30-inch wide foot for stability.

## Easy Assembly



The T-Cart Leg Kit includes:

- Leg assembly with wheels
- Leg assembly with foot
- Four bolts



First, attach the Leg/Foot Assembly (the one without wheels) to one side of the scoreboard cabinet, using two bolts.



A torque of 30 ft. lbs. is sufficient to keep the legs in place.



Next, have one person lift the scoreboard cabinet into position using the attached leg assembly as a pivot while a second person attaches the Leg/Wheel assembly to the other side of the scoreboard cabinet.



Use the remaining two bolts to secure the Leg/Wheel assembly. You may orient the wheels to face in or out.



After a final check on all four bolts, use the leg assembly without wheels as a handle to guide your scoreboard into its final position.



# 2021 SPORTS CATALOG



Red Tuff® Windscreen with Chroma-Bond® Digital Imprinting



Navy Aer-Cushion™ Wall Pads with Chroma-Bond® Digital Imprinting

## BRANDING

***Feature your team or facility brand with the latest, best imprinting technology***

**Aer-Flo offers the two highest quality imprinting processes available today in the sports industry. Our unmatched *CHROMA-BOND* Imprinting and *CHROMA-BOND* Digital Imprinting produce vivid, UV and abrasion resistant images.**

***WE CAN ADD YOUR BRAND TO 90% OF PRODUCTS IN THIS CATALOG.***

***Sold by the Best Sports Dealers***

# Tuffy® WINDSCREEN

## WORLD'S TOUGHEST, MOST DURABLE SPORTS WINDSCREEN


Made of our exclusive VIPOL® Matrix, Tuffy Windscreen is super durable because it contains over 50% more micro-fibers than standard windscreens. It's virtually tear-proof and is backed by a 5 YEAR *limited factory WARRANTY*. Edging all around is fully wrapped with VIPOL Matrix, and the highest quality brass grommets are installed every 12". This extra heavy duty edging construction virtually eliminates the nagging problem of grommets pulling through standard windscreens. *Every end and corner is DOUBLE lock-stitch finished to eliminate the unraveling problem of fully chain-stitched windscreens.*

**ULTRA PREMIUM QUALITY YET SURPRISINGLY VALUE PRICED.**


Available in 23 VIPOL COLORS shown on back cover. Also available with Chroma-Bond® Imprinting (See Page 14 for details)

Standard 6' and 9' High x Custom Lengths Custom Heights from 1' to 30'+

## Tuffy Windscreen FOR ALL SPORTS



Official Windscreen  
of US Professional  
Tennis Association



**CHROMA-BOND® Multi-Color Imprinting adds the professional touch to any sport. See Page 14 for details.**



### TEAM COLOR™ Edging

Customize Tuffy Windscreen by making its borders and body colors match your two team colors. Choose from 23 Tuffy colors shown on back cover. Support your school's two-color brand around all sports fields and courts.



Tuffy Windscreen in color CC Sky Blue with Chroma-Bond Digital Imprinting. Perfect fence banner/vision barrier combo for UNC construction sites ... and any sports field or fenced site.





# Tuffy® WINDSCREEN

**Now available with CHROMA-BOND® DIGITAL IMPRINTING**

Utilizing the latest, state-of-the-art, wide format digital printing equipment, your windscreen can display intricate, lifelike images not possible with other imprinting processes. Allows development and introduction of creative presentations to accentuate your team's brand.



Chroma-Bond Digital Imprinting on Black Tuffy Windscreen

Add our exclusive Chroma-Bond® Digital Imprinting to make any field, court, or facility look its best for many years. So durable, it lasts as long as the fabric.



Chroma-Bond Digital Imprinting on Red Tuffy Windscreen



## Tuffy® BALLASTED WINDSCREEN

*Protects chain link fences from high wind damage.*

**SAVES COSTLY LABOR TIME** in last minute pre-storm preparations.



ACTUAL INSTALLATION



**NORMAL POSITION:** In calm to low winds, units stay in vertical position. Ballasted PVC pipe is in the reinforced pockets at bottom, and only the top is attached through grommets.

**STORM POSITION:** As winds exceed 20 mph, units billow to allow potentially damaging high wind velocities to blow through, helping to PROTECT FENCE and WINDSCREEN.

**TIE-UP FEATURE:** Built-in hook & loop strips at top allow one person to roll up and secure entire unit in less than 30 seconds. Also useful for better tournament viewing.

**PATENTED** Tuffy Ballasted Windscreen automatically opens to allow high velocity winds thru . . . NO MATTER THE DIRECTION OF THE WIND.

**HOW IT WORKS:** Individual 5' wide X 6' tall Ballasted Windscreen units are attached to chain link fence only along their grommets tops, BUT the units are installed alternately on both sides of the fence. The bottom of each section has a weighted PVC pipe inserted thru its entire width in a reinforced pocket, engineered to provide correct ballast to keep the windscreen unit vertical during lighter winds. It automatically opens up to let higher velocity winds flow thru, significantly reducing wind stress on the fence. **SINCE HALF OF THE WINDSCREEN UNITS ARE ON EACH SIDE OF THE FENCE, HALF OF IT OPENS UP NO MATTER THE WIND'S DIRECTION.** Made with super-tough VIPOL® Matrix in 23 colors. Due to its dynamics, it carries no expressed or implied warranty, but ... **THOUSANDS HAVE BEEN IN USE BY SCHOOLS, GOVERNMENT OPERATIONS, AND PRIVATE CLUBS FOR UP TO 7 YEARS.** This fully tested system is ready to protect your fences.

# OTHER WINDSCREENS & ACCESSORIES

## Duo-Screen™ WINDSCREEN

**Joins Vinyl with Tuffy® Windscreen for the Professional Touch**  
Choice of solid vinyl midsection (shown) for improved player vision  
OR

Tuffy midsection with solid vinyl top and bottom for improved court viewing.  
Grommets every 12". Vinyl in 17 colors (See back cover.) 4 year limited warranty.

Add our exclusive Chroma-Bond® Digital Imprinting for the final touch.  
*Not only unique for tennis courts but also provides a perfect background for team logo on baseball, softball, soccer, and football fields.*



Whether indoor or outdoor, Aer-Flo solid vinyl windscreen with CHROMA-BOND® Multi-Color Imprinting is impressive.  
USED BY MANY OF AMERICA'S TOP TENNIS TEAMS



## Aer-Flo® VINYL WINDSCREEN

**SOLID VINYL - POLYESTER** to minimize problems of wind and background visual distractions.

Made of high quality 18 oz. UV and mildew treated vinyl in 17 outdoor colors or 16 fire rated indoor colors. Grommets installed every 12". Custom sizes are available. Matching custom bench and stand covers are also available. Color charts are on back cover.



## Aer-Flo® VCP WINDSCREEN

If budgetary or program limitations call for a value priced windscreen, Aer-Flo VCP is the upper crust of all standards. Made with quality 8 oz. vinyl coated polyester mesh that is meticulously cut, exclusive Vipol® reinforced edges, double lock-stitch sewn on ends and corners, and grommeted every 12". 70-78% shade. 2 year limited factory warranty. High quality at value price.


Available in Colors: Black, Dark Green, Navy, Royal Blue  
CHROMA-BOND DIGITAL IMPRINTING OPTIONAL (See page 14)



## LENO WINDSCREEN *Open Mesh*


Made of leno polypropylene mesh with reinforcing threads to resist tearing and spreading. Open mesh allows 15% wind passage, so it is popular in higher wind areas. Ultraviolet and mildew inhibitors built into fabric to extend useful life. Edges finished with four ply hems and grommets are installed every 18" all around. For additional wind forgiveness, boxed windows are available for additional cost. Available in 3 colors: Black, Dark Green, Royal

Imprinting is not available on this fabric due to its surface characteristics.



## POLYPROPYLENE WINDSCREEN *Closed Mesh*

Allowing only 8% wind passage, this screen has both high wind blockage and high visual blockage properties. Heavyweight polypropylene fabric is treated for UV, mildew, and insect resistance. This windscreen is available in Dark Green or Black. Grommets are installed all around every 18" through four ply double stitched hemmed edging. Boxed windows & center tie downs are recommended accessories for 9' size. Available in 6' and 9' sizes only, cut to your length. Imprinting is not available on this fabric due to its surface characteristics.



### BOXED WINDOWS

Border is reinforced with two layers of vinyl fabric.



### COURT NUMBERS

On Tuffy® Windscreen or 18 oz. vinyl to match windscreen colors.



### TIE WRAPS

8" x 50 lb. Package: 100 or 1000  
8" x 120 lb. Package: 100  
14½" x 120 lb. Package: 100



### NYLON ROPE

Braided black nylon.  
3/16" x 500' spool.

# BASEBALL & SOFTBALL



## Poly-Cap

Adds safety and enhancement to any field.  
 UV treated polyethylene to last for years.  
 Colors: Yellow, Forest Green, Black  
 Available in 2 Roll Lengths: 100' or 250'  
 Each Roll has 4.5" Diameter.  
 Warranty: Limited 2 Years  
**SHIPPING DIMENSIONS:**  
 100' Rolls = 44" X 44" x 27" = 35 lbs  
 250' Rolls = 64" x 64" x 25" = 85 lbs  
 INSTALLER DEVICE ALSO AVAILABLE.



## Safety Top Cap

Combines player safety with HR clarity.  
 D-shaped for easiest installation.  
 HD Polyethylene in Yellow only.  
 UV stabilized for long life.  
 Each section = 2 $\frac{3}{4}$ "W x 5 $\frac{1}{2}$ "T x 8'L  
 Packed 5 sections = 40' per carton.  
 Base attachment hog rings included.



## Economy Fence Cap

Easy to install by one person.  
 Value priced to maximize economy.  
 Teardrop shaped UV treated HDPE.  
 Colors: Yellow, Red, Blue, Forest Green  
 Pre-drilled every 24" for supplied ties.  
 Each section = 2 $\frac{3}{4}$ "W x 4"H x 8'L  
 Packed 10 sections = 80' per carton.  
 1-Year Limited Warranty



## Standard Fence Cap

Protects against chain link injuries.  
 Thicker UV treated HD Polyethylene  
 is designed to provide longer life.  
 Easily installed by one person.  
 Teardrop shaped profile.  
 Colors: Yellow, Forest Green, Blue  
 Red, Orange, White  
 Pre-drilled every 24" for supplied ties.  
 Each section = 2 $\frac{3}{4}$ "W x 4 $\frac{1}{2}$ "T x 8'L  
 Packed 10 sections = 80' per carton.  
 3-Year Limited Warranty



## Premium Fence Cap

Thickest walls for maximum protection.  
 Longest life UV treated HD Polyethylene.  
 Easy to install by one person.  
 Professional teardrop shaped profile.  
 Maintenance-free design.  
 Colors: Yellow, Red, Forest Green, Blue  
 Pre-drilled every 24" for supplied ties.  
 Each section = 3"W x 4 $\frac{1}{2}$ "T x 8'L  
 Packed 10 sections = 80' per carton.  
 5-Year Limited Warranty



## Home Run Zone™ WINDSCREEN TOPPER

4" yellow, or 16 other colors, vinyl top edging to  
 any of our windscreen panels to clearly show fence  
 top to players and umpires. *Use for appearance  
 only. Does not cover or protect top of fence.*



## OUTFIELD DISTANCE MARKERS

Numbers and Logos in CHROMA-BOND® Imprinting  
 on VIPOL® Matrix or 18 oz. Vinyl

**AER-FLO products can enhance  
 the aesthetics of your field**

# BASEBALL TARPS

## *Wind Weighted*® RAIN COVERS

***They stay put in high winds without stakes or sandbags.***

These are the famous baseball tarps that are used by every level of baseball: Little Leagues, High Schools, Colleges, Minor and Major Leagues. Chain in the entire perimeter keeps wind from getting under, so they do not move or blow away. Remarkably, Wind Weighted Tarps have encountered hurricane force winds and did not move from the mound and home plate.

Originally introduced at the 2004 ABCA Convention, Wind Weighted Baseball Tarps are now protected by the following six (6) U.S. Patents:

8,100,785 8,025,595 7,494,433 7,270,617 D552,911 D516,360

Made of heavy duty 18 oz UV+mold treated vinyl-polyester fabric  
See color chart on back cover.

Standard diameters: 18' or 20' for Mound. 26' or 30' for Home Plate  
Custom configurations, round and square sizes available.  
2 Year Limited Warranty

Available with **CHROMA-BOND® IMPRINTING.** See page 14 for details.



**INSTALLER™ Device for Wind Weighted Tarps**

**INSTALLER Device** is a uniquely designed PVC pipe combined with an internal aluminum pipe reinforcement and end-pivoting aircraft cable handles that can roll a Wind Weighted Tarp on and off a mound or plate. *This allows just 2 people to easily install or remove a tarp in less than 30 seconds. Also is great for tarp storage.*

**SAVES TIME AND BACKS**

### **NON-WEIGHTED MOUND & BASE COVERS**

Made of durable 18 oz. vinyl-polyester or 6 oz. polyethylene, these quality tarps have grommets installed every 3' around perimeter and include low profile ground stakes. Both models covered by a 2-year prorated warranty against UV sunlight breakdown. This is baseball's most widely used type of cover.

18 oz. Outdoor Vinyl\* in 17 colors. Color chart on back cover  
6 oz. Polyethylene in white on top with a silver/grey bottom.

Available with **CHROMA-BOND IMPRINTING.**

See page 14 for details.



**THOUSANDS IN USE ACROSS AMERICA**

# PRO-Tector™ Full Infield Cover

## CHOICE OF FABRIC WEIGHTS

OZ/YD <sup>2</sup>	TOP/ BOTTOM
6.0 in colors	WHITE / SILVER
6.8 in colors	WHITE / BLACK
7.5 in colors	WHITE / ROYAL



### PRO-Tector Field Covers are constructed like no other.

- Pull handles and grommets are installed on all corners and every 10' all around perimeter.
- Handles are securely sewn with thick industrial UV thread onto 24 mil polyethylene (ultra-high tensile) stress transfer strip.
  - Entire perimeter is reinforced with 2" (6,000 lb strength) seatbelt webbing.

STANDARD SIZES: 90' x 90' 120' x 120' 160' x 160' 170' x 170' Custom Sizes available.



Photo by Laura Wolff of Charlotte Knights

## ACCESSORIES

### FIELD COVER STORAGE ROLLERS

All are 24" Inside DIA = 28" Outside DIA

LENGTH	PIECES	FITS COVER SIZES
20'	1	90'x90'
24'	1	90'x90' & 120'x120'
30'	1	160'x160' & 170'x170'
34'	2	160'x160' & 170'x170'
40'	2	160'x160' & 170'x170'



### ROLLER END CAPS

Keep weather, animals & kids out.



### ROLLER COVERS

With or Without Chroma-Bond® Digital Imprinting



# BASEBALL TURF PROTECTORS



## BP Zone® INFIELD TURF PROTECTOR

### SUPER SPIKE RESISTANT VIPOL® Matrix Mesh

Now available in 23 standard colors (see chart on back cover) and a size to fit all infields. Entire perimeter has reinforced hem with brass grommets every 18". Allows air, sunlight, and rain to get to grass and eliminates smothering.


Std. Sizes: Large: 25' Deep x 20' x 70' Med: 20' Deep x 20' x 60'  
Small: 15' Deep x 20' x 50' CUSTOM SIZES AVAILABLE.

Available with **CHROMA-BOND IMPRINTING.**

See page 14 for imprinting information.



AER-FLO can make custom sizes and shapes to cover any part of your field to protect from batting practice wear and tear. From simple halos to complicated, multi-cover projects. No one **CUSTOMIZES** Turf Protectors quite like AER-FLO, INC.



## Wind Weighted® INFIELD PROTECTOR

**Protects artificial and natural turf WITHOUT STAKES**

Steel chain in vinyl sleeves at front, corners and mid-back provides ballast to keep protector in position even in high winds. No stakes makes installation and removal simple and easy. Made of tough VIPOL® Matrix for highest spike resistance. 23 standard colors shown on back cover.

Std. Sizes: Large: 25' Deep x 20' x 70'. Med: 20' Deep x 20' x 60'  
Small: 15' Deep x 20' x 50' Custom Sizes available.

Available with our exclusive **CHROMA-BOND IMPRINTING..**



3 U.S. Patents

## Bunt Zone® Protector-Trainer

Patented, color-coded target system to help teach bunting and hitting placement. **YELLOW** to bunt-for-hit, **GREEN** for sacrifice, **RED** is bad bunt OR hit-and-run target area. Includes low profile stakes and grommets installed around edges.

Available in 3 sizes and 2 styles for baseball & softball fields:

- > Large: 20' Deep x 24' x 64'
- >Medium: 15' Deep x 24' x 54'
- >LL/Softball: 15' Deep x 18' x 48'

**WIDELY ACCEPTED AS TODAY'S  
BEST BUNT TRAINER.**



< MINOR LEAGUE

MAJOR LEAGUE >

# BASEBALL & SOFTBALL

## Aer-Cushion- PADDING

### For Walls, Fences, Rails & Backstops

Choose from models to fit any specific installation:

- Foams: Polyurethane or Cross-link Polyethylene
- Choice of outdoor plywood backing thickness: 1/2" or 3/4"
- Foam thicknesses from 1" to 4"
- Attachments to fit onto walls, chain link fences, or concrete.
- Z-Channel attachments for wood or concrete walls.
- Washer attachments for chain link fences.
- Sizes: Standard and Customized

Padding is covered with 18 oz. vinyl in choice of 17 colors.  
SEE BACK COVER FOR COLOR CHART.



Outdoor padding is fully encased in vinyl for weather protection.



Chroma-Bond® Digital Imprinting available on all padding



Folding Backstop Padding



Attach to chain link fences with hooks, washers or back support plates. (as shown)



Awesome Imprinting



Custom Rail Padding




Backstop Padding



Chroma-Bond® Imprinting – See Page 14.



## Batting Cage Replacement Skirt and Padding



Choice of either: > 18 oz Vinyl in 17 colors or  
> VIPOL® Matrix in 23 colors

Add CHROMA-BOND® Digital Imprinting for the professional touch.



### CAGE SAVER

Heavy duty reinforced vinyl coated polyester tarp to protect netting in batting tunnel/cage. Grommets are securely installed on corners. 5'W x 7'H  
22 oz. in Med Green, Royal or Red w/ White Target  
30 oz. in Black w/ Orange Target & Navy or Royal w/ Yellow Target



### THUD PAD



### NET PROTECTOR PAD

Vinyl covered backstop pads available as PADS ONLY or with Optional Solid or Framed Targets. Super durable Chroma-Bond lettering is optional. THUD PADS are 18 oz. vinyl covered polyurethane foam. PROTECTOR PADS: 18 oz. vinyl covered cross-link polyethylene foam. All pads have grommets installed for attachment.

Sizes: Thud Pads: 68"W x 52"H x 4" Thick OR 60"W x 48"H x 4" Thick  
Batting Tunnel Net Protector Pads: 3'W x 4'H x 1½" Thick

If you need an outdoor batting cage system that puts safety first — with zero compromises on durability or flexibility — Grand Slam Safety has you covered.

You can use outdoor batting cages in various settings and applications, including multi-field complexes. Take [the Gulfport Sportsplex in Mississippi](#), for instance. When they installed six new fields, they knew they could rely on SPECTO® outdoor baseball batting cages and SPECTO® fencing systems to transform their multi-field facility into a sports destination.

Learn more about the benefits of SPECTO® outdoor baseball and softball batting cages from Grand Slam Safety, including how to get your own custom design.

## Benefits of SPECTO® Outdoor Batting Cages

Every SPECTO® batting cage comes equipped with numerous features to enhance the batting experience and promote player safety. We've designed each section of our outdoor batting cages with athletes and coaches in mind. By doing this, we create products that provide you with tangible advantages on the field.

The benefits of our batting cages include:

- **Durability:** Grand Slam Safety's outdoor batting cage nets utilize SPECTO® mesh and netting, which is weather and ultraviolet (UV)-resistant. You never again have to worry about your cage fading, warping or breaking down during inclement weather or strong winds. This durable design means your investment will last you years to come, and your cages will require minimal ongoing maintenance.
- **Simple assembly:** Due to the multi-sectional nature of our batting cage design, you can easily assemble, disassemble and move your cages to allow more space in your sportsplex or winterize your facility.
- **Enhanced safety:** Our cages have several safety-enhancing features. Recessed poles reduce the rebound of batted balls, while tensioned bottom cables minimize tripping hazards inside the cage and keep balls from rolling away or injuring nearby spectators.
- **Professional appearance:** We design our cages to reduce and prevent any slack in the netting, allowing for a neat, professional appearance. The lack of slack also lessens the likelihood of bystanders hanging from or pulling on your netting. Pair your outdoor cage with some of our [custom sports fencing and netting options](#) to bring your vision to life.
- **Multifunctional capabilities:** You can use SPECTO® covered outdoor batting cages for multiple functions. For instance, your athletes will love the unique exterior soft toss areas created by the recessed poles, which they can use even while other players are still inside the cage. You can further maximize your space with a removable center dividing net, creating two units in one. Finally, our open weave design is highly visible and allows coaches, teammates and spectators to have a front-row seat to all the action.

In addition to these benefits, we also provide custom sizing and design options.

## Outdoor Batting Cage Design

Just like our [indoor batting cages](#), the standard size for a SPECTO® batting cage is 70 feet long, 14 feet wide and 12 feet high. This gives enough space to avoid back-swing contact and allow athletes ample room to move around. Here's a closer look at the dimensions:



- **Length: Seventy feet is enough space to create plenty of distance between the pitcher and batter, regardless of any age-related distance requirements. You can use any excess space to store equipment, including bats, mounds, ball machines and carts.**
- **Width: Whether you are designing a space for professional athletes or kid-friendly games, 14 feet of width allows room for coaches and players of all sizes.**
- **Height: As players age and gain more experience, they require more height. The 12-foot height accounts for 11 feet of playable area and an additional foot of extra mesh, which is necessary to capture and contain stray balls.**

Standard square batting cage nets also have a 7-foot entry door in the corner.

If your needs go beyond the standard sizing, Grand Slam Safety is here to help. Whether you are working with unique space requirements or have a specific application in mind, we can help you customize the size of your batting cage to fit your exact wants, needs and budget constraints. Because our cages are multi-sectional, it's easy to mix and match each one to fit your layout.

The best size for you depends on a few factors, including how many players will be practicing at once. For the busy sportsplex, removable screen dividers placed across the width are a great way to utilize the available space and allow more athletes to practice at once. Built-in soft toss areas are separate from the batting cage, providing even more flexibility.

Additional design options include a same-side or opposite-end second entry, an impact screen and pitching targets or ball bags.

## Outdoor Batting Cages to Fit Your Field's Needs

At Grand Slam Safety, we believe you should never have to sacrifice space or budget for quality functionality and top safety features. Whether your facility is a high school field, a large sports complex or a commercial operation, we can help you create the best batting cage to fit your needs. With easy deconstruction and portability, you can move, store and arrange your batting cages however and whenever you need.

As the one-stop shop for all your batting cage needs, we are here to guide you through each stage of the process:

- **Consultation: Even when placing batting cages outdoors, you should consider several factors. Our experts will work closely with you to analyze your current space, including existing dimensions, project budget, end goals and any special considerations.**
- **Design: Using all the information we have collected from our consultation, we will help you create the ideal size and layout for one or more of our cage systems. We use only top-quality materials and construction methods, so you know you are receiving the best product available. We can make your project happen with whatever batting cage size you choose.**
- **Installation: Once your design is complete per your specifications, we will help you install your batting cages and make them operational, so your coaches and athletes can start using them as soon as possible. The standard time frame from delivery to installation is [six to eight weeks from your order date](#). As always, our experts are available to answer any questions you have during the installation process.**







Have limited space in your gymnasium or sports facility? You don't have to go without an indoor batting cage. Grand Slam Safety offers customizable SPECTO® indoor retractable batting cages ideally suited for intense play. Created from the highest quality materials and made in the USA, these solutions deliver superior performance — just like your athletes.

Find out if a retractable batting cage is right for your indoor facility by contacting our team members today to discuss your construction project or current space.

## What Is a Retractable Batting Cage?

Retractable batting cages will allow you to effortlessly switch up your facility's indoor configuration. Our ceiling-suspended batting cages remain out of sight, stored securely overhead until it's time to bring them down.

Differing from our permanent [indoor batting cages](#), retractable versions promise function without requiring a dedicated area that will serve exclusively as a batting cage. Simply bring your batting cage down when you need it, and send it to the ceiling when you want to use your space for other sports.

With a retractable batting cage, you can offer student-athletes, coaches and clients the opportunity to practice or cross-train without making a huge upfront investment or reducing the usable footprint of your facility.

## Benefits of SPECTO® Ceiling-Suspended Batting Cages

If you've ever wished your gym, sports complex or athletic space could have at least one batting cage, you're in for a pleasant surprise. With indoor retractable batting cages, you'll get value and versatility. Consider the many advantages of working with Grand Slam Safety to install a SPECTO® retractable batting cage, such as:

- **Conservation of space:** Forget about sectioning off real estate that will be limited to batting cage drills and training. Because you'll be able to lower and raise your ceiling-suspended batting cages, you can make the most of even a modest amount of space.
- **Bottom Lift Technology:** With bottom lift technology the cage can be lowered or raised by one person. Lifting the cage from the bottom allows all netting to be gathered upward and stacked neatly. No more walking around the cage to lower the netting after the frame has been lowered.
- **Faster Motors:** We use motor technology that makes our systems up to 7x faster than standard cages.
- **Safety:** With bottom lift technology there are no more sagging nets. The batting cage descends to the correct height, leaving no excess netting on the floor.
- **Availability year-round:** Many players dislike waiting to use the batting cages until the weather is warm. With a retractable batting cage, you can give them a place to enhance their skills and improve their abilities regardless of the month, outside temperature or weather.

- **Program expansions:** Do you feel limited by your program offerings for athletes? Ceiling-suspended batting cages will enable you to expand the programs and opportunities at your facility. If you operate a school, you can add batting cages to anything from your formal gym curriculum to after-school workouts. If you're in charge of a sports complex or [indoor baseball facility](#), you can entice new clients with batting cages without the need to make a permanent space commitment.
- **Superior product:** The SPECTO® indoor retractable batting cage is known for its top-line engineering and innovative use of materials and technology. Discover more about its unique features and safety specs by talking to one of our Grand Slam Safety representatives.

Want to explore the possibility of getting a customized retractable batting cage as well as help with its proper installation? Call us at 856-381-8888 or [e-mail](mailto:ed@howelltosports.com) to [ed@howelltosports.com](mailto:ed@howelltosports.com) to discuss these practical, exciting additions for your facility.

