


Worm Gear Clamps

- Stainless steel worm gear band clamps for use in low pressure applications.
- Use to fasten multi-barb hose ends and low-pressure fiber-reinforced hoses.
- These clamps are not intended for use with hydraulic hose containing steel wire, such as SAE 100R1 or SAE 100R4.
- 1/2" Band (620 Series) & 0.35" Band (350 Series)
- 5/16" hex head screw
- 304 Stainless Housing, Band and Screw



Worm Gear Clamps - 1/2" Band

Part Number	Minimum	Maximum	List Price
620-006	3/8"	7/8"	\$1.35
620-008	1/2"	1"	\$1.37
620-010	9/16"	1-1/16"	\$1.39
620-012	11/16"	1-1/4"	\$1.42
620-016	13/16"	1-1/2"	\$1.46
620-020	13/16"	1-3/4"	\$1.48
620-024	1"	2"	\$1.53
620-028	1-1/4"	2-1/4"	\$1.58
620-032	1-1/2"	2-1/2"	\$1.69
620-036	1-3/4"	2-3/4"	\$1.73
620-040	2"	3"	\$1.71
620-044	2-1/4"	3-1/4"	\$1.76
620-048	2-1/2"	3-1/2"	\$1.82
620-052	2-3/4"	3-3/4"	\$1.85
620-056	3"	4"	\$1.89
620-060	3-1/4"	4-1/4"	\$1.94
620-064	3-1/2"	4-1/2"	\$2.00
620-072	4"	5"	\$2.09
620-080	4-1/2"	5-1/2"	\$2.16
620-088	5"	6"	\$2.23
620-096	5-1/2"	6-1/2"	\$2.32
620-104	6"	7"	\$2.41
620-116	5-3/4"	7-3/4"	\$2.65
620-128	6-1/2"	8-1/2"	\$2.75
620-152	2"	10"	\$3.08
620-188	2"	12-1/4"	\$3.38
620-200	11"	13"	\$3.67
620-212	11-3/4"	13-3/4"	\$3.74
620-224	12-1/2"	14-1/2"	\$3.87
620-248	1-3/4"	16"	\$3.96
620-270	15-3/8"	17-3/8"	\$4.10
620-312	18"	20"	\$4.55
620-332	19-1/8"	22-1/4"	\$4.97
620-390	22-7/8"	24-7/8"	\$5.08


Mini Worm Gear Clamps - 0.35" Band

Part Number	Minimum	Maximum	List Price
350-004	5/16"	5/8"	\$0.58
350-005	7/16"	3/4"	\$0.59
350-006	1/2"	7/8"	\$0.61
350-008	1/2"	1"	\$0.63
350-010	9/16"	1-1/16"	\$0.61
350-012	11/16"	1-1/4"	\$0.63

Quick Release Clamp

Quick Release style worm drive clamps are indispensable for installation in closed systems where the clamp must be disengaged to be applied. The swivel-action locking of screw to band makes both installation and removal fast and easy.

- 1/2" Band
- Stainless Housing, Band and Screw



Part Number	Minimum (mm)	Maximum (mm)	List Price
550-036	25	70	\$1.89
550-048	38	89	\$2.34
550-056	25	101	\$2.65
550-072	51	127	\$2.84
550-088	52	152	\$3.06
550-096	89	166	\$3.49
550-104	44	178	\$3.58
550-128	44	218	\$4.01
550-152	51	254	\$4.37
550-188	52	313	\$4.82
550-216	259	356	\$5.04
550-248	44	406	\$5.69
550-280	362	457	\$5.99
550-312	48	508	\$7.09





clamps

T-Bolt Clamp



Heavy-duty hose clamps with steel bolt and stainless steel band. Recommended for use with steel-reinforced hoses, such as SAE 100R4.

Not intended for high-pressure hydraulic applications.


Construction: Stainless Housing and Band; Zinc Plated Screw

Range: 17-330mm or .67"-13"

Contact our sales team for a fully stainless steel option.

Part Number	Reference (SAE)	Diameter Range (in)	Diameter Range (mm)	List Price
301901-2	75	.67-.75	17-19	\$4.36
301902-0	80	.75-.83	19-21	\$4.36
301903-9	85	.83-.91	21-23	\$4.42
301904-7	100	.91-.98	23-25	\$4.48
301905-5	105	.98-1.06	25-27	\$4.51
301906-3	110	1.06-1.14	27-29	\$4.57
301907-1	120	1.14-1.22	29-31	\$5.43
301908-0	125	1.22-1.34	31-34	\$5.61
301909-8	140	1.34-1.46	34-37	\$5.86
301910-0	150	1.46-1.57	37-40	\$5.98
301911-9	165	1.58-1.69	40-43	\$6.07
301912-7	175	1.69-1.85	43-47	\$6.92
301913-5	200	1.85-2.01	47-51	\$7.17
301914-3	210	2.01-2.17	51-55	\$7.32
301915-1	225	2.17-2.32	55-59	\$7.66
301916-0	238	2.32-2.48	59-63	\$7.96
301917-8	250	2.48-2.68	63-68	\$8.33
301918-6	275	2.68-2.87	68-73	\$10.67
301919-4	300	2.87-3.11	73-79	\$10.95
301920-7	325	3.11-3.35	79-85	\$11.19
301921-5	350	3.35-3.58	85-91	\$11.50
301922-3	375	3.58-3.82	91-97	\$11.77
301923-1	400	3.82-4.10	97-104	\$12.14
301924-0	425	4.10-4.41	104-112	\$12.84
301925-8	450	4.41-4.76	112-121	\$13.18
301926-6	500	4.76-5.11	121-130	\$13.51
301927-4	525	5.11-5.51	130-140	\$19.06
301928-2	575	5.51-5.91	140-150	\$19.55
301928-9	590	5.71-6.10	145-155	\$19.78
301929-0	600	5.91-6.38	150-162	\$20.01
301930-3	650	6.38-6.85	162-174	\$20.50
301931-1	700	6.85-7.36	174-187	\$21.01
301932-0	750	7.36-7.87	187-200	\$21.56
301932-9	775	7.68-8.07	195-205	\$21.82
301933-8	800	7.87-8.39	200-213	\$22.08
301934-6	850	8.39-8.90	213-226	\$22.57
301935-4	900	8.90-9.41	226-239	\$23.12
301936-2	950	9.41-9.92	239-252	\$23.67
301937-0	1000	9.92-10.43	252-265	\$42.79
301947-7	1050	10.43-10.95	265-278	\$86.44
301948-5	1275	12.48-12.99	317-330	\$91.13

Bridge Clamp



The life of all fabric ducts can be greatly extended when sized correctly according to equipment exhaust requirements.

- For superior duct sealing
- Stainless Steel band, housing, and screw
- 1/2" wide band
- Available in sizes 2" to 24"

Nominal Size	List Price
2"	\$7.00
3"	\$7.45
4"	\$8.75
5"	\$10.45
6"	\$11.83
7"	\$12.99
7-1/2"	\$13.80
8"	\$13.90

Nominal Size	List Price
9"	\$15.36
10"	\$16.49
12"	\$20.70
14"	\$21.19
16"	\$24.79
18"	\$27.54
20"	\$30.23
24"	\$32.08

Tube & Pipe Clamps



Heavy-Duty support clamps allow for easy routing of steel pipe, tubing, and hydraulic hose. Each clamp assembly consists of: steel weld plate, two polypropylene clamp halves, steel cover plate, and one or two hex head bolts depending on the clamp. Weld plates, cover plates and bolts are furnished in zinc-plated steel.

Interchanges with ZSI®, Stauff®, Beringer® style clamp systems

Part Number	Diameter (mm)	Diameter (in)	List Price
S4018S	28.58	1-1/8	\$5.36
SM4030S	30	1.181	\$5.36
S5020S	31.75	1-1/4	\$5.84
S5021S	33.401	1.315	\$5.84
S5024S	38.1	1-1/2	\$5.84
S5027S	42.164	1.660	\$5.84
SM5035S	35	1.378	\$5.84
S6028S	44.45	1-3/4	\$8.03
S6030S	48.26	1.900	\$8.03
S6032S	50.8	2	\$8.03
S7038S	60.325	2.375	\$19.49
S7036S	57.15	2-1/4	\$19.49
S7040S	63.5	2-1/2	\$19.49
S7044S	69.85	2-3/4	\$19.49
S7048S	76.2	3	\$19.49

Standard Duty Tube Clamp

Part Number	Diameter (mm)	Diameter (in)	List Price
S1004S	6.35	1/4	\$5.49
S1006S	9.53	3/8	\$3.93
SM1006S	6	0.236	\$3.93
S1007S	10.287	0.405	\$5.51
SM1008S	8	0.315	\$1.97
SM1012S	12	0.472	\$3.93
S2008S	12.7	1/2	\$4.10
S2009S	13.716	0.540	\$4.26
S2010S	15.875	5/8	\$4.23
S2011S	17.145	0.675	\$4.16
SM2014S	14	0.551	\$4.10
SM2015S	15	0.591	\$4.10
SM2018S	18	0.709	\$4.10
S3012S	19.05	3/4	\$4.75
S3014S	21.336	0.840	\$4.75
S3015S	22.225	7/8	\$4.75
S3016S	25.4	1	\$4.75
SM3020S	20	0.787	\$4.75
SM3025S	25	0.984	\$4.75
S4017S	26.67	1.050	\$5.36

Tube & Pipe Clamps, cont.




Ideal for general-duty applications subject to moderate levels of shock and vibration.

Twin Tube Clamp

Part Number	Diameter (mm)	Diameter (in)	List Price
T1004S	6.35	1/4	\$6.46
T1006S	9.525	3/8	\$5.14
T1007S	10.287	0.405	\$7.32
T2008S	12.7	1/2	\$6.91
T2009S	13.716	0.54	\$7.32
T2010S	15.875	5/8	\$5.63
T2011S	17.196	0.677	\$5.63
T3012S	19.05	3/4	\$6.50
T3014S	21.336	0.84	\$6.92
T3015S	22.225	7/8	\$6.89
T3016S	25.4	1	\$6.50
T4017S	26.67	1.05	\$10.91
T4018S	28.575	1-1/8	\$10.79
T5020S	31.75	1-1/4	\$15.27
T5021S	33.401	1.315	\$11.65
T5024S	38.1	1-1/2	\$14.37
T5027S	42.164	1.66	\$14.37

Heavy Duty Tube Clamp

Part Number	Diameter (mm)	Diameter (in)	List Price
H3004S	6.35	1/4	\$10.05
H3006S	9.525	3/8	\$10.34
H3007S	10.287	0.405	\$10.05
H3008S	12.7	1/2	\$10.05
H3009S	13.716	0.540	\$10.05
H3010S	15.875	5/8	\$10.05
H3011S	17.145	0.675	\$10.05
H4012S	19.05	3/4	\$12.07
H4014S	21.336	0.840	\$11.30
H4015S	22.225	7/8	\$11.30
H4016S	25.4	1	\$11.30
H4017S	26.67	1.050	\$11.30
H5020S	31.75	1-1/4	\$12.45
H5021S	33.401	1.315	\$12.45
H5024S	38.1	1-1/2	\$12.45
H5027S	42.164	1.660	\$12.93
H6028S	44.45	1-3/4	\$25.06
H6030S	48.26	1.900	\$25.06
H6032S	50.8	2	\$25.06
H6034S	57.15	2-1/4	\$25.06
H6038S	60.325	2-3/8	\$25.06
H6040S	63.5	2-1/2	\$25.06
H7044S	69.85	2-3/4	\$61.27
H7046S	72.898	2.870	\$61.27
H7050S	76.2	3	\$61.27



Recommended for systems with greater than 1,500 psi (103 bar) operating pressure, operations with pressure surges, and applications with wide temperature fluctuations. Absorbs high levels of shock, noise, and vibration.

Part Number	Diameter (mm)	Diameter (in)	List Price
H7056S	88.9	3.5	\$61.27
H8072S	114.3	4-1/2	\$257.93
H9089S	141.300	5.563	\$362.98
H9106S	168.275	6.625	\$362.98
H10137S	219.075	8.625	\$594.67
H11170S	273.05	10.75	\$1,953.15

Center Punch Band Clamp

- Width: 5/8" [3/8" on F3(FS-3) and F311(FS-3)]
- Thickness: .022" [.020 on F3(FS-3) and F11(FS-11)]
- FS Series = Stainless Steel
- F Series = Steel
- FS Band is 300 series stainless steel
- FS Buckle is 302 series stainless steel
- Center Punch tool required for assembly



ITEM # F- or FS-	Nominal Diameter (in)	Box Quantity (pcs)	List Price (F) Steel	List Price (FS) Stainless Steel
3	13/16"	100	\$161.97	\$175.25
4	1"	100	\$196.34	\$239.90
5	1-1/4"	100	\$203.98	\$244.75
311	1-3/8"	100	\$171.18	\$190.37
6	1-1/2"	100	\$208.21	\$261.35
7	1-3/4"	100	\$210.74	\$278.05
8	2"	100	\$214.45	\$291.82
9	2-1/4"	100	\$217.63	\$303.30
10	2-1/2"	50	\$110.98	\$160.75
11	2-3/4"	50	\$111.80	\$180.37
12	3"	50	\$132.63	\$186.67
14	3-1/2"	50	\$145.70	\$201.93
16	4"	25	\$76.25	\$108.49
18	4-1/2"	25	\$79.78	\$115.71
20	5"	25	\$84.73	\$122.72
24	6"	25	\$93.68	\$137.94
28	7"	25	\$100.77	\$221.81
32	8"	25	\$113.48	\$232.71

