

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Facility Name	AgVantage FS, A Division of GROWMARK, Inc. - Stanwood	Facility ID	7680687
Company Name	AgVantage FS, A Division of GROWMARK, Inc.	Facility Email	cwedeking@agvantagefs.com
Department Name		Mailing Address	PO BOX 828 , Waverly , IA - 50677
Physical Address	102 Forest & Hwy 30 Highway , STANWOOD, Cedar county , IA - 52337 , USA	Latitude / Longitude	41.8902890 / -91.1421630
Max. No. of Occupants	0 ☐ Manned ☒ Unmanned	Emergency 24-Hour Phone Number	
NAICS	444240 - Nursery, Garden Center, and Farm Supply Retailers	Dun & Bradstreet	005213335 -
TRI Facility ID		RMP Facility ID	
Fire District			
Iowa Facility ID:	3550 -		
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?			☐ Yes ☒ No
Subject to Chemical Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Management Program)?			☐ Yes ☒ No
Facility Note			

Contact Information	Name (Title)	Phone	Email	Address
Emergency Contact	Thomas Jensen (PETROLEUM SALESMAN)	319-330-8973 (Work) 563-920-2839 (24-hour)	cwedeking@agvantagetfs.com	, USA
Emergency Contact	Chris Baker (LP Sales)	563-920-2839 (24-hour) 319-480-1396 (Work)	cwedeking@agvantagetfs.com	, USA
Facility Phone	Chris Baker	(FP)		, USA
Owner / Operator	AgVantage FS, A Division of GROWMARK, Inc.	3194834900 (Work)	cwedeking@agvantagetfs.com	1600 8th Street SW, Waverly, ., IA - 50677, USA
Tier II Information Contact	Christi Wedeking (Risk Mgmt Dept)	319-483-4900 (Work) 563-920-2839 (24-hour)	cwedeking@agvantagetfs.com	, USA

Chemical Inventory Information

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non-Confidential)
CAS 25551137 Trade Secret [] Chem. Name #1 FUEL OIL Pure [] Mixture [X] Solid [] Liquid [X] Gas []	Explosive [] Flammable (gases, aerosols, liquids, or solids) [X]	Acute toxicity (any route of exposure) [] Skin corrosion or irritation [X]	148,000 Max. Daily Amount 74,000 Avg. Daily Amount		1) PETRO BULK PLANT: Type Above ground tank, Pressure Ambient pressure.

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐	Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	148,000 Max. Amount in largest Container 365 No. of Days On-site		Temperature Ambient temperature
State Specific Information No State specific information	Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐			
CAS 2555113Z Trade Secret ☐ Chem. Name #2 FUEL OIL Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☒ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	370,000 Max. Daily Amount 185,000 Avg. Daily Amount 370,000 Max. Amount in largest Container 365 No. of Days On-site		1) PETRO BULK PLANT: Type Above ground tank, Pressure Ambient pressure, Temperature Ambient temperature

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
CAS <u>8006619</u> Trade Secret ☐ Chem. Name <u>GASOHOL</u> Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☒ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	<u>126,000</u> Max. Daily Amount <u>63,000</u> Avg. Daily Amount <u>126,000</u> Max. Amount in largest Container <u>365</u> No. of Days On-site		1) PETRO BULK PLANT: Type Above ground tank, Pressure Ambient pressure, Temperature Ambient temperature
CAS <u>68476302</u> Trade Secret ☐ Chem. Name No. 1 Fuel Oil Dyed Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☒ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐	Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐	<u>216,000</u> Max. Daily Amount <u>108,000</u> Avg. Daily Amount <u>216,000</u> Max. Amount in largest Container <u>365</u> No. of Days On-site		1) Petro Bulk Storage: Type Above Ground Tank, Pressure Ambient Pressure, Temperature Ambient temperature
State Specific Information No State specific information					

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
	In contact with water emits flammable gas [] Combustible Dust [] Hazard Not Otherwise Classified []	Aspiration hazard [] Simple Asphyxiant [] Hazard Not Otherwise Classified []			
CAS 68476302 Trade Secret [] Chem. Name <u>No. 2 Fuel Oil Dyed</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] Stored in Batteries []	Explosive [] Flammable (gases, aerosols, liquids, or solids) [X] Oxidizer (liquid, solid or gas) [] Self-reactive [] Pyrophoric (liquid or solid) [] Pyrophoric Gas [] Self-heating [] Organic peroxide [] Corrosive to metal [] Gas under pressure (compressed gas) [] In contact with water emits flammable gas [] Combustible Dust [] Hazard Not Otherwise Classified []	Acute toxicity (any route of exposure) [] Skin corrosion or irritation [X] Serious eye damage or eye irritation [X] Respiratory or skin sensitization [X] Germ cell mutagenicity [] Carcinogenicity [] Reproductive toxicity [] Specific target organ toxicity (single or repeated exposure) [] Aspiration hazard [] Simple Asphyxiant [] Hazard Not Otherwise Classified []	648,000 Max. Daily Amount <u>324,000</u> Avg. Daily Amount 648,000 Max. Amount in largest Container 365 No. of Days On-site		1) Petro Bulk Storage: Type <u>Above Ground Tank</u> , Pressure <u>Ambient</u> Pressure, Temperature <u>Ambient</u> temperature
CAS 74986 Trade Secret [] Chem. Name <u>PROPANE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] Stored in Batteries []	Explosive [] Flammable (gases, aerosols, liquids, or solids) [X] Oxidizer (liquid, solid or gas) [] Self-reactive [] Pyrophoric (liquid or solid) [] Pyrophoric Gas [] Self-heating []	Acute toxicity (any route of exposure) [] Skin corrosion or irritation [X] Serious eye damage or eye irritation [X] Respiratory or skin sensitization [X] Germ cell mutagenicity []	278,865 Max. Daily Amount <u>139,432</u> Avg. Daily Amount 278,865 Max. Amount in largest Container 365 No. of Days On-site		1) 30000 GALLON STORAGE TANK: Type <u>Above ground</u> <u>tank</u> , Pressure <u>Greater</u> than ambient pressure, Temperature <u>Less</u> than ambient temperature but not cryogenic
State Specific Information					

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
No State specific information	Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐			2) 30000 GALLON STORAGE TANK: Type Above ground tank, Pressure Greater than ambient pressure, Temperature Less than ambient temperature but not cryogenic 3) 18000 GALLON STORAGE TANK: Type Above ground tank, Pressure Greater than ambient pressure, Temperature Less than ambient temperature but not cryogenic
CAS 8006619 Trade Secret ☐ Chem. Name Regular Unleaded Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☒ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Acute toxicity (any route of exposure) ☒ Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☒ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	126,000 Max. Daily Amount 63,000 Avg. Daily Amount 126,000 Max. Amount in largest Container 365 No. of Days On-site		1) Petro Bulk Plant: Type Above Ground Tank, Pressure Ambient Pressure, Temperature Ambient temperature
State Specific Information No State specific information					

Tier 2 Online Submission Report
E-Plan - University of Texas at Dallas
Reporting period : From January 1, 2025 to December 31, 2025

State Specific Information

No State specific information

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages 1 through 6, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

Christi Wedeking (Risk Management)

Name and official title of owner/operator OR owner/operator's authorized representative

Signature

2026-02-06 16:16:36 UTC

Date signed