

Tier 2 Online Submission Report
E-Plan - University of Texas at Dallas
Reporting period : From January 1, 2025 to December 31, 2025

Facility Name	River Valley Cooperative-Stanwood			Facility ID	7696266
Company Name	River Valley Cooperative			Facility Email	lwarnecke@rvc.ag
Department Name				Mailing Address	PO Box 256 , Eldridge , IA - 52748
Physical Address	105 Forest Street , STANWOOD, Cedar county , IA - 52337 , USA			Latitude / Longitude	41.8902130 / -91.1425340
Max. No. of Occupants	15	☒ Manned	☐ Unmanned	Emergency 24-Hour Phone Number	563-942-3322
NAICS	424910 - Farm Supplies Merchant Wholesalers			Dun & Bradstreet RMP Facility ID	00-798-8603 -
TRI Facility ID					
Fire District	Stanwood Fire				
Iowa Facility ID:	4845 -				
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No					
Subject to Chemical Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Management Program)? ☐ Yes ☒ No					
Facility Note	Ammonium Sulfate SDS States Hazards Not Classified. Yield On does not meet hazards.				

Contact Information	Name (Title)	Phone	Email	Address
Emergency Contact	Lon Warnecke (Safety Director)	563-370-6484 (24-hour) 563-370-6484 (Mobile - Cell)	lwarnecke@rvc.ag	,,,, -, USA
Emergency Contact	Mark Dewell (Location Manager)	563-942-3365 (Work) 563-357-5904 (24-hour)	mdewell@rvc.ag	,,,, -, USA
Fac. Emergency Coordinator	Lon Warnecke (Safety Director)	563-370-6484 (24-hour) 563-370-6484 (Mobile - Cell)	lwarnecke@rvc.ag	,,,, IA - , USA
Owner / Operator	Tim Burruss (CEO)	563-285-1721 (Work) 563-320-1403 (Mobile - Cell)	tburruss@rvc.ag	PO Box 256, Eldridge, , IA - 52748, USA
Tier II Information Contact	Lon Warnecke (Safety & Compliance Director)	5633706484 (24-hour) 5632851729 (Work)	lwarnecke@rvc.ag	254 E90th St, Davenport, Scott, , IA - 52806, USA

Chemical Inventory Information				
Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components
CAS 7664417 Trade Secret ☐ Chem. Name ANHYDROUS AMMONIA	Explosive ☐	Acute toxicity (any route of exposure) ☒	97.560 Max. Daily Amount 20.975 Avg. Daily Amount	
				Storage locations and codes (Non- Confidential) 1) Nurse Tanks on Running Gears 1000,1500,3000

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
Pure ☒ Mixture ☐ Solid ☐ Liquid ☒ Gas ☒ EHS ☒ Below Reporting Thresholds ☐ Stored in Batteries ☐	Flammable (gases, aerosols, liquids, or solids) ☒ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☒ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☒ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	<u>43,775</u> Max. Amount in largest Container <u>365</u> No. of Days On-site		gallons: Type <u>Tank wagon</u> , Pressure <u>Greater</u> than ambient pressure, Temperature <u>Ambient temperature</u> <u>2)</u> Semi Transport Trailer outside : Type <u>Tank wagon</u> , Pressure <u>Greater</u> than ambient pressure, Temperature <u>Greater</u> than ambient temperature
State Specific Information No State specific information					
CAS <u>1912249</u> Trade Secret ☐ Chem. Name <u>ATRAZINE 4L</u> Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐	Acute toxicity (any route of exposure) ☒ Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☒ Carcinogenicity ☒ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☒ Aspiration hazard ☐ Simple Asphyxiant ☐	<u>38,892</u> Max. Daily Amount <u>23,391</u> Avg. Daily Amount <u>38,892</u> Max. Amount in largest Container <u>365</u> No. of Days On-site		<u>1)</u> BULK STORAGE TANK: Type <u>Tank inside building</u> , Pressure <u>Ambient</u> pressure, Temperature <u>Ambient temperature</u>
State Specific Information No State specific information					

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
CAS Trade Secret ☐ Chem. Name BigPath Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐ State Specific Information No State specific information	Hazard Not Otherwise Classified ☐	Hazard Not Otherwise Classified ☐	15,692 Max. Daily Amount 3,469 Avg. Daily Amount 15,692 Max. Amount in largest Container 296 No. of Days On-site		1) Inside Mix Plant : Type Above ground tank, Pressure Ambient pressure, Temperature Ambient temperature
CAS 178928706 Trade Secret ☐ Chem. Name Delaro SC Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐ State Specific Information No State specific information	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	27,079 Max. Daily Amount 5,387 Avg. Daily Amount 27,079 Max. Amount in largest Container 342 No. of Days On-site		1) Tank Inside Mix Plant: Type Above ground tank, Pressure Ambient pressure, Temperature Ambient temperature

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
CAS 64742810 Trade Secret [] Chem. Name DIESEL Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] Stored in Batteries [] State Specific Information No State specific information	Gas under pressure (compressed gas) [] In contact with water emits flammable gas [] Combustible Dust [] Hazard Not Otherwise Classified []	Specific target organ toxicity (single or repeated exposure) [] Aspiration hazard [] Simple Asphyxiant [] Hazard Not Otherwise Classified []	30,600 Max. Daily Amount 15,912 Avg. Daily Amount 17,000 Max. Amount in largest Container 365 No. of Days On-site		1) FUEL STORAGE TANK: Type Above ground tank, Pressure Ambient pressure, Temperature Ambient temperature 2) 2500 Gal Tank West of John's Shop : Type Above ground tank, Pressure Ambient pressure, Temperature Ambient temperature
CAS 1048373723 Trade Secret [] Chem. Name Enlist One Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] Stored in Batteries []	Explosive [] Flammable (gases, aerosols, liquids, or solids) [X] Oxidizer (liquid, solid or gas) [] Self-reactive [] Pyrophoric (liquid or solid) [] Pyrophoric Gas [] Self-heating [] Organic peroxide [] Corrosive to metal [] Gas under pressure (compressed gas) [] In contact with water emits flammable gas [] Combustible Dust [] Hazard Not Otherwise Classified []	Acute toxicity (any route of exposure) [X] Skin corrosion or irritation [X] Serious eye damage or eye irritation [] Respiratory or skin sensitization [] Germ cell mutagenicity [] Carcinogenicity [X] Reproductive toxicity [] Specific target organ toxicity (single or repeated exposure) [X] Aspiration hazard [X] Simple Asphyxiant [] Hazard Not Otherwise Classified []	32,725 Max. Daily Amount 22,443 Avg. Daily Amount 32,725 Max. Amount in largest Container 365 No. of Days On-site		1) Tank inside Mix Plant : Type Tank inside building, Pressure Ambient pressure, Temperature Ambient temperature

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas
Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information	Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Respiratory or skin sensitization ☐ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐			
CAS <u>107153</u> Trade Secret ☐ Chem. Name <u>ETHYLENEDIAMINE Resicore REV</u> Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☒ Below Reporting Thresholds ☐ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☒ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☒ Reproductive toxicity ☒ Specific target organ toxicity (single or repeated exposure) ☒ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	<u>27,378</u> Max. Daily Amount <u>20,347</u> Avg. Daily Amount <u>27,378</u> Max. Amount in largest Container <u>365</u> No. of Days On-site	Chemical Name-ETHYLENEDIAMINE (CAS 107153) Percentage-3.0 Unit-weight Max Amount Code-02	<u>1</u> Tank Inside Mix Plant: Type <u>above ground tank</u> , Pressure Ambient pressure, Temperature Ambient temperature

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
CAS <u>34256821</u> Trade Secret ☐ Chem. Name <u>Hamess Xtra 6.0 Bulk</u> Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Acute toxicity (any route of exposure) ☒ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☐ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☒ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☒ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	<u>39,166</u> Max. Daily Amount <u>25,190</u> Avg. Daily Amount <u>39,166</u> Max. Amount in largest Container <u>365</u> No. of Days On-site	Chemical Name-ETHYLENEDIAMINE CAS 107153 Percentage-3.0 Unit-weight Max Amount Code-03	<u>1</u> Tank Inside Mix Plant : Type <u>Pressure bin</u> , Pressure <u>Ambient</u> pressure, Temperature <u>Ambient temperature</u>
CAS <u>107153</u> Trade Secret ☐ Chem. Name <u>Instinct NXT GEN ETHYLENEDIAMINE</u> Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☒ Below Reporting Thresholds ☒ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐	Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☐ Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐	<u>5,604</u> Max. Daily Amount <u>604</u> Avg. Daily Amount <u>5,604</u> Max. Amount in largest Container <u>365</u> No. of Days On-site	Chemical Name-ETHYLENEDIAMINE CAS 107153 Percentage-3.0 Unit-weight Max Amount Code-03	<u>1</u> Tank Inside Mix Plant : Type <u>Pressure bin</u> , Pressure <u>Ambient</u> pressure, Temperature <u>Ambient temperature</u>
State Specific Information No State specific information					

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non-Confidential)
	Combustible Dust [] Hazard Not Otherwise Classified []	Simple Asphyxiant [] Hazard Not Otherwise Classified []			
CAS 34256821 Trade Secret [] Chem. Name <u>Keystone LA NXT Bulk</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] Stored in Batteries []	Explosive [] Flammable (gases, aerosols, liquids, or solids) [] Oxidizer (liquid, solid or gas) [] Self-reactive [] Pyrophoric (liquid or solid) [] Pyrophoric Gas [] Self-heating [] Organic peroxide [] Corrosive to metal [] Gas under pressure (compressed gas) [] In contact with water emits flammable gas [] Combustible Dust [] Hazard Not Otherwise Classified []	Acute toxicity (any route of exposure) [X] Skin corrosion or irritation [X] Serious eye damage or eye irritation [X] Respiratory or skin sensitization [X] Germ cell mutagenicity [] Carcinogenicity [] Reproductive toxicity [] Specific target organ toxicity (single or repeated exposure) (single or repeated exposure) [X] Aspiration hazard [] Simple Asphyxiant [] Hazard Not Otherwise Classified []	<u>40,134</u> Max. Daily Amount <u>28,170</u> Avg. Daily Amount <u>40,134</u> Max. Amount in largest Container <u>365</u> No. of Days On-site		<u>1</u> Mix Plant: Type Tank inside building, Pressure Ambient pressure, Temperature Ambient temperature
CAS <u>64742956</u> Trade Secret [] Chem. Name <u>N-Serve 24</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] Stored in Batteries []	Explosive [] Flammable (gases, aerosols, liquids, or solids) [X] Oxidizer (liquid, solid or gas) [] Self-reactive [] Pyrophoric (liquid or solid) [] Pyrophoric Gas [] Self-heating [] Organic peroxide [] Corrosive to metal []	Acute toxicity (any route of exposure) [X] Skin corrosion or irritation [X] Serious eye damage or eye irritation [] Respiratory or skin sensitization [X] Germ cell mutagenicity [] Carcinogenicity [X] Reproductive toxicity []	<u>17,428</u> Max. Daily Amount <u>12,879</u> Avg. Daily Amount <u>17,428</u> Max. Amount in largest Container <u>365</u> No. of Days On-site		<u>1</u> Mix Plant: Type Tank inside building, Pressure Ambient pressure, Temperature Ambient temperature
State Specific Information No State specific information					

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non-Confidential)
CAS <u>74986</u> Trade Secret ☐ Chem. Name <u>Propane</u> Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐ State Specific Information No State specific information	Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Specific target organ toxicity (single or repeated exposure) ☒ Aspiration hazard ☒ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	38,160 Max. Daily Amount <u>8,395</u> Avg. Daily Amount 38,160 Max. Amount in largest Container 365 No. of Days On-site		1) Semi Transport Trailer Outside on Yard : Type Tank wagon, Pressure Greater than ambient pressure, Temperature Greater than ambient temperature
CAS <u>107153</u> Trade Secret ☐ Chem. Name <u>Resicore XL</u> Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☒ Below Reporting Thresholds ☐ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☒ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☒ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Acute toxicity (any route of exposure) ☐ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☐ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☐ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple Asphyxiant ☒ Hazard Not Otherwise Classified ☐	1,281 Max. Daily Amount 1,281 Avg. Daily Amount 1,281 Max. Amount in largest Container 83 No. of Days On-site	Chemical Name-1,2- ETHANEDIAMINE (CAS 107153) Percentage- Unit- Max Amount Code-04	1) Tank inside Mix Plant : Type Tote bin, Pressure Ambient pressure, Temperature Ambient temperature

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas
Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information	Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Respiratory or skin sensitization ☒ Germ cell mutagenicity ☐ Carcinogenicity ☒ Reproductive toxicity ☒ Specific target organ toxicity (single or repeated exposure) ☒ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐			
CAS <u>70901121</u> Trade Secret ☐ Chem. Name <u>Roundup PowerMax 3</u> Pure ☐ Mixture ☒ Solid ☐ Liquid ☒ Gas ☐ EHS ☐ Below Reporting Thresholds ☐ Stored in Batteries ☐	Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Oxidizer (liquid, solid or gas) ☐ Self-reactive ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric Gas ☐ Self-heating ☐ Organic peroxide ☐ Corrosive to metal ☐ Gas under pressure (compressed gas) ☐ In contact with water emits flammable gas ☐ Combustible Dust ☐ Hazard Not Otherwise Classified ☐	Acute toxicity (any route of exposure) ☒ Skin corrosion or irritation ☐ Serious eye damage or eye irritation ☒ Respiratory or skin sensitization ☐ Germ cell mutagenicity ☐ Carcinogenicity ☐ Reproductive toxicity ☒ Specific target organ toxicity (single or repeated exposure) ☐ Aspiration hazard ☐ Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☐	<u>110.933</u> Max. Daily Amount <u>77,722</u> Avg. Daily Amount <u>110.933</u> Max. Amount in largest Container <u>365</u> No. of Days On-site		1) Tank inside Mix Plant : Type Tank inside building, Pressure Ambient pressure, Temperature Ambient temperature
State Specific Information No State specific information					

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas
Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
CAS <u>34256821</u> Trade Secret [] Chem. Name <u>Warrant</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] Stored in Batteries []	Explosive [] Flammable (gases, aerosols, liquids, or solids) [] Oxidizer (liquid, solid or gas) [] Self-reactive [] Pyrophoric (liquid or solid) [] Pyrophoric Gas [] Self-heating [] Organic peroxide [] Corrosive to metal [] Gas under pressure (compressed gas) [] In contact with water emits flammable gas [] Combustible Dust [] Hazard Not Otherwise Classified []	Acute toxicity (any route of exposure) [] Skin corrosion or irritation [] Serious eye damage or eye irritation [] Respiratory or skin sensitization [X] Germ cell mutagenicity [] Carcinogenicity [] Reproductive toxicity [] Specific target organ toxicity (single or repeated exposure) [X] Aspiration hazard [] Simple Asphyxiant [] Hazard Not Otherwise Classified []	<u>19,060</u> Max. Daily Amount <u>9,836</u> Avg. Daily Amount <u>19,060</u> Max. Amount in largest Container <u>365</u> No. of Days On-site		<u>1</u> Tank Inside Mix Plant : Type Tank inside building, Pressure Ambient pressure, Temperature Ambient temperature
State Specific Information No State specific information					
CAS Trade Secret [] Chem. Name <u>YIELD ON</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] Stored in Batteries []	Explosive [] Flammable (gases, aerosols, liquids, or solids) [] Oxidizer (liquid, solid or gas) [] Self-reactive [] Pyrophoric (liquid or solid) [] Pyrophoric Gas [] Self-heating [] Organic peroxide [] Corrosive to metal [] Gas under pressure (compressed gas) [] In contact with water emits flammable gas []	Acute toxicity (any route of exposure) [] Skin corrosion or irritation [] Serious eye damage or eye irritation [] Respiratory or skin sensitization [] Germ cell mutagenicity [] Carcinogenicity [] Reproductive toxicity [] Specific target organ toxicity (single or repeated exposure) [] Aspiration hazard []	<u>13,250</u> Max. Daily Amount <u>8,765</u> Avg. Daily Amount <u>13,250</u> Max. Amount in largest Container <u>13</u> No. of Days On-site		<u>1</u> Tank Inside Mix Plant : Type Above ground tank, Pressure Ambient pressure, Temperature Ambient temperature
State Specific Information No State specific information					

Tier 2 Online Submission Report
E-Plan - University of Texas at Dallas
Reporting period : From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards	Inventory	Mixture components	Storage locations and codes (Non-Confidential)
	Combustible Dust ☐ Hazard Not Otherwise Classified ☒	Simple Asphyxiant ☐ Hazard Not Otherwise Classified ☒			

State Specific Information

No State specific information

Additional Information

☐ I have attached a document. ☒ I have attached two or more documents.

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages 1 through 11, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

Lon Warnecke (Safety & Compliance Director)

Name and official title of owner/operator OR owner/operator's authorized representative

Signature



Date signed

2026-02-25 19:11:31 UTC