

WALL TILES

Resina
Collection





R79S Resina Terracotta Struttura 3D Bee 40x120cm

Resina

The resin look gains potential with new colour schemes. Resina is a highly realistic evocation of the subtly uneven vibrations and texture of the inspiration material. The large 40x120 cm sizes in 6 mm thickness reflect the continuity of the original product, and beautify walls with a new, contemporary assortment of shades.



R79R Resina Avorio Struttura 3D Bee 40x120cm - R7FW Woodsense Marrone Rt 20x120cm



R7AA Resina Avorio Decoro Bricks 40x120cm




R79W Resina Rosa 40x120cm - R79Z Resina Terracotta 40x120cm - R7RK Resina Listello Ossido 0x120cm



R79Q Resina Ardesia Struttura 3D Bee 40x120cm - R79V Resina Grigio 40x120cm



R79J Resina Terracotta Struttura 3D Wall 40x120cm



R79W Resina Rosa 40x120cm



R79X Resina Ardesia 40x120cm



R8CA Resina Avorio Decoro Venezia 40x120cm



R7LL Resina Rosa Mosaico Forme 40x43cm

White Body Wall Tiles




Ardesia

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R79X	Resina Ardesia	MM 06	•										V1		6	2,88	30,54	16	46,08	488,65



Avorio

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R79Y	Resina Avorio	MM 06	•										V1		6	2,88	30,90	16	46,08	494,42



Bianco

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R79U	Resina Bianco	MM 06	•										V1		6	2,88	31,57	16	46,08	505,15

RESINA COLLECTION

RESINA COLLECTION

White Body Wall Tiles




Grigio

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R79V	Resina Grigio	MM 06	•										V1		6	2,88	30,71	16	46,08	491,36



Rosa


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R79W	Resina Rosa	MM 06	•										V1		6	2,88	30,60	16	46,08	489,54



Terracotta


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R79Z	Resina Terracotta	MM 06	•										V1		6	2,88	29,18	16	46,08	466,87

White Body Wall Tiles



Wall 3D


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R79E	Resina Bianco Struttura 3d Wall	MM 08	•										V1		5	2,40	30,69	16	38,40	491,05
40x120cm	Matt	R79F	Resina Grigio Struttura 3d Wall	MM 08	•										V1		5	2,40	30,25	16	38,40	483,99
40x120cm	Matt	R79G	Resina Rosa Struttura 3d Wall	MM 08	•										V1		5	2,40	30,35	16	38,40	485,65
40x120cm	Matt	R79H	Resina Ardesia Struttura 3d Wall	MM 08	•										V1		5	2,40	30,43	16	38,40	486,82
40x120cm	Matt	R79J	Resina Terracotta Struttura 3d Wall	MM 08	•										V1		5	2,40	30,48	16	38,40	487,68
40x120cm	Matt	R79K	Resina Avorio Struttura 3d Wall	MM 08	•										V1		5	2,40	30,10	16	38,40	481,57



Bee 3D

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R79M	Resina Bianco Struttura 3d Bee	MM 08	•										V1		5	2,40	28,21	16	38,40	451,29
40x120cm	Matt	R79N	Resina Grigio Struttura 3d Bee	MM 08	•										V1		5	2,40	27,50	16	38,40	440,06
40x120cm	Matt	R79P	Resina Rosa Struttura 3d Bee	MM 08	•										V1		5	2,40	29,40	16	38,40	470,47
40x120cm	Matt	R79Q	Resina Ardesia Struttura 3d Bee	MM 08	•										V1		5	2,40	27,99	16	38,40	447,92
40x120cm	Matt	R79R	Resina Avorio Struttura 3d Bee	MM 08	•										V1		5	2,40	30,04	16	38,40	480,60
40x120cm	Matt	R79S	Resina Terracotta Struttura 3d Bee	MM 08	•										V1		5	2,40	28,39	16	38,40	454,28

White Body Wall Tiles



Bee 3d

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R79M	Resina Bianco Struttura 3d Bee	MM 08	•										V1		5	2,40	28,21	16	38,40	451,29
40x120cm	Matt	R79N	Resina Grigio Struttura 3d Bee	MM 08	•										V1		5	2,40	27,50	16	38,40	440,06
40x120cm	Matt	R79P	Resina Rosa Struttura 3d Bee	MM 08	•										V1		5	2,40	29,40	16	38,40	470,47
40x120cm	Matt	R79Q	Resina Ardesia Struttura 3d Bee	MM 08	•										V1		5	2,40	27,99	16	38,40	447,92
40x120cm	Matt	R79R	Resina Avorio Struttura 3d Bee	MM 08	•										V1		5	2,40	30,04	16	38,40	480,60
40x120cm	Matt	R79S	Resina Terracotta Struttura 3d Bee	MM 08	•										V1		5	2,40	28,39	16	38,40	454,28



Bricks

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R7AA	Resina Avorio Decoro Bricks	MM 06	•										V1		6	2,88	31,58	16	46,08	505,26
40x120cm	Matt	R7AD	Resina Bianco Decoro Bricks	MM 06	•										V1		6	2,88	31,58	16	46,08	505,26



Tropicana


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
80x120cm	Semimatt	R7RQ	Resina Decoro Tropicana	MM 06	•										V1		1	0,96	11,00	35	33,60	385,00

White Body Wall Tiles




Venezia

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x120cm	Matt	R8CA	Resina Avorio Decoro Venezia	MM 06	•										V1		4	1,92	19,05	8	15,36	152,38
40x120cm	Matt	R8CC	Resina Bianco Decoro Venezia	MM 06	•										V1		4	1,92	19,05	8	15,36	152,38



Mosaico 2,3x2,3 Bianco

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x40cm	Matt	R7LW	Resina Bianco Mosaico	MM 06	•										V1		4	0,64	9,00	60	38,40	540,01



Mosaico 2,3x2,3 Grigio


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x40cm	Matt	R7LX	Resina Grigio Mosaico	MM 06	•										V1		4	0,64	9,00	60	38,40	540,01

White Body Wall Tiles



Mosaico Forme Grigio

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x43cm	Matt	R7LQ	Resina Grigio Mosaico Forme	MM 06	•										V1		4	0,69	9,00	40	27,52	360,00



Mosaico 2,3x2,3 Avorio


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x40cm	Matt	R7LV	Resina Avorio Mosaico	MM 06	•										V1		4	0,64	9,00	60	38,40	540,01



Mosaico Forme Avorio

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x43cm	Matt	R7LM	Resina Avorio Mosaico Forme	MM 06	•										V1		4	0,69	9,00	40	27,52	360,00

White Body Wall Tiles




Mosaico 2,3x2,3 Rosa

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x40cm	Matt	R7LU	Resina Rosa Mosaico	MM 06	•										V1		4	0,64	9,00	60	38,40	540,01



Mosaico Forme Rosa

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x43cm	Matt	R7LL	Resina Rosa Mosaico Forme	MM 06	•										V1		4	0,69	9,00	40	27,52	360,00



Mosaico 2,3x2,3 Ardesia


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x40cm	Matt	R7LY	Resina Ardesia Mosaico	MM 06	•										V1		4	0,64	9,00	60	38,40	540,01

White Body Wall Tiles



Mosaico Forme Ardesia

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x43cm	Matt	R7LR	Resina Ardesia Mosaico Forme	MM 06	•										V1		4	0,69	9,00	40	27,52	360,00



Mosaico 2,3x2,3 Terracotta



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x40cm	Matt	R7LT	Resina Terracotta Mosaico	MM 06	•										V1		4	0,64	9,00	60	38,40	540,01



Mosaico Forme Terracotta

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
40x43cm	Matt	R7LK	Resina Terracotta Mosaico Forme	MM 06	•										V1		4	0,69	9,00	40	27,52	360,00

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run


















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.


H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 9001	Green Building Council	GPP	EPD Italy	EPD Spain	ISO 17889-1	Recycled Material
							
Greenguard	LEED Credits	FDES	Declare	HPD	CAM Sassuolo	CE 005MRZI	UKCA 005MRZUK
							
SASO							



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 06/04/2026

RAGNO 