

2024

V8 GERMAN LUBRICANTS CATALOG

V8 German
lubricants

V8 German
lubricants



- MOTOR ● DIESEL ● HYDRAULIC ● COMPRESSOR ● MOTORCYCLE
- ATF ● GEAR ● INDUSTRIAL GEAR ● TRANSMISSION ● BRAKE FLUID
- WATER VEHICLE ● COMBINE ● CHAINSAW ● STOU MULTIFARM
- COOLANT ● ANTI FREEZE ● GENERATOR ● TRANSFORMER
- SOLUBLE CUTTING ● CAR CARE ● GREASE ● BASE OIL

www.v8germanlubricants.com



V8 German Lubricants is one of the excellent in the motor oil and lubricant industry. As a leading brand, we take pride in our commitment to quality and cutting-edge technology. With a heritage rooted in German engineering expertise, our products are designed to deliver outstanding engine protection, optimize fuel efficiency, and enhance overall performance.

V8 German Lubricants offers a comprehensive range of fully synthetic and advanced ultra synthetic engine oils, tailored to meet the diverse needs of modern cars, commercial vehicles, and high-performance models. Our dedication to exceeding industry standards ensures that you get the best-in-class lubrication solutions for your engines.

Find our latest news:



MOTOR OIL	1
DIESEL OIL	8
HYDRAULIC OIL	14
COMPRESSOR OIL	15
MOTORCYCLE	16
AUTOMATIC TRANSMISSION FLUID	17
GEAR OIL	19
INDUSTRIAL GEAR OIL	20
TRANSMISSION OIL	21
BRAKE FLUID	22
WATER VEHICLE	22
COMBINE	23
CHAINSAW OIL	23
STOU MULTIFARM	23
COOLANT	24
ANTI FREEZE	24
GENERATOR OIL	25
TRANSFORMER OIL	25
SOLUBLE CUTTING OIL	25
CAR CARE	26
GREASE	27
BASE OIL	28





0W/8 HYBRID

Ultra Synthetic Motor Oil

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 0W8 is 100% synthetic engine oil specially designed for Hybrid Electric Vehicles (HEV) and Plug-in Hybrid Electric Vehicles (PHEV) fitted with recent gasoline engines, turbocharged or naturally aspirated, direct or indirect injection. It is also suitable for battery electric vehicles (BEV) fitted with a thermal gasoline engine used as a Range Extender. Suitable for modern gasoline engines. Compatible with catalytic converters.



0W/12 HYBRID

Ultra Synthetic Motor Oil

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 0W/12 is 100% synthetic engine oil specially designed for Hybrid Electric Vehicles (HEV) and Plug-in Hybrid Electric Vehicles (PHEV) fitted with recent gasoline engines, turbocharged or naturally aspirated, direct or indirect injection. It is also suitable for battery electric vehicles (BEV) fitted with a thermal gasoline engine used as a Range Extender. Suitable for modern gasoline engines. Compatible with catalytic converters.



5W/30 HIGH MILEAGE

Fully Synthetic Motor Oil
API SP/SN PLUS
ACEA A7/B7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 5W/30 High Mileage is a new development with a unique formula specifically for high mileage vehicles, which is a mixture of polyalphaolefin and ester combined with a special type of additive to provide a long life to the vehicle engine. Specially designed for hybrid performance challenges with durability in modern engine hardware. It is compatible with DPF & GPF aftertreatment systems.



FORMULATED
TO PROTECT ENGINES
WITH MORE THAN **75,000** MILES



0W/16

PRIMEMEX

Ultra Synthetic Motor Oil
API SP
ACEA A5/B5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

PRIMEMEX 0W/16 is an advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for hybrid cars and commercial vehicles. PRIMEMEX 0W/16 the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 PRIMEMEX 0W/16 is specially formulated with FUEL SAVER TECHNOLOGY extra mileage with best engine protection from soots and carbon deposit control.



0W/20

PRIMEMEX

Ultra Synthetic Motor Oil
API SP
ACEA A5/B5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

PRIMEMEX 0W/20 is an advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for hybrid cars and commercial vehicles. PRIMEMEX 0W/20 the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 PRIMEMEX 0W/20 is specially formulated with FUEL SAVER TECHNOLOGY extra mileage with best engine protection from soot and carbon deposit control.



0W/30

PRIMEMEX

Ultra Synthetic Motor Oil
API SN
ACEA C3

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

PRIMEMEX 0W/30 is an advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for hybrid cars and commercial vehicles. PRIMEMEX 0W/30 the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 PRIMEMEX 0W/30 is specially formulated with NANO BLEND TECHNOLOGY extra mileage with best engine protection from soot and carbon deposit control.



0W/40

PRIMEMEX

Ultra Synthetic Motor Oil
API SN
ACEA C3

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

PRIMEMEX 0W/40 is an advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for hybrid cars and commercial vehicles. PRIMEMEX 0W/40 the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 PRIMEMEX 0W/40 is specially formulated with NANO BLEND TECHNOLOGY extra mileage with best engine protection from soot and carbon deposit control.



5W/20

PRIMEMEX

Fully Synthetic Motor Oil
API SN
ACEA C3

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

PRIMEMEX 5W/20 is an advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for hybrid cars and commercial vehicles. PRIMEMEX 5W/20 the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 PRIMEMEX 5W/20 is specially formulated with NANO BLEND TECHNOLOGY extra mileage with best engine protection from soot and carbon deposit control.



5W/30

PRIMEMEX

Fully Synthetic Motor Oil
API SN
ACEA C3

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

PRIMEMEX 5W/30 is an advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for hybrid cars and commercial vehicles. PRIMEMEX 5W/30 the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 PRIMEMEX 5W/30 is specially formulated with NANO BLEND TECHNOLOGY extra mileage with best engine protection from soot and carbon deposit control.



5W/40

PRIMEMEX

Fully Synthetic Motor Oil
API SN
ACEA C3

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

PRIMEMEX 5W/40 is an advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for hybrid cars and commercial vehicles. PRIMEMEX 5W/40 the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 PRIMEMEX 5W/40 is specially formulated with NANO BLEND TECHNOLOGY extra mileage with best engine protection from soot and carbon deposit control.



5W/50

PRIMEMEX

Fully Synthetic Motor Oil
API SP
ACEA C3

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 5W/50 is the natural choice for drivers who demand maximum engine performance from supercars, sports cars, competition, and the latest technology with high-powered engines. Operating under higher pressures, these engines require an oil with outstanding strength and performance.



0W/20

ENERGY

Ultra Synthetic Motor Oil
API SN
ACEA A7/B7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 0W/20 is an advanced ultra synthetic engine oil designed to help deliver outstanding engine protection and enhanced the Engine protection with Smart drain Intervals energy is formulated with ACEA A7/B7 specifications for best MICRO PROTECTION TECHNOLOGY. Meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's Oil technology comes as standard equipment in many different vehicles, including luxury and high-performance vehicles.



0W/30

ENERGY

Ultra Synthetic Motor Oil
API SN
ACEA A7/B7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 0W/30 is an advanced ultra synthetic engine oil designed to help deliver outstanding engine protection and enhanced the Engine protection with Smart drain Intervals energy is formulated with ACEA A7/B7 specifications for best MICRO PROTECTION TECHNOLOGY. Meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's Oil technology comes as standard equipment in many different vehicles, including luxury and high-performance vehicles.



0W/40 ENERGY

Ultra Synthetic Motor Oil
API SN
ACEA A7/B7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 0W/40 is an advanced ultra synthetic engine oil designed to help deliver outstanding engine protection and enhanced the Engine protection with Smart drain Intervals energy is formulated with ACEA A7/B7 specifications for best MICRO PROTECTION TECHNOLOGY. Meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's Oil technology comes as standard equipment in many different vehicles, including luxury and high-performance vehicles.



5W/20 ENERGY

Fully Synthetic Motor Oil
API SN
ACEA A7/B7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 5W/20 is an advanced fully synthetic engine oil designed to help deliver outstanding engine protection and enhanced the Engine protection with Smart drain Intervals energy is formulated with ACEA A7/B7 specifications for best MICRO PROTECTION TECHNOLOGY. Meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's Oil technology comes as standard equipment in many different vehicles, including luxury and high-performance vehicles.



5W/30 ENERGY

Fully Synthetic Motor Oil
API SN
ACEA A7/B7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 5W/30 is an advanced fully synthetic engine oil designed to help deliver outstanding engine protection and enhanced the Engine protection with Smart drain Intervals energy is formulated with ACEA A7/B7 specifications for best MICRO PROTECTION TECHNOLOGY. Meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's Oil technology comes as standard equipment in many different vehicles, including luxury and high-performance vehicles.



5W/40 ENERGY

Fully Synthetic Motor Oil
API SN
ACEA A7/B7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 5W/40 is an advanced fully synthetic engine oil designed to help deliver outstanding engine protection and enhanced the Engine protection with Smart drain Intervals energy is formulated with ACEA A7/B7 specifications for best MICRO PROTECTION TECHNOLOGY. Meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's Oil technology comes as standard equipment in many different vehicles, including luxury and high-performance vehicles.



0W/20 NEOMAX

Ultra Synthetic Motor Oil
API SN
ACEA A5/B5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 NEOMAX 0W/20 is advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for hybrid cars and commercial vehicles. NEOMAX 0W/20 is boosted with DEPOSITE PROTECTOR TECHNOLOGY, the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8's oil technology is a standard feature in various vehicles, including high-performance model cars.



0W/30

NEOMAX

Ultra Synthetic Motor Oil
API SN
ACEA A5/B5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 NEOMAX 0W/30 is advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for modern cars and commercial vehicles. NEOMAX 0W/30 is boosted with DEPOSITE PROTECTOR TECHNOLOGY. The optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8's oil technology is a standard feature in various vehicles, including high-performance model cars.



0W/40

NEOMAX

Ultra Synthetic Motor Oil
API SN
ACEA A5/B5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 NEOMAX 0W/40 is advanced ultra synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for modern cars and commercial vehicles. NEOMAX 0W/40 is boosted with DEPOSITE PROTECTOR TECHNOLOGY. the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8's oil technology is a standard feature in various vehicles, including high-performance model cars.



5W/20

NEOMAX

Fully Synthetic Motor Oil
API SN
ACEA A5/B5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 NEOMAX 5W/20 is advanced fully synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for modern cars and commercial vehicles. NEOMAX 5W/20 is boosted with DEPOSITE PROTECTOR TECHNOLOGY. the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8's oil technology is a standard feature in various vehicles, including high-performance model's cars.



5W/30

NEOMAX

Fully Synthetic Motor Oil
API SN
ACEA A5/B5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 NEOMAX 5W/30 is advanced fully synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for modern cars and commercial vehicles. NEOMAX 5W/30 is boosted with DEPOSITE PROTECTOR TECHNOLOGY. the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8's oil technology is a standard feature in various vehicles, including high-performance model cars.



5W/40

NEOMAX

Fully Synthetic Motor Oil
API SN
ACEA A5/B5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 NEOMAX 5W/40 is advanced fully synthetic engine oil designed to deliver exceptional engine protection and improve fuel economy. It is specifically formulated for modern cars and commercial vehicles. NEOMAX 5W/40 is boosted with DEPOSITE PROTECTOR TECHNOLOGY. the optimal choice for fuel efficiency and superior performance in petroleum engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8's oil technology is a standard feature in various vehicles, including high-performance model's cars.



10W/30

TITANIUM

Synthetic Motor Oil
API SN
ACEA A3/B4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TITANIUM is synthetic gasoline engine oil blended with premium quality of base stock and advanced additive technology. TITANIUM is specifically formulated for modern cars and advanced vehicles. TITANIUM is the optimal choice for hi-tech engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TITANIUM 10W/30 is specially formulated with CLEANSING ACTIVATORS TECHNOLOGY with best engine protection from CARBON PARTICLES and VARNISH FORMATIONS.



10W/40

TITANIUM

Synthetic Motor Oil
API SN
ACEA A3/B4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TITANIUM is synthetic gasoline engine oil blended with premium quality of base stock and advanced additive technology. TITANIUM is specifically formulated for modern cars and advanced vehicles. TITANIUM is the optimal choice for hi-tech engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TITANIUM 10W/40 is specially formulated with CLEANSING ACTIVATORS TECHNOLOGY with best engine protection from CARBON PARTICLES and VARNISH FORMATIONS.



10W/50

TITANIUM

Synthetic Motor Oil
API SN
ACEA A3/B4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TITANIUM is synthetic gasoline engine oil blended with premium quality of base stock and advanced additive technology. TITANIUM is specifically formulated for modern cars and advanced vehicles. TITANIUM is the optimal choice for hi-tech engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TITANIUM 10W/50 is specially formulated with CLEANSING ACTIVATORS TECHNOLOGY with best engine protection from CARBON PARTICLES and VARNISH FORMATIONS.



10W/60

TITANIUM

Fully Synthetic Motor Oil
API SN/CH-4
ACEA A3/B4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

Universal bi-synthetic premium motor oil designed for new generations of all types of engines operating in harsh and extreme operating conditions. Designed to meet the requirements of manufacturers of sports and racing cars.



20W/50

UNIVERSAL

Multigrade Motor Oil
API SL
ACEA A3/B4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 20W/50 is advanced multigrade based engine oil designed to help deliver outstanding engine protection and best load capacitor. It is suitable for modern cars and mid-size of passenger vans. Meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's Oil technology is designed with accurate perfection for required application. is specially formulated for passenger cars and light duty vehicles.

MOTOR OIL



20W/60

UNIVERSAL

Multigrade Motor Oil
API SL
ACEA A3/B4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 20W/60 is advanced multigrade based engine oil designed to help deliver outstanding engine protection and best load capacitor. it is suitable for modern cars and mid-size of passenger vans. Meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's Oil technology is designed with accurate perfection for required application. is specially formulated for passenger cars and light duty vehicles.



25W/60

UNIVERSAL

Multigrade Motor Oil
API SL
ACEA A3/B4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 25W/60 is advanced multigrade based engine oil designed to help deliver outstanding engine protection and best load capacitor. it is suitable for modern cars and mid-size of passenger vans. Meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's Oil technology is designed with accurate perfection for required application. is specially formulated for passenger cars and light duty vehicles.

PROTECTION AND PERFORMANCE TOGETHER





5W/30

LONG DRAIN

Fully Synthetic Diesel Oil
API CK-4
ACEA E11-22/E8-22

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

Long Drain 5W/30 is a premium fully synthetic diesel oil meeting the rigorous API CK-4 specifications. Engineered for extended drain intervals, it excels in providing superior fuel efficiency, extended engine life, and optimal performance for modern turbodiesel commercial vehicle engines. With advanced shear-stable ingredients, it ensures exceptional reliability, cleanliness, and wear protection. This diesel oil offers outstanding resistance to oxidation, promotes efficient air supply, and is compatible with Diesel Particulate Filter (DPF) systems, making it a top choice for heavy-duty applications.



5W/30

EVO PLUS

Fully Synthetic Diesel Oil
API CK-4/FA-4
ACEA E6/E8

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

EVO PLUS is fully synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. EVO PLUS is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. EVO PLUS is the optimal choice for fuel efficiency and superior performance in diesel engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 EVO PLUS 5W/30 is specially formulated with FRICTION PROTECTOR TECHNOLOGY with best engine protection from soots and carbon deposit control.



5W/40

EVO PLUS

Fully Synthetic Diesel Oil
API CK-4/FA-4
ACEA E6/E8

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

EVO PLUS is fully synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. EVO PLUS is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. EVO PLUS is the optimal choice for fuel efficiency and superior performance in diesel engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 EVO PLUS 5W/40 is specially formulated with FRICTION PROTECTOR TECHNOLOGY with best engine protection from soots and carbon deposit control.



5W/50

EVO PLUS

Fully Synthetic Diesel Oil
API CK-4/FA-4
ACEA E6/E8

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

EVO PLUS is fully synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. EVO PLUS is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. EVO PLUS is the optimal choice for fuel efficiency and superior performance in diesel engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 EVO PLUS 5W/50 is specially formulated with FRICTION PROTECTOR TECHNOLOGY with best engine protection from soots and carbon deposit control.



10W/30

EVO PLUS

Synthetic Diesel Oil
API CK-4/FA-4
ACEA E6/E8

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

EVO PLUS is synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. EVO PLUS is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. EVO PLUS is the optimal choice for fuel efficiency and superior performance in diesel engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 EVO PLUS 10W/30 is specially formulated with FRICTION PROTECTOR TECHNOLOGY with best engine protection from soots and carbon deposit control.



10W/40

EVO PLUS

Synthetic Diesel Oil
API CK-4/FA-4
ACEA E6/E8

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

EVO PLUS is synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. EVO PLUS is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. EVO PLUS is the optimal choice for fuel efficiency and superior performance in diesel engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 EVO PLUS 10W/40 is specially formulated with FRICTION PROTECTOR TECHNOLOGY with best engine protection from soots and carbon deposit control.



10W/50

EVO PLUS

Synthetic Diesel Oil
API CK-4/FA-4
ACEA E6/E8

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

EVO PLUS is synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. EVO PLUS is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. EVO PLUS is the optimal choice for fuel efficiency and superior performance in diesel engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 EVO PLUS 10W/50 is specially formulated with FRICTION PROTECTOR TECHNOLOGY with best engine protection from soots and carbon deposit control.



15W/40

EVO PLUS

Multigrade Diesel Oil
API CK-4/FA-4
ACEA E6/E8

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

EVO PLUS is multigrade diesel engine oil blended with premium quality of base stock and advanced additive technology. EVO PLUS is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. EVO PLUS is the optimal choice for fuel efficiency and superior performance in diesel engines. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 EVO PLUS 15W/40 is specially formulated with FRICTION PROTECTOR TECHNOLOGY with best engine protection from soots and carbon deposit control.



5W/30

TITAN

Fully Synthetic Diesel Oil
API CJ-4
ACEA E9/E11

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TITAN is fully synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. TITAN is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. TITAN is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TITAN 5W/30 is specially formulated with SPEED ENHANCER TECHNOLOGY with best engine protection from MICRO FRICTION and VARNISH FORMATIONS.



5W/40

TITAN

Fully Synthetic Diesel Oil
API CJ-4
ACEA E9/E11

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TITAN is fully synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. TITAN is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. TITAN is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TITAN 5W/40 is specially formulated with SPEED ENHANCER TECHNOLOGY with best engine protection from MICRO FRICTION and VARNISH FORMATIONS.



10W/30

TITAN

Synthetic Diesel Oil

API CJ-4

ACEA E9/E11

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TITAN is synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. TITAN is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. TITAN is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TITAN 10W/30 is specially formulated with SPEED ENHANCER TECHNOLOGY with best engine protection from MICRO FRICTION and VARNISH FORMATIONS.



10W/40

TITAN

Synthetic Diesel Oil

API CJ-4

ACEA E9/E11

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TITAN is synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. TITAN is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. TITAN is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TITAN 10W/40 is specially formulated with SPEED ENHANCER TECHNOLOGY with best engine protection from MICRO FRICTION and VARNISH FORMATIONS.



15W/40

TITAN

Multigrade Diesel Oil

API CJ-4

ACEA E9/E11

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TITAN is multigrade diesel engine oil blended with premium quality of base stock and advanced additive technology. TITAN is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. TITAN is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TITAN 15W/40 is specially formulated with SPEED ENHANCER TECHNOLOGY with best engine protection from MICRO FRICTION and VARNISH FORMATIONS.



20W/50

TITAN

Multigrade Diesel Oil

API CJ-4

ACEA E9/E11

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TITAN is multigrade diesel engine oil blended with premium quality of base stock and advanced additive technology. TITAN is specifically formulated for luxury diesel cars and modern heavy duty diesel vehicles. TITAN is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TITAN 20W/50 is specially formulated with SPEED ENHANCER TECHNOLOGY with best engine protection from MICRO FRICTION and VARNISH FORMATIONS.



10W/30

DURAMAX

Synthetic Diesel Oil

API CI-4 PLUS

ACEA E4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

DURAMAX is synthetic diesel engine oil blended with premium quality base stock and advanced additive technology. DURAMAX is formulated explicitly for light-duty diesel engines and modern heavy-duty diesel vehicles. DURAMAX is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 DURAMAX 10W/30 is specially formulated with LONG DRAIN INTERVAL TECHNOLOGY with the best engine protection from CARBON DEPOSIT. It is complying with ACEA – E4.



10W/40

DURAMAX

Synthetic Diesel Oil
API CI-4 PLUS
ACEA E4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

DURAMAX is synthetic diesel engine oil blended with premium base stock quality and advanced additive technology. DURAMAX is formulated explicitly for light-duty diesel engines and modern heavy-duty diesel vehicles. DURAMAX is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 DURAMAX 10W/40 is specially formulated with LONG DRAIN INTERVAL TECHNOLOGY with the best engine protection from CARBON DEPOSIT. It is complying with ACEA – E4.



10W/50

DURAMAX

Synthetic Diesel Oil
API CI-4 PLUS
ACEA E4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

DURAMAX is synthetic diesel engine oil blended with premium base stock quality and advanced additive technology. DURAMAX is formulated explicitly for light-duty diesel engines and modern heavy-duty diesel vehicles. DURAMAX is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 DURAMAX 10W/50 is specially formulated with LONG DRAIN INTERVAL TECHNOLOGY with the best engine protection from CARBON DEPOSIT. It is complying with ACEA – E4.



15W/40

DURAMAX

Multigrade Diesel Oil
API CI-4 PLUS
ACEA E4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

DURAMAX is multigrade diesel engine oil blended with premium base stock quality and advanced additive technology. DURAMAX is formulated explicitly for light-duty diesel engines and modern heavy-duty diesel vehicles. DURAMAX is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 DURAMAX 15W/40 is specially formulated with LONG DRAIN INTERVAL TECHNOLOGY with the best engine protection from CARBON DEPOSIT. It is complying with ACEA – E4.



20W/50

DURAMAX

Multigrade Diesel Oil
API CI-4 PLUS
ACEA E4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

DURAMAX is multigrade diesel engine oil blended with premium base stock quality and advanced additive technology. DURAMAX is formulated explicitly for light-duty diesel engines and modern heavy-duty diesel vehicles. DURAMAX is the optimal choice for hi-tech diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 DURAMAX 20W/50 is specially formulated with LONG DRAIN INTERVAL TECHNOLOGY with the best engine protection from CARBON DEPOSIT. It is complying with ACEA – E4.



10W/30

TURBOMAX

Synthetic Diesel Oil
API CI-4
ACEA E7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TURBOMAX is a synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. TURBOMAX is specifically formulated for light duty diesel engines and modern heavy duty diesel vehicles. TURBOMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TURBOMAX 10W/30 is specially formulated with SLUDGE CONTROL TECHNOLOGY with best engine protection from CARBON DEPOSIT and SOOTS. It is complying with ACEA – E7.



10W/40

TURBOMAX

Synthetic Diesel Oil

API CI-4

ACEA E7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TURBOMAX is a synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. TURBOMAX is specifically formulated for light duty diesel engines and modern heavy duty diesel vehicles. TURBOMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TURBOMAX 10W/40 is specially formulated with SLUDGE CONTROL TECHNOLOGY with best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E7.



10W/50

TURBOMAX

Synthetic Diesel Oil

API CI-4

ACEA E7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TURBOMAX is a synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. TURBOMAX is specifically formulated for light duty diesel engines and modern heavy duty diesel vehicles. TURBOMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TURBOMAX 10W/50 is specially formulated with SLUDGE CONTROL TECHNOLOGY with best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E7.



15W/40

TURBOMAX

Multigrade Diesel Oil

API CI-4

ACEA E7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TURBOMAX is a multigrade diesel engine oil blended with premium quality of base stock and advanced additive technology. TURBOMAX is specifically formulated for light duty diesel engines and modern heavy duty diesel vehicles. TURBOMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TURBOMAX 15W/40 is specially formulated with SLUDGE CONTROL TECHNOLOGY with best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E7.



20W/50

TURBOMAX

Multigrade Diesel Oil

API CI-4

ACEA E7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TURBOMAX is a multigrade diesel engine oil blended with premium quality of base stock and advanced additive technology. TURBOMAX is specifically formulated for light duty diesel engines and modern heavy duty diesel vehicles. TURBOMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 TURBOMAX 20W/50 is specially formulated with SLUDGE CONTROL TECHNOLOGY with best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E7.



10W/30

SUPERMAX

Synthetic Diesel Oil

API CH-4

ACEA E5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

SUPERMAX is synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. SUPERMAX is specifically formulated for light duty diesel and heavy duty diesel vehicles. SUPERMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 SUPERMAX 10W/30 is specially formulated with EXTREM PRESSURE TECHNOLOGY with best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E5.



10W/40

SUPERMAX

Synthetic Diesel Oil
API CH-4
ACEA E5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

SUPERMAX is synthetic diesel engine oil blended with premium quality of base stock and advanced additive technology. SUPERMAX is specifically formulated for light duty diesel and heavy duty diesel vehicles. SUPERMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 SUPERMAX 10W/40 is specially formulated with EXTREM PRESSURE TECHNOLOGY with best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E5.



15W/40

SUPERMAX

Multigrade Diesel Oil
API CH-4
ACEA E5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

SUPERMAX is multigrade diesel engine oil blended with premium quality of base stock and advanced additive technology. SUPERMAX is specifically formulated for light duty diesel and heavy duty diesel vehicles. SUPERMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 SUPERMAX 15W/40 is specially formulated with EXTREM PRESSURE TECHNOLOGY with best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E5.



20W/50

SUPERMAX

Multigrade Diesel Oil
API CH-4
ACEA E5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

SUPERMAX is a multigrade diesel engine oil blended with premium quality base stock and advanced additive technology. SUPERMAX is specifically formulated for light-duty diesel and heavy-duty diesel vehicles. SUPERMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 SUPERMAX 20W/50 is specially formulated with EXTREM PRESSURE TECHNOLOGY with the best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E5.



SAE 40

SUPERMAX

Monograde Diesel Oil
API CH-4
ACEA E5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

SUPERMAX is a Monograde diesel engine oil blended with premium quality base stock and advanced additive technology. SUPERMAX is specifically formulated for light-duty diesel and heavy-duty diesel vehicles. SUPERMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 SUPERMAX SAE 40 is specially formulated with EXTREM PRESSURE TECHNOLOGY with the best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E5.



SAE 50

SUPERMAX

Monograde Diesel Oil
API CH-4
ACEA E5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

SUPERMAX is a Monograde diesel engine oil blended with premium quality base stock and advanced additive technology. SUPERMAX is specifically formulated for light-duty diesel and heavy-duty diesel vehicles. SUPERMAX is the optimal choice for modern diesel engines for superior performance in all moderate conditions. This oil meets or surpasses the industry's most stringent standards and outperforms conventional oils. V8 SUPERMAX SAE 50 is specially formulated with EXTREM PRESSURE TECHNOLOGY with the best engine protection from CARBON DEPOSITE and SOOTS. It is complying with ACEA – E5.

HYDRAULIC OIL



ISO 10 SOFT PRO

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants ISO 10 is an advanced hydraulic oil with good anti-wear properties, providing protection in the most demanding of systems while still meeting ISO standards for hydraulic oil. This hydraulic fluid is rust, corrosion, and oxidation inhibited. Additionally, it contains an effective anti-foam additive to control foam and facilitate the rapid release of entrained air, therefore maximizing hydraulic system efficiency.



ISO 32 SOFT PRO

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants ISO 32 is an advanced hydraulic oil with good anti-wear properties providing protection in the most demanding of systems while still meeting ISO standards for hydraulic oil. This hydraulic fluid is rust, corrosion, and oxidation inhibited. Additionally, it contains an effective anti-foam additive to control foam and facilitates the rapid release of entrained air, therefore maximizing hydraulic system efficiency.



ISO 37 SOFT PRO

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants ISO 37 is an advanced hydraulic oil with good anti-wear properties, providing protection in the most demanding of systems while still meeting ISO standards for hydraulic oil. This hydraulic fluid is rust, corrosion, and oxidation inhibited. Additionally, it contains an effective anti-foam additive to control foam and facilitate the rapid release of entrained air, therefore maximizing hydraulic system efficiency.



ISO 46 SOFT PRO

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants ISO 46 is an advanced hydraulic oil with good anti-wear properties, providing protection in the most demanding systems while still meeting ISO standards for hydraulic oil. This hydraulic fluid inhibits rust, corrosion, and oxidation. Additionally, it contains an effective anti-foam additive to control foam and facilitate the rapid release of entrapped air, thereby maximizing hydraulic system efficiency.



ISO 68 SOFT PRO

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants ISO 68 is an advanced hydraulic oil with good anti-wear properties, providing protection in the most demanding of systems while still meeting ISO standards for hydraulic oil. This hydraulic fluid is rust, corrosion, and oxidation inhibited. Additionally, it contains an effective anti-foam additive to control foam and facilitate the rapid release of entrained air, therefore maximizing hydraulic system efficiency.



ISO 46

Compressor Oil

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Chevrotech Synthetic Compressor Oil ISO 46 uses synthetic base oils combined with advanced non-detergent chemistry specifically designed for high performance and protection in rotary screw air compressors. Excellent foam suppression properties improve film strength and heat transfer from metal surfaces. Readily separates from condensate moisture for easy draining and removal. Advanced anti-corrosion and anti-oxidation inhibitors minimize the build-up of varnish and carbon while protecting metals from rust and corrosion.





ISO 68

Compressor Oil

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 Chevrotech Synthetic Compressor Oil ISO 68 uses synthetic base oils combined with advanced non-detergent chemistry specifically designed for high performance and protection in rotary screw air compressors. Excellent foam suppression properties improve film strength and heat transfer from metal surfaces. Readily separates from condensate moisture for easy draining and removal. Advanced anti-corrosion and anti-oxidation inhibitors minimize the build up of varnish and carbon while protecting metals from rust and corrosion.





2T SUPER

2-Stroke Synthetic Motor Oil
API TC/NMMA TC-W3

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 2-stroke TC-W3 is an oil for water-cooled 2-stroke outboard engines meeting the NMMA-TC-W3. Its ashless composition prevents the formation of deposits, pre-ignition, and spark plug fouling.



4T 5W/50

Fully Synthetic 4-Stroke Motor Oil
API SL JASO MA/MA2

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 4T 5W/50 is a fully synthetic motor oil designed specifically for four-stroke motorcycles. This oil provides excellent performance in both high and low temperatures, protecting the engine from wear, pollution, and deposits. This oil complies with API SN and JASO MA2 specifications, which are the highest quality standards for four-stroke engine oils.



10W/30 4T TECHPRO

Synthetic 4-Stroke Motor Oil
API SL JASO MA/MA2

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 10W30 4T is an advanced synthetic motorcycle oil designed to deliver outstanding engine protection and enhanced fuel economy. It meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's oil technology comes as standard equipment in many different motorcycles, including select high-performance models.



10W/40 4T TECHPRO

Synthetic 4-Stroke Motor Oil
API SN/JASO MA2

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants 10W/40 4T is an advanced synthetic motorcycle oil designed to help deliver outstanding engine protection and enhanced fuel economy. It meets or exceeds the requirements of the industry's toughest standards and outperforms conventional oils. V8's oil technology comes as standard equipment in many different motorcycles, including select high-performance motorcycles.



15W/50 4T POWERBIKE

4-Stroke Engines
Fully Synthetic Motorcycle Oil
API JASO MA/MA2

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

An innovative synthetic ester-containing engine oil for 4-stroke high-load engines of motorcycles, pit bikes, motards, etc. for off-road (enduro, motocross, trials, etc.) and highway (stuntriding, supermoto, etc.) driving under extreme loads. It was designed for guaranteed engine protection and gearbox durability.



20W/50 4T ACCEL

4-Stroke Motor Oil
API SN/JASO MA2

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 20W/50 4T is 4-stroke engine oil developed specifically to meet the special requirements of the latest high-performance air-cooled 4-stroke motorcycles. Formulated with premium quality base oil and a special type of additives to provide excellent protection to the engine, gearbox, and wet clutch used in 4-stroke motorcycles and ensures the highest degree of reliability even under severe operating conditions and temperatures.



TYPE A

AUTOMATIC TRANSMISSION FLUID

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 ATF TYPE A is an automatic transmission fluid that is developed according to the leading equipment manufacturers' specifications. It meets the requirements of GM Dexron II. It provides continuous and perfect power transmission in the torque converter. Its high viscosity-temperature behavior enables fast oil circulation at low temperatures and film strength at high temperatures.



DEX II

AUTOMATIC TRANSMISSION FLUID

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 ATF DEX II is an automatic transmission fluid that is developed according to the leading equipment manufacturers' specifications. It meets the requirements of GM Dexron II. It provides continuous and perfect power transmission in the torque converter. Its high viscosity-temperature behavior enables fast oil circulation at low temperatures and film strength at high temperatures.



DEX III

AUTOMATIC TRANSMISSION FLUID

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 ATF DEX III is an automatic transmission fluid that is developed according to the leading equipment manufacturers' specifications. It meets the requirements of GM Dexron III.



DEX IV

AUTOMATIC TRANSMISSION FLUID

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 ATF DEX IV is an automatic transmission fluid that is developed according to the leading equipment manufacturers' specifications. It meets the requirements of GM Dexron IV. It provides continuous and perfect power transmission in the torque converter. Its high viscosity-temperature behavior enables fast oil circulation at low temperatures and film strength at high temperatures.




CVTF METAL

CONTINUOUSLY VARIABLE TRANSMISSION FLUID

1L, 4L, 5L, 10L, 20L, 25L, 60L, 208L

Fully synthetic lubricant based on carefully selected high-quality base oils, designed for use in most CVT gearboxes. It is suitable for continuously variable transmissions using steel push belts or chains. It offers outstanding anti-wear protection and stable friction characteristics. Recommendations for use: recommended for use in a wide range of passenger car vehicles fitted with continuously variable transmissions. In particular, it can be used where any of the following specifications/OEM fluids is required. Do not use conventional stepped automatic transmissions, DCT (Dual Clutch Transmissions), or manual transmissions.



NS II METAL CONTINUOUSLY VARIABLE TRANSMISSION FLUID

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Transmission Fluid (gear) CVT NS2 Maintains transmission performance and extends its life, reduces friction, and provides reliable protection from corrosion, rust, and deposits.



NS III METAL CONTINUOUSLY VARIABLE TRANSMISSION FLUID

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Transmission Fluid (gear) CVT NS3 Maintains transmission performance and extends its life, reduces friction, and provides reliable protection from corrosion, rust, and deposits.



DEX-WS METAL AUTOMATIC TRANSMISSION FLUID

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

ATF DEX-WS is designed for automatic transmissions of vehicles, where the manufacturer recommends DEX-WS fluid. It has excellent anti-shudder durability, and meets international standards, and exceeds the requirements for automatic transmission fluids DEX-WS. The product color is red. V8 ATF DEX-WS meets or exceeds the requirements for cars for which DEX-WS fluids are recommended. It may also be used for other models where automatic transmission fluids D-II and D-III types are recommended.





75W/90

ROBUST

API GL-5/GL-4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 Robust SAE 75W/90 is a gear oil based on tried and tested transmission technology for vehicles. Even under the most challenging conditions and significant temperature fluctuations, it ensures the flawless operation of mechanical components. Maximum lubrication security and wear protection are achieved through its wide viscosity range. It reduces transmission noise and can provide excellent resistance to aging, with high-pressure absorption capability.



80W/90

ROBUST

API GL-5/GL-4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 Robust SAE 80W/90 is gear oil for vehicles with proven transmission technology. Even under the most challenging conditions and during significant temperature fluctuations, it ensures flawless operation of mechanical components. The highest lubrication security and maximum wear protection are achieved through its broad viscosity spectrum. It reduces transmission noise. It can provide excellent aging resistance and has high pressure-absorption capability.



85W/90

ROBUST

API GL-5/GL-4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 Robust SAE 85W/90 is gear oil for vehicles with proven transmission technology. Even under the most challenging conditions and during significant temperature fluctuations, it ensures flawless operation of mechanical components. Maximum lubrication security and maximum wear protection are achieved through its wide viscosity range. Reduces transmission noise. It can provide excellent resistance to aging and has high-pressure absorption capabilities.



85W/140

ROBUST

API GL-5/GL-4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 Robust SAE 85W/140 is gear oil for vehicles with proven transmission technology. Even under the most challenging conditions and during significant temperature fluctuations, it ensures flawless operation of mechanical components. Maximum lubrication security and maximum wear protection are achieved through its wide viscosity range. Reduces transmission noise. It can provide excellent resistance to aging and has high-pressure absorption capabilities.



SAE 90

ROBUST

API GL-5/GL-4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 Robust SAE 90 is a gear oil based on tried and tested transmission technology for vehicles. Even under the most difficult conditions and large temperature fluctuations, it ensures flawless mechanical component operation. Maximum lubrication security and wear protection are achieved through its wide viscosity range. It reduces transmission noise. It can provide excellent resistance to aging and has high pressure-absorption capability.



SAE 140


ROBUST

API GL-5/GL-4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 Robust SAE 140 is a gear oil based on tried and tested transmission technology for vehicles. Even under the most difficult conditions and large temperature fluctuations, it ensures flawless mechanical component operation. Maximum lubrication security and wear protection are achieved through its large viscosity bandwidth. It reduces transmission noise. It can provide excellent resistance to aging and has high pressure-absorption capability.

INDUSTRIAL GEAR OIL



ISO VG 68 INDUSTRIAL GEAR OIL

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Chevrotech Industrial Gear Oil is an oil specifically designed for the operation and protection of industrial gears, which operate under conditions of moderate to severe load, pressure, and temperature. V8 German Lubricants Chevrotech Industrial Gear Oil contains additives that improve its anti-wear, corrosion, anti-oxidation, anti-foaming, and anti-rust properties.



ISO VG 150 INDUSTRIAL GEAR OIL

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Chevrotech Industrial Gear Oil is an oil specifically designed for the operation and protection of industrial gears, which operate under conditions of moderate to severe load, pressure, and temperature. V8 German Lubricants Chevrotech Industrial Gear Oil contains additives that improve its anti-wear, corrosion, anti-oxidation, anti-foaming, and anti-rust properties.



ISO VG 220 INDUSTRIAL GEAR OIL

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Chevrotech Industrial Gear Oil is an oil specifically designed for the operation and protection of industrial gears, which operate under conditions of moderate to severe load, pressure, and temperature. V8 German Lubricants Chevrotech Industrial Gear Oil contains additives that improve its anti-wear, corrosion, anti-oxidation, anti-foaming, and anti-rust properties.



ISO VG 320 INDUSTRIAL GEAR OIL

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Chevrotech Industrial Gear Oil is an oil specifically designed for the operation and protection of industrial gears, which operate under conditions of moderate to severe load, pressure, and temperature. V8 German Lubricants Chevrotech Industrial Gear Oil contains additives that improve its anti-wear, corrosion, anti-oxidation, anti-foaming, and anti-rust properties.



ISO VG 460 INDUSTRIAL GEAR OIL

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Chevrotech Industrial Gear Oil is an oil specifically designed for the operation and protection of industrial gears, which operate under conditions of moderate to severe load, pressure, and temperature. V8 German Lubricants Chevrotech Industrial Gear Oil contains additives that improve its anti-wear, corrosion, anti-oxidation, anti-foaming, and anti-rust properties.



ISO VG 600 INDUSTRIAL GEAR OIL

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Chevrotech Industrial Gear Oil is an oil specifically designed for the operation and protection of industrial gears, which operate under conditions of moderate to severe load, pressure, and temperature. V8 German Lubricants Chevrotech Industrial Gear Oil contains additives that improve its anti-wear, corrosion, anti-oxidation, anti-foaming, and anti-rust properties.

TRANSMISSION OIL



10W/30

**TDTO-4 TRANSMISSION
DRIVE TRAIN OIL**

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TDTO-4 Transmission / Drive Train Oils are specialized, advanced fluids designed for the needs of heavy duty equipment systems in mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids are specified. These fluids provide excellent operating and maintenance benefits across a broad temperature range for increased efficiency, performance, and component protection. Transmission / Drive Train Oils are recommended for use in Caterpillar and other competitive brands of heavy duty off-road equipment in applications where fluids meeting TO-4 requirements are specified. Typical applications include, but are not limited to, powershift and hydrostatic transmissions, torque converters, wet brake mechanisms, differentials, final drives, and hydraulic systems. Other applications include manual transmissions where API GL-3 or Allison C-4 fluids are specified. limited to, powershift and hydrostatic transmissions, torque converters, wet brake mechanisms, differentials, final drives, and hydraulic systems.



SAE 50

**TDTO-4 TRANSMISSION
DRIVE TRAIN OIL**

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

TDTO-4 Transmission / Drive Train Oils are specialized, advanced fluids designed for the needs of heavy duty equipment systems in mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids are specified. These fluids provide excellent operating and maintenance benefits across a broad temperature range for increased efficiency, performance, and component protection. Transmission / Drive Train Oils are recommended for use in Caterpillar and other competitive brands of heavy duty off-road equipment in applications where fluids meeting TO-4 requirements are specified. Typical applications include, but are not limited to, powershift and hydrostatic transmissions, torque converters, wet brake mechanisms, differentials, final drives, and hydraulic systems. Other applications include manual transmissions where API GL-3 or Allison C-4 fluids are specified. limited to, powershift and hydrostatic transmissions, torque converters, wet brake mechanisms, differentials, final drives, and hydraulic systems.



BRAKE FLUID



DOT 3

HIGH PERFORMANCE

250ml, 500ml, 1L, 2L, 3L, 4L, 5L,
6L, 7L, 10L, 20L, 25L, 60L, 208L

DOT 3 is a high-performance hydraulic brake fluid. It is formulated based on polyglycol ether technology to provide the highest level of brake performance in modern as well as older model automotive vehicles. This fluid has wide system applicability and will maintain excellent lubricity characteristics and promote long braking system life. For use in all disc and drum hydraulically actuated brake systems, including ABS, where the use of brake fluid meeting DOT 3 is specified.



DOT 4

HIGH PERFORMANCE

250ml, 500ml, 1L, 2L, 3L, 4L, 5L,
6L, 7L, 10L, 20L, 25L, 60L, 208L

DOT 4 Brake Fluid is designed to deliver exceptional system protection and consistent performance characteristics. Its high typical DRY boiling point (ERBP) ensures the fluid is highly resistant to brake fade and performance loss even under hard braking conditions. This fluid has wide system applicability and will maintain excellent lubricity characteristics and promote long braking system life. For use in all disc and drum hydraulically actuated brake systems, including ABS, where the use of brake fluid meeting DOT 4 is specified.

WATER VEHICLE



2T

**WATER VEHICLE
NON-CATALYSER**

2-Stroke Outboard
Synthetic Motor Oil
API TC/NMMA TC-W3

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 2-stroke TC-W3 is an oil for water-cooled 2-stroke outboard engines meeting the NMMA-TC-W3. Its ashless composition prevents the formation of deposits, pre-ignition, and spark plug fouling.



4T 10W/40

WATER VEHICLE

Semi Synthetic
API SL/JASO MA-2

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German 4 Stroke 10W-40 API-SL Motor Oil is pure lubricants enriched with superior formula to increase engine efficiency, provides maximum lubrication and anti-corrosive for your outboards. It helps to protect important parts of your outboard engines and keep engine cleanliness optimum.

COMBINE



10W/30 UTTO

Tractor Gear Oil
API GL-4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

Multifunctional Universal Tractor Transmission Oil (U.T.T.O.) and hydraulic fluid. Its carefully elaborated formula makes it suitable for use in gearboxes, differential conic assemblies, power take-offs, hydraulic systems, wet brakes (synthesized or compound), clutches, and other ancillary devices fitted in tractors and off-road equipment. Excellent shear stability enhances the protection of all the lubricated parts, ensuring the right viscosity throughout its use, reducing unexpected shutdowns, and improving reliability and efficiency

CHAINSAW OIL



ISO VG 150 CHAINSAW OIL

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

These oils have been formulated for use in different types of chainsaws to lubricate parts subjected to violent movement. They include a special tacky additive to provide non-throw characteristics when lubricating chainsaw cutters, bars, and chains.

STOU MULTIFARM



10W/30 UNIVERSAL STOU MULTIFARM

Tractor Oil
API CG4/SF

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

This is a multipurpose tractor oil meeting all the requirements of the mechanical components of the major manufacturers including 'wet' brakes, hydraulics, gears, and transmissions. The product is developed and tested for the most arduous duties of modern agricultural machinery with the additive package not only approved against the world's two major STOU specifications, Ford and Massey Ferguson, but is also acknowledged by other leading manufacturers.




15W/40 UNIVERSAL STOU MULTIFARM

Multigrade Agricultural
Machinery Oil
API CG4/SF
ACEA E3

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 MULTI FARM TRACTOR OIL 15W40 is a high-quality universal synthetic-based oil, commonly referred to as "Super Tractor Oil Universal" (STOU). It has been developed for use in tractors, combines, harvesters, and off-road equipment equipped with or without turbocharged diesel engines. Super Tractor Oil Universal is also designed to lubricate the transmission, power take-off, final drive, hydraulic system, and oil-immersed "wet brakes." This product should not be used in diesel engines equipped with a Diesel Particle Filter (DPF).

COOLANT




COOLANT

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

High-performance long-life coolant based on advanced hybrid technology of organic acids and inorganic salts required for engines with wet liners. It's an exclusive formulation based on a unique blend of Nitrite & Molybdate with organic acids, providing protection against liner pitting and ensuring long-term performance. It ensures long-term protection against corrosion for all metallic surfaces (ferrous and non-ferrous) that form part of the engine cooling system.

ANTI-FREEZE



ANTI FREEZE

33/67 PREDILUTED
Summer Coolant Concentrate

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Anti-Freeze is a fluid used in car engines, radiators, and other heating systems to prevent freezing. It primarily consists of ethylene glycol along with various additives such as antifreeze agents, emulsifiers, and corrosion inhibitors. It is recommended to use this fluid instead of water in cold regions to prevent freezing in the cooling system.



ANTI FREEZE

50/50 PREDILUTED
Summer Coolant Concentrate

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Anti-Freeze is a fluid used in car engines, radiators, and other heating systems to prevent freezing. It primarily consists of ethylene glycol along with various additives such as antifreeze agents, emulsifiers, and corrosion inhibitors. It is recommended to use this fluid instead of water in cold regions to prevent freezing in the cooling system.




ANTI FREEZE

100% PREDILUTED
Summer Coolant Concentrate

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Anti-Freeze is a fluid used in car engines, radiators, and other heating systems to prevent freezing. It primarily consists of ethylene glycol along with various additives such as antifreeze agents, emulsifiers, and corrosion inhibitors. It is recommended to use this fluid instead of water in cold regions to prevent freezing in the cooling system.

GENERATOR OIL



15W/40

Synthetic Generator Diesel Oil
API CI-4
ACEA E7

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 Generator Top High Performance Diesel (THPD) lubricant oil designed to meet the requirements of the most demanding latest generation diesel engine, it is specially formulated for generator from hydrotreated base oil with advanced additives that offers great protection and can withstand extreme operating conditions. It exceeds traditional SHPD performance levels. A product specifically designed for the most modern mobile and stationary generator that require ACEA E7, API CI-4 lubricants.



20W/50

Synthetic Generator Motor Oil
API CH-4
ACEA E5

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 Generator Top High Performance Diesel (THPD) lubricant oil designed to meet the requirements of the most demanding latest generation diesel engine, it is specially formulated for generator from hydrotreated base oil with advanced additives that offers great protection and can withstand extreme operating conditions. It exceeds traditional SHPD performance levels. A product specifically designed for the most modern mobile and stationary generator that are operating at high temperature climate which require ACEA E5, API CH-4 lubricants.




SAE 40

UNIVERSAL
Generator Oil
API CI-4

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants SAE 40 Generator Oil is made from high-quality paraffinic base oils and advanced additives. These oils are engineered for performance and offer outstanding engine protection and performance characteristics in their service category. High detergency and anti-wear agents promote long engine and component life while minimizing downtime. A product specifically designed for old model mobile and stationary generators that require API CF lubricants.

TRANSFORMER OIL



TRANSFORMER OIL-INHIBITED HYDROTREATED NAPHTHENIC

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

V8 German Lubricants Transformer Oil is formulated with hydrotreated naphthenic base oils and an oxidation inhibitor to control sludge and deposit formation and provide extended service life compared with non-inhibited Type I transformer oils. It has a high dielectric strength and low power factor to provide excellent insulating properties. It has excellent low-temperature properties and is noncorrosive to copper and copper alloys. Designed for use as a high-performance transformer, switchgear, and circuit breaker oil that conforms to the international specification IEC60296:2012, inhibited oil.

SOLUBLE CUTTING OIL



CUTTING OIL WATER SOLUBLE CUTTING OIL EMULSION

1L, 2L, 3L, 4L, 5L, 6L, 7L, 10L, 20L, 25L, 60L, 208L

Soluble Cutting Oil is a multi-functional, emulsifiable cutting fluid. When mixed with water, this fluid forms a very stable, milky white emulsion, offering excellent cooling ability and the necessary lubricity and extreme pressure characteristics for effective machining operations. This fluid resists foaming, is inhibited with an effective anti-microbial biocide agent, and offers high reserve alkalinity for long service life. Such a fluid can satisfy up to 80% of all general machining requirements.



OCTANE BOOSTER

355ml

Multigrade synthetic engine oil for modern petrol engines. It has optimal viscosity at wide ranging temperatures. Effectively prevents from wear-out and provides extreme cleanliness of the engine components. Used in the engine with prolonged oil change interval (long life) and without.



OCTANE BOOSTER

300ml

Multigrade synthetic engine oil for modern petrol engines. It has optimal viscosity at wide ranging temperatures. Effectively prevents from wear-out and provides extreme cleanliness of the engine components. Used in the engine with prolonged oil change interval (long life) and without.



MOTOR FLUSH

450 ml

MOTOR FLUSH from V8 German Lubricants is used for the removal of road glial, scaling, coke, and other sediments in the engine oil. It enhances lubrication, reduces friction, restores internal engine sealing apron, flexibility, and improves sealing pad properties. A good partner to delay wear and increase engine oil life.



FUEL INJECTION CLEANER

300ml

FUEL INJECTION CLEANER from V8 German Lubricants removes and prevents scale deposits in fuel spray valves, intake valves, ignition plugs, and combustion chambers. It maintains the gasoline injection system, protects the oil supply system from corrosion, and enhances oil intake and compression. It optimizes AU value and motor power, reducing motor oil consumption and harmful substance emissions. Suitable for all gasoline engines with a tank capacity of 70 kl fuel, providing effectiveness for up to 2000 km.



GASKET MAKER

85g

V8 German lubricants RTV SILICON 999 Gasket Maker is a one-part component, resisting cracking, shrinkage, and movement caused by heat cycling. Withstands temperatures ranging from -80°F up to 500°F. Ideal for timing covers, valve covers, oil pans, and drag chainsaws.



OIL TREATMENT

443ml

CONCENTRATED OIL TREATMENT from V8 German Lubricants is a scientifically blended motor oil supplement, designed to give the highest level of performance and engine protection. Special chemical additives are used to provide TRIPLE WEAR PROTECTION and COMPLETELY ELIMINATE OIL FOAM, factors not usually found in products of this type.

GREASE



GREASE GOLDEN LITHIUM MP-3

1/2kg, 1kg, 15kg

V8 German Lubricants Lithium Grease is a premium quality Lithium Multipurpose Grease, made from high-quality mineral oil thickened with lithium soap and fortified with functional additives to impart oxidation and corrosion resistance. It is recommended for multipurpose applications, including high-performance wheel bearings, chassis points, water pump bearings. They are pumpable and can be dispensed by a greasing system. MP-3 Grease is recommended for all normal grease application areas.

BASE OIL



GROUP I

SN 150

SN 500

BS 150



GROUP II

N 110

N 150

N 220

N 500



GROUP III

2 CST

3 CST

4 CST

6 CST

8 CST





www.v8germanlubricants.com

   V8GermanLubricant