


# Eco 15

Single-sided textile frame

- NF-04150 / NF-04150PH
- NF-21150 / NF-21150PH
- NF-56150 / NF-56150PH
- Any colour possible

## Specifications

- ↔ 15 mm
- 📦 0.286 kilos/meter
- ↗ 6150 mm
- 💡 Unlit




## About the Eco 15

A budget profile for wall mounting. This widely applicable aluminium frame can be supplied in any size and colour.

## The advantages

- ✓ Most cost-effective wall profile
- ✓ Narrow side view
- ✓ Mounting with screw fastening
- ✓ Option: frame with punch holes



**Eco 15** Single-sided textile frame

# Mounting




## Wall-mounted

Wall mounted frames with just one textile.

---

## Diameter punch holes



5 mm

---

## Punch holes



### Without punch holes

Attach the frame to the wall with screw fastening or use wallmounts with a levelling screw.



### Pre-drilled

To simplify the installation, the frame can be supplied with pre-drilled holes, called punch holes. This makes the pre-drilled frame quicker to install.

# Recommended accessories

## Akoestiek



**Therm Acoustic**

FK-8930

## Locksets



**Lockset simple**

FK-0210



**Lockset simple with allen key**

FK-0218

## Extension sets



**Extension set  
Eco/Simple**

FK-0510