


# Slim 25

Single-sided textile frame

- NF-04250 / NF-04250PH
- NF-21250 / NF-21250PH
- NF-56250 / NF-56250PH
- Any colour possible

## Specifications

- ↔ 25 mm
- 📦 0.476 kilos/meter
- ↗ 6150 mm
- 💡 Unlit



## About the Slim 25

The Slim 25 is a cost-effective and sturdy single-sided profile. The profile is also available pre-drilled, with holes every 40 cm, making it possible to attach it directly to the wall.

## The advantages

- ✓ Sturdy profile
- ✓ Two mounting options
- ✓ Three standard colours
- ✓ Option: frame with punch holes



**Slim 25** Single-sided textile frame

# Mounting



## Wall-mounted

Wall mounted frames with just one textile.

---

# Stabilizers



## Stabilizers

In order to guarantee the stability of the frame, stabilizers must be placed in the frame. This way the construction is sturdy.

---

# Punch holes



## Without punch holes

Attach the frame to the wall with screw fastening or use wallmounts with a levelling screw.



## Pre-drilled

To simplify the installation, the frame can be supplied with pre-drilled holes, called punch holes. This makes the pre-drilled frame quicker to install.

# Recommended accessories

## Akoestiek



**Therm Acoustic**  
FK-8930



**Everuse**  
FK-8933

## Wall mounts



**Wall mount simple**  
FK-0400



**Wall mount heavy**  
FK-0410

## Ceiling mounts



**Ceiling mount slim**  
FK-0420



**Ceiling mount slim suspension**  
FK-0422

## Locksets



**Lockset simple large single plate**  
FK-0214



**Lockset stabilizer**  
FK-0220



**Lockset stabilizer 45°**  
FK-0222

## Extension sets



### Extension set Eco/Simple

FK-0510

## Stabilizers



### Stabilizer 43

NF-04438