

Load Cells Price List 2026

SS7110 Single Ended Beam Load cell


- * Shear Beam load cell includes feet and plate
- * Cap.: 200lb~20klb(100kg ~ 10t)
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7110 -0.1~0.25 t	Cap.: 100/250 kg	20'(6m)	Alloy steel	40
2	SS7110 -0.5~2.5 t (SE)	Cap.: 0.5/1/1.5/2/2.5 t	20'(6m)	Alloy steel	36
3	SS7110 -2.5 (LE) ~5 t	Cap.: 2.5/3/5 t	20'(6m)	Alloy steel	60
4	SS7110 -7.5~10 t	Cap.: 7.5/10 t	20'(6m)	Alloy steel	110
5	SS7110 -0.25~0.5 klb	Cap.: 250 / 500 lb	20'(6m)	Alloy steel	40
6	SS7110 -1~5klb(SE)	Cap.: 1/1.5/2.5/4/5 klb	20'(6m)	Alloy steel	36
7	SS7110 -5 (LE) ~10 klb	Cap.: 5/10 klb (2.5/5 t)	20'(6m)	Alloy steel	60
8	SS7110 -15/20 klb	Cap.: 15/20klb (7.5/10 t)	20'(6m)	Alloy steel	110
9	SS7110 -SS-0.1~0.25t	Cap.: 100/250 kg	20'(6m)	Stainless	72
10	SS7110 -SS-0.5~2.5t(SE)	Cap.: 0.5/1/1.5/2/2.5 t	20'(6m)	Stainless	72
11	SS7110 -SS-2.5(LE)~5 t	Cap.: 2.5/3/5 t	20'(6m)	Stainless	136
12	SS7110 -SS-0.25~0.5klb	Cap.: 250 / 500 lb	20'(6m)	Stainless	72
13	SS7110 -SS-1~5klb(SE)	Cap.: 1/1.5/2.5/4/5 klb	20'(6m)	Stainless	72
14	SS7110 -SS-5 (LE) ~10klb	Cap.: 5/10 klb	20'(6m)	Stainless	136

SS7110F Single Ended Beam Load cell

- * Single Ended Beam load cell
- * Cap.: 500lb~20klb(1 ~ 5t)
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7110F -0.25~5klb (SE)	Cap.: 0.25/0.5/1/1.5/2/2.5/5000 lb (0.1/0.25/1/1.5/2/2.5 t)	20'(6m)	Alloy steel	50
2	SS7110F -5 (LE) ~10 klb	Cap.: 5/10 klb (2.5/5 t)	20'(6m)	Alloy steel	80

SS7110H Single Ended Beam load cell

- * Single Ended Beam load cell
- * Cap.: 0.5t~3t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7110H -0.5~1t (SE)	Cap.: 0.5/1t	10'(3m)	Alloy steel	44
2	SS7110H -1/2/2.5/3t	Cap.: 1/2/2.5/3t	10'(3m)	Alloy steel	40

SS7110L

- * Single Ended Beam load cell
- * Cap.: 0.5t~20t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7110L -A-0.5/1/2/3-C3	Cap.: 0.5/1/2/3t	20'(6m)	Alloy steel	60
2	SS7110L -A-5/7.5-C3	Cap.: 5/7.5t	20'(6m)	Alloy steel	72
3	SS7110L -A-10-C3	Cap.: 10t	20'(6m)	Alloy steel	124
4	SS7110L -A-15/20-C3	Cap.: 15/20t	40'(12m)	Alloy steel	216
1	SS7110L -SS-0.5/1/2/3-C3	Cap.: 0.5/1/2/3t	20'(6m)	Stainless	136
2	SS7110L -SS-5/7.5-C3	Cap.: 5/7.5t	20'(6m)	Stainless	196
3	SS7110L -SS-10-C3	Cap.: 10t	20'(6m)	Stainless	530
4	SS7110L -SS-15/20-C3	Cap.: 15/20t	40'(12m)	Stainless	990

SS7120

- * Single Ended Beam load cell
- * Cap.: 5~500 kg
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7120 -5/10-C3	Cap.:5/10 kg	10'(3m)	Alloy steel	142
2	SS7120 -20~500-C3	Cap.: 20~500kg	10'(3m)	Alloy steel	124
3	SS7120 -SS-5/10-C3	Cap.: 5/10 kg	10'(3m)	Stainless	212
4	SS7120 -SS-20~500-C3	Cap.:20~500kg	10'(3m)	Stainless	196

SS7130

- * Compression Load cell
- * Cap.: 1~150t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7130 -1~4.7t-D1	Cap.: 1/2.2/3.3/4.7t	20'(6m)	Alloy steel	140
2	SS7130 -10~22t-D1	Cap.: 10/15/22t	40'(12m)	Alloy steel	170
3	SS7130 -33t-D1	Cap.: 33t	40'(12m)	Alloy steel	210
4	SS7130 -47t-D1	Cap.: 47t	40'(12m)	Alloy steel	250
5	SS7130 -68t-D1	Cap.: 68t	40'(12m)	Alloy steel	270
6	SS7130 -100t-D1	Cap.: 100t	60'(18m)	Alloy steel	410
7	SS7130 -150t-D1	Cap.: 150t	60'(18m)	Alloy steel	460
8	SS7130 -SS-1~4.7t-D1	Cap.: 1/2.2/3.3/4.7t	20'(6m)	Stainless	196
9	SS7130 -SS-10~22t-D1	Cap.: 10/15/22t	40'(12m)	Stainless	260
10	SS7130 -SS-33t-D1	Cap.: 33t	40'(12m)	Stainless	340
11	SS7130 -SS-47t-D1	Cap.: 47t	40'(12m)	Stainless	450
12	SS7130 -SS-68t-D1	Cap.: 68t	40'(12m)	Stainless	540
13	SS7130 -SS-100t-D1	Cap.: 100t	60'(18m)	Stainless	620
14	SS7130 -SS-150t-D1	Cap.: 150t	60'(18m)	Stainless	700

SS7131

- * Compression Load cell
- * Cap.: 2~100t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7131 -2~5t	Cap.: 2/3/5t	40'(12m)	Alloy steel	216
2	SS7131 -10~50t	Cap.: 10/15/20/25/30/40/50t	40'(12m)	Alloy steel	216
3	SS7131 -SS -2~5t	Cap.: 2/3/5t	40'(12m)	Stainless	450
4	SS7131 -SS -10~50t	Cap.: 10/15/20/25/30/40/50t	40'(12m)	Stainless	490
Remark: Alloy steel accessories(base, cup, rubber ring)\$25; Stainless steel accessories(base, cup, rubber ring)\$60					

SS7132

- * Compression Load cell
- * Cap.: 0.5~5t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7132 -0.5~5t	Cap.: 0.5/1/2/3/5T	10'(3m)	Alloy steel	130
2	SS7132 -SS-0.5~5t	Cap.: 0.5/1/2/3/5T	10'(3m)	Stainless	240

SS7133D

- * Compression Load cell
- * Cap.: 0.25~100t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7133D -0.25~10t	Cap.: 0.25/0.5/1/2.5/5/7.5/10t	20'(6m)	Alloy steel	64
2	SS7133D -15t	Cap.: 15t	40'(12m)	Alloy steel	136
3	SS7133D -30t	Cap.: 30t	40'(12m)	Alloy steel	216
4	SS7133D -50~100t	Cap.: 50~100t	40'(12m)	Alloy steel	360
5	SS7133 -SS-0.25~10t	Cap.: 0.25/0.5/1/2.5/5/7.5/10t	20'(6m)	Stainless	190
6	SS7133 -SS-15t	Cap.: 15t	40'(12m)	Stainless	320
7	SS7133 -SS-30t	Cap.: 30t	40'(12m)	Stainless	510
8	SS7133 -SS-50~100t	Cap.: 50~100t	40'(12m)	Stainless	950

SS7133N

- * Compression Load cell
- * Cap.: 200~5000LB
- * Construction: Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7133N -200~2000LB	Cap.: 200/500/1000/2000LB	10'(3m)	Stainless	72
2	SS7133N -3000~5000LB	Cap.: 3000/5000LB	10'(3m)	Stainless	110

SS7134

- * Compression Load cell
- * Cap.: 10~60t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7134 -10~50t-C3	Cap.: 10/20/30/40/50t	40'(12m)	Alloy steel	130
2	SS7134 -60t-C3	Cap.: 60t	40'(12m)	Alloy steel	160
3	SS7134 -SS-10~50t-C3	Cap.: 10/20/30/40/50t	40'(12m)	Stainless	270
4	SS7134 -SS-60t-C3	Cap.: 60t	40'(12m)	Stainless	350

SS7135

- * Compression Load cell
- * Cap.: 10~40t
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7135 -10t	Cap.: 10t, With cup & steel ball	40'(12m)	Alloy steel	320
2	SS7135 -20~25t	Cap.: 20/25t, With cup & steel ball	40'(12m)	Alloy steel	340
3	SS7135 -30t	Cap.: 30t, With cup & steel ball	40'(12m)	Alloy steel	380
4	SS7135 -40t	Cap.: 40t, With cup & steel ball	40'(12m)	Alloy steel	410

SS7136

- * Compression Load cell
- * Cap.: 20~300t
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7136 -20t	Cap.: 20t	40'(12m)	Alloy steel	310
2	SS7136 -25~40t	Cap.: 25/30/40t	40'(12m)	Alloy steel	410
3	SS7136 -50~60t	Cap.: 50/60t	60'(18m)	Alloy steel	430
4	SS7136 -70t	Cap.: 70t	60'(18m)	Alloy steel	480
5	SS7136 -100~150t	Cap.: 100/150t	60'(18m)	Alloy steel	680
6	SS7136 -200t	Cap.: 200t	70'(21m)	Alloy steel	1600
7	SS7136 -300~400t	Cap.: 300/400t	70'(21m)	Alloy steel	1700

SS7137

- * Compression Load cell
- * Cap.: 10~50t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7137 -10~50t-D1	Cap.: 10/20/30/40/50t	60'(18m)	Alloy steel	180
2	SS7137 -SS- 10~50t-D1	Cap.: 10/20/30/40/50t	60'(18m)	Stainless	284

SS7138

- * Compression Load cell
- * Cap.: 50~120klb
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7138 -50~120KLB	Cap.: 50/100/120KLB	60'(18m)	Alloy steel	360
2	SS7138 -SS- 50~120KLB	Cap.: 50/100/120KLB	60'(18m)	Stainless	640

SS7139

- * Compression Load cell
- * Cap.: 50~100klb
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7139 -50/100klb	Cap.: 50/100klb	60'(18m)	Alloy Steel	310
2	SS7139 -SS- 50/100klb	Cap.: 50/100klb	60'(18m)	Stainless	536

SS7139A

- * Compression Load cell
- * Cap.: 7.5~300t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7139A -7.5~22.5t	Cap.: 7.5/15/22.5t	40'(12m)	Alloy steel	290
2	SS7139A -30t	Cap.: 30t	60'(18m)	Alloy steel	330
3	SS7139A -40t	Cap.: 40t	60'(18m)	Alloy steel	350
4	SS7139A -50t	Cap.: 50t	60'(18m)	Alloy steel	410
5	SS7139 -100t	Cap.: 100t	60'(18m)	Alloy steel	670
6	SS7139 -150t	Cap.: 150t	60'(18m)	Alloy steel	930
7	SS7139 -300t	Cap.: 300t	60'(18m)	Alloy steel	1300

SS7140

- * S-Beam Load cell
- * Cap.: 20kg~10t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7140 -20~150KG-C3	Cap.: 20/30/50/75/100/150kg	20'(6m)	Alloy Steel	52
2	SS7140 -200~500KG-C3	Cap.: 200/250/300/500kg	20'(6m)	Alloy Steel	60
3	SS7140 -700~1000KG-C3	Cap.: 700/1000kg	20'(6m)	Alloy Steel	64
4	SS7140 -1.2~1.5T-C3	Cap.: 1.2/1.5t	20'(6m)	Alloy Steel	70
5	SS7140 -2~5T-C4	Cap.: 2/2.5/3/5t	20'(6m)	Alloy Steel	84
6	SS7140 -7.5T-C3	Cap.: 7.5t	40'(12m)	Alloy Steel	130
7	SS7140 -10T-C3	Cap.: 10t	40'(12m)	Alloy Steel	144
8	SS7140 -SS-20~150KG-C3	Cap.: 20/30/50/75/100/150kg	20'(6m)	Stainless	90
9	SS7140 -SS-200~500KG-C3	Cap.: 200/250/300/500kg	20'(6m)	Stainless	136
10	SS7140 -SS-700~1000KG-C3	Cap.: 700/1000kg	20'(6m)	Stainless	144
11	SS7140 -SS-1.2~5T-C3	Cap.: 1.2/1.5/2/2.5/3/5T	20'(6m)	Stainless	154
12	SS7140 -SS-7.5T-C3	Cap.: 7.5T	20'(6m)	Stainless	210
13	SS7140 -SS-10T-C3	Cap.: 10T	40'(12m)	Stainless	232

SS7141Y


- * S-Beam Load cell
- * Cap.: 50lb~20klb
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7141Y -50~200lb	Cap.: 50/100/200lb	20'(6m)	Alloy Steel	52
2	SS7141Y -250~300lb	Cap.: 250/300lb	20'(6m)	Alloy Steel	56
3	SS7141Y -500~1500lb	Cap.: 500/1000/1500lb	20'(6m)	Alloy Steel	60
4	SS7141Y -2~3klb	Cap.: 2/3klb	20'(6m)	Alloy Steel	64
5	SS7141Y -5~10klb	Cap.: 5/10klb	20'(6m)	Alloy Steel	72
6	SS7141Y -20klb	Cap.: 20klb	40'(12m)	Alloy Steel	110
8	SS7141Y -SS-50~200lb	Cap.: 50/100/200lb	20'(6m)	Stainless	90
9	SS7141Y -SS-250~300lb	Cap.: 250/300lb	20'(6m)	Stainless	94
10	SS7141Y -SS-500~1500lb	Cap.: 500/1000/1500lb	20'(6m)	Stainless	100
11	SS7141Y -SS-2~3klb	Cap.: 2/3klb	20'(6m)	Stainless	124
12	SS7141Y -SS-5~10klb	Cap.: 5/10klb	20'(6m)	Stainless	144
13	SS7141Y -SS-20klb	Cap.: 20klb	40'(12m)	Stainless	216

SS7142B

- * TENSION Load cell
- * Cap.: 1~20t
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7142B -1~3t	Cap.: 1/2/3t	20'(6m)	Alloy Steel	100
2	SS7142B -5t	Cap.: 5t	20'(6m)	Alloy Steel	116
3	SS7142B -10t	Cap.: 10t	20'(6m)	Alloy Steel	180
4	SS7142B -20t	Cap.: 20t	20'(6m)	Alloy Steel	498

SS7146

- * S-Beam Load cell
- * Cap.: 50kg~1000kg
- * Construction: Aluminum or Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7146 -50~300kg	Cap.: 50/100/150/200/300kg	20'(6m)	Aluminum	48
2	SS7146 -500~1000kg	Cap.: 500/750/1000kg	20'(6m)	Alloy steel	64

SS7147

- * Tension Load cell
- * Cap.: 25~250klb
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7147 -25klb	Cap.: 25klb	20'(6m)	Alloy Steel	190
2	SS7147 -50klb	Cap.: 50klb	40'(12m)	Alloy Steel	260
3	SS7147 -100klb	Cap.: 100klb	40'(12m)	Alloy Steel	420
4	SS7147 -150klb	Cap.: 150klb	60'(18m)	Alloy Steel	690
5	SS7147 -200klb	Cap.: 200klb	60'(18m)	Alloy Steel	1040
6	SS7147 -250klb	Cap.: 250klb	60'(18m)	Alloy Steel	1800

SS7150

- * Double Ended Load cell
- * Cap.: 10~40t
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7150 -10~40t	Cap.: 10/20/25/30/40 t	60'(18m)	Alloy Steel	130

SS7151


- * Double Ended Load cell
- * Cap.: 10~75klb
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7151 -10~25klb	Cap.: 10~25klb	40'(12m)	Alloy Steel	130
2	SS7151 -40klb	Cap.: 40klb	40'(12m)	Alloy Steel	166
3	SS7151 -50~75klb	Cap.: 50~75klb	60'(18m)	Alloy Steel	200

SS7251 Weigh module

- * Double Ended Load cell
- * Cap.: 10~75klb
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7251 -10~25klb	Cap.: 10~25klb	40'(12m)	Alloy Steel	300
2	SS7251 -40klb	Cap.: 40klb	40'(12m)	Alloy Steel	400
3	SS7251 -50~75klb	Cap.: 50~75klb	60'(18m)	Alloy Steel	510

SS7152

- * Double Ended Load cell
- * Cap.: 5~100klb
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7152 -5~10klb-C3	Cap.: 5/10klb	40'(12m)	Alloy Steel	180
2	SS7152 -20~25klb-C3	Cap.: 20/25klb	40'(12m)	Alloy Steel	190
3	SS7152 -30~75klb-C3	Cap.: 30/40/50/60/75klb	60'(18m)	Alloy Steel	200
4	SS7152 -100klb-C3	Cap.: 100klb	60'(18m)	Alloy Steel	290

SS7153

- * Double Ended Load cell
- * Cap.: 5~100klb
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7153 -5~100klb-C3	Cap.: 5/10/20/25/40/50/60/75/100klb	60'(18m)	Alloy Steel	250

SS7154

- * Double Ended Load cell
- * Cap.: 25~125klb
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7154 -25~50klb(SE)	Cap.: 25/40/50klb	40'(12m)	Alloy Steel	130
2	SS7154 -50~75klb	Cap.: 50/60/75klb	60'(18m)	Alloy Steel	236
3	SS7154 -100~125klb	Cap.: 100/125klb	60'(18m)	Alloy Steel	398

SS7155

- * Double Ended Load cell
- * Cap.: 1~50klb
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7155 -1~5klb-C3	Cap.: 1/2/2.5/3/5klb	40'(12m)	Alloy Steel	100
2	SS7155 -10~25klb-C3	Cap.: 10/25klb	40'(12m)	Alloy Steel	112
3	SS7155 -35klb-C3	Cap.: 35klb	40'(12m)	Alloy Steel	120
4	SS7155 -50klb-C3	Cap.: 50klb	40'(12m)	Alloy Steel	240

SS7255

- * Weigh module, LP7155 load cell
- * Cap.: 1~50klb
- * Construction: Alloy steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7255 -1~5klb	Cap.: 1/2/2.5/3/5klb	40'(12m)	Alloy Steel	300
2	SS7255 -10~25klb	Cap.: 10/25klb	40'(12m)	Alloy Steel	336
3	SS7255 -35klb	Cap.: 35klb	40'(12m)	Alloy Steel	360
4	SS7255 -50klb	Cap.: 50klb	40'(12m)	Alloy Steel	720

SS7160

- * Single Point Load cell
- * Cap.: 50~500kg
- * Construction: Aluminum, Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7160 -50~500kg	Cap.: 50/100/150/200/250/300/500kg	10'(3m)	Aluminum	26
2	SS7160 -A-50~5000kg	Cap.: 50/100/150/200/250/300/500kg	10'(3m)	Alloy steel	78
3	SS7160 -SS-50~500kg	Cap.: 50/100/150/200/250/300/500kg	10'(3m)	Stainless	138

SS7161

- * Single Point Load cell
- * Cap.: 50~750kg
- * Construction: Aluminum, Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7161 -50~750kg	Cap.: 50/100//150/200/250/300/500/ 600/750	10'(3m)	Aluminum	52
2	SS7161 -A-50~750KG	Cap.: 50/100//150/200/250/300/500/ 600/750	10'(3m)	Alloy steel	112
3	SS7161 -SS-50~750KG	Cap.: 50/100//150/200/250/300/500/ 600/750	10'(3m)	Stainless	240

SS7162

- * Single Point Load cell
- * Cap.: 50~2000kg
- * Construction: Aluminum, Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7162 -50~200kg	Cap.: 50/100/150/200kg	10'(3m)	Aluminum	90
2	SS7162 -250~750kg(SE)	Cap.: 250/500/750kg(SE)	10'(3m)	Aluminum	110
3	SS7162 -750~2000kg	Cap.: 750/1000/2000kg	10'(3m)	Aluminum	140
4	SS7162 -A-50~200kg	Cap.: 50/100/150/200kg	10'(3m)	Alloy steel	180
5	SS7162 -A-250~750kg(SE)	Cap.: 250/500/750kg(SE)	10'(3m)	Alloy steel	240
6	SS7162 -A-750~2000kg	Cap.: 750/1000/2000kg	10'(3m)	Alloy steel	350
7	SS7162 -SS-50~200kg	Cap.: 50/100/150/200kg	10'(3m)	Stainless	380
8	SS7162 -SS-250~750kg(SE)	Cap.: 250/500/750kg(SE)	10'(3m)	Stainless	510
9	SS7162 -SS-750~2000kg	Cap.: 750/1000/2000kg	10'(3m)	Stainless	840

SS7163

- * Single Point Load cell
- * Cap.: 10~200kg
- * Construction: Aluminum, Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7163 -10~200kg	Cap.: 10/15/20/30/50/75/100/125/150/200kg	10'(3m)	Aluminum	26
2	SS7163 -A-10~200kg	Cap.: 10/15/20/30/50/75/100/125/150/200kg	10'(3m)	Alloy Steel	60
3	SS7163 -SS-10~200kg	Cap.: 10/15/20/30/50/75/100/125/150/200kg	10'(3m)	Stainless	110

SS7164

- * Single Point Load cell
- * Cap.: 50~300kg
- * Construction: Aluminum, Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7164 -50~300kg	Cap.: 50/60/80/100/150/200/300kg	10'(3m)	Aluminum	24
2	SS7164 -A-50~300kg	Cap.: 50/60/80/100/150/200/300kg	10'(3m)	Alloy Steel	70
3	SS7164 -SS-50~300kg	Cap.: 50/60/80/100/150/200/300kg	10'(3m)	Stainless	120

SS7165


- * Single Point Load cell
- * Cap.: 50~500kg
- * Construction: Aluminum, Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7165 -50~500kg	Cap.: 50/60/80/100/150/200/300kg	10'(3m)	Aluminum	26
2	SS7165 -A-50~300kg	Cap.: 50/60/80/100/150/200/300kg	10'(3m)	Alloy Steel	78
3	SS7165 -SS-50~300kg	Cap.: 50/60/80/100/150/200/300kg	10'(3m)	Stainless	138

SS7166

- * Single Point Load cell
- * Cap.: 3~50kg
- * Construction: Aluminum, Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7166 -3~50kg	Cap.: 3/5/6/8/10/15/20/30/35/40/50kg	10'(3m)	Aluminum	16
2	SS7166 -A-3~50kg	Cap.: 3/5/6/8/10/15/20/30/35/40/50kg	10'(3m)	Alloy Steel	30
3	SS7166 -SS-3~50kg	Cap.: 3/5/6/8/10/15/20/30/35/40/50kg	10'(3m)	Stainless	70

SS7167

- * Single Point Load cell
- * Cap.: 50~750kg
- * Construction: Aluminum, Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7167 -50~635kg	Cap.: 50/75/100/150/200/250/300/500/635kg	10'(3m)	Aluminum	58
2	SS7167 -A-50~635kg	Cap.: 50/75/100/150/200/250/300/500/635kg	10'(3m)	Alloy Steel	120
3	SS7167 -SS-50~635kg	Cap.: 50/75/100/150/200/250/300/500/635kg	10'(3m)	Stainless	260

SS7210

- * Weigh module, LP7110A load cell
- * Cap.: 0.25~7.5t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7210 -0.25~2.5T	Cap.: 0.25~2.5T	20'(6m)	Alloy Steel	110
2	SS7210 -3~7.5T	Cap.: 3/5/7.5T	20'(6m)	Alloy Steel	160
3	SS7210 -SS-0.25~2.5T	Cap.: 0.25~2.5T	20'(6m)	Stainless	270
4	SS7210 -SS-3~7.5T	Cap.: 3/5/7.5T	20'(6m)	Stainless	430

SS7211

- * Weigh module, LP7110L load cell
- * Cap.: 0.5~10t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7211 -0.5~3T	Cap.: 0.5~3T	6*	Alloy Steel	126
2	SS7211 -5~7.5T	Cap.: 5/7.5T	6*	Alloy Steel	180
3	SS7211 -10T	Cap.: 10T	6*	Alloy Steel	320
4	SS7211 -SS-0.5~3T	Cap.: 0.5~3T	6*	Stainless	398
5	SS7211 -SS-5~7.5T	Cap.: 5/7.5T	6*	Stainless	676

SS7212

- * Weigh module, LP7110 load cell
- * Cap.: 200lb~20klb(100kg~10t)
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7212 -200~500lb SS7212 -100~250kg	Cap.: 200/500lb (100/250kg)	20'(6m)	Alloy Steel	116
2	SS7212 -1~5klb(SE) SS7212 -0.5t~2.5t(SE)	Cap.: 1/2.5/4/5klb (0.5/1/1.5/2.5t)	20'(6m)	Alloy Steel	112
3	SS7212 -5~10klb SS7212 -2.5t~5t	Cap.: 5/10klb (2.5/5t)	20'(6m)	Alloy Steel	196
4	SS7212 -15/50klb SS7212 -7.5t~10t	Cap.: 15/20klb (7.5/10t)	20'(6m)	Alloy Steel	320
5	SS7212 -SS-200~500lb SS7212 -SS-100~250kg	Cap.: 200/500lb (100/250kg)	20'(6m)	Stainless	290
6	SS7212 -SS-1~5klb(SE) SS7212 -SS-0.5t~2.5t(SE)	Cap.: 1/2.5/4/5klb (0.5/1/1.5/2.5t)	20'(6m)	Stainless	286
7	SS7212 -SS-5~10klb SS7212 -SS-2.5t~5t	Cap.: 5/10klb (2.5/5t)	20'(6m)	Stainless	490
8	SS7212 -SS-15/20klb SS7212 -SS-7.5t~10t	Cap.: 15/20klb (7.5/10t)	20'(6m)	Stainless	800

SS7220

- * Weigh module, LP7120 load cell
- * Cap.: 5~500 kg
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7220 -5~500kg	Cap.: 5~500kg	20'(6m)	Alloy Steel	214
2	SS7220 -SS-5~500kg	Cap.: 5~500kg	20'(6m)	Stainless	320

SS7231 称重模块

- * Weigh module, LP7131 load cell
- * Cap.: 5~50t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7231 -5~50t	Cap.: 5/10/20/30/50t	40'(12m)	Alloy Steel	460
2	SS7231 -SS-5~50t	Cap.: 5/10/20/30/50t	40'(12m)	Stainless	998

SS7234

- * Weigh module, LP7134 load cell
- * Cap.: 10~50t
- * Construction: Alloy steel or Stainless steel
- * Accuracy: Class III or C3



No	Ordering Number	Description	Cable Length	Material	LA Price (\$)
1	SS7234 -10~50t	Cap.: 10/20/30/40/50t	40'(12m)	Alloy Steel	460
2	SS7234 -SS-10~50t	Cap.: 10/20/30/40/50t	40'(12m)	Stainless	998