AGS 738 RR SOYBEANS



PLANT & AGRONOMIC CHARACTERISITICS

| Trait | Roundup Ready |
|--------------------|---------------|
| Relative Maturity | 7.3 |
| Emergence | Good |
| Lodging | Good |
| Shatter Resistance | Good |
| Plant Height | Tall |
| Plant Type | Erect |
| Growth Habit | Determinate |
| Flower Color | Purple |
| Pubescence | Tawny |
| Pod Color | Tan |
| Hilum Color | Black |
| Chloride | - |

DISEASE & PEST

| Iron Deficiency Cholorosis | - |
|------------------------------|-----------|
| Phytophthora Race | - |
| Phytophthora Field Tolerance | 7 |
| Brown Stem Rot | - |
| Sclerotinia White Mold | - |
| Sudden Death Syndrome (SDS) | 8 |
| Frogeye Leaf Spot | 6 |
| Stem Canker | 8 |
| Soybean Cyst Nematode | Resistant |
| Cyst Race 3 | 8 |
| Cyst Race 9 | 4 |
| Root Knot Nemotade: | Resistant |
| Southern | 8 |
| Peanut | 1 |
| Javanese | 8 |

Rating Scale: 9 = Excellent, 1= Poor -Testing Currently Underway

TRIAL RESULTS

- North Carolina statewide 3 year average #2 at 66.5 bushels per acre
- North Carolina 2017 statewide #10 at 73.1 bushels per acre
- South Carolina 2017 blackville dryland at 60.4 bushels per acre
- Tifton, Georgia 2 year average #7 at 55.5 bushels per acre