

### Roof Transition Component

#### DESCRIPTION

CANT STRIP/TAPERED EDGE is environmentally friendly and made of 100% recyclable material. It cuts with a knife and is lightweight.

#### USES

FIBERBOARD CANT STRIP provides excellent transition and sloping properties and is compatible with most conventional roof systems. (See membrane manufacturer for approval.) TAPERED EDGE is manufactured and machined for roof drainage and slope to prevent ponding water.

#### FEATURES/BENEFITS

- More durable than perlite.
- High R-value.
- Dimensionally stable.
- Environmentally friendly, 100 % recyclable.
- May contribute to LEED credits.
- Cuts with a knife; lightweight; contractor preferred.

#### APPLICATION

**CANT STRIP ...** Install for a sloping transition of horizontal to vertical surfaces.

**TAPERED EDGE ...** Elevate and slope roof for positive drainage. TAPERED EDGE can be installed on wood, metal, or concrete decks. TAPERED EDGE improves roof drainage, eliminating ponding water, and can be used on both new and re-roof projects.

#### LEED INFORMATION

May help contribute to LEED credits:

- MR Credit 4: Recycled Content
- MR Credit 5: Regional Materials
- MR Credit 6: Rapidly Renewable Materials
- IEQ Credit 4.4: Low-Emitting Materials – Composite Wood and Agrifiber Products

#### TECHNICAL DATA

Physical Property	Tested Value	Test Method
Water Absorption	≤10	ASTM C 209
Transverse Strength @ 1.5"	24 lbF	ASTM C 209
Tensile Strength (Perpendicular)	1000 lbF/ft. <sup>2</sup>	ASTM C 209
Density	14-16 PCF	ASTM D 1037
R-Value @ 1.5" Thickness	3.5 h-ft. <sup>2</sup> -°F/Btu	ASTM C 518

#### PACKAGING

##### FIBERBOARD CANT STRIP

##### 4' Strips

Strip Name	Bundle		Pallet	
	Pcs	LF	Bdl	LF
2 x 2 1 x 3 (#1)	48	192	24	4,608
3 x 3 common 1 1/2 x 4 (#2)	30	120	22	2,640
4 x 4 common 1 1/2 x 5 (#3)	18	72	22	1,584
4 x 4 1 1/2 x 5 3/8	30	120	18	2,160

##### FIBERBOARD EDGE STRIP

##### 4' Panels - Starting Height = 0"

Panel	Bundle		Pallet	
	Pcs	LF	Bdl	LF
1/2 x 6	72	288	14	4,032
1/2 x 12	36	144	14	2,016
3/4 x 12	28	112	10	1,120
3/4 x 24	18	72	10	720
1 x 6	40	160	20	3,200
1 x 12	28	112	10	1,120
1 x 24	18	72	10	720
1 1/2 x 6	56	224	10	2,240
1 1/2 x 12	12	48	10	480
1 1/2 x 24	12	48	10	480
2 x 12	20	80	10	800
2 x 24	8	32	10	320
3 x 24	6	24	10	240
4 x 24	6	24	10	240
5 x 24	4	16	10	160
6 x 24	4	16	10	160