





SLIDING WINDOW




SLIDING WINDOW


(S/W 1/2")
(SERIES -15 mm.)



SL. No.	Section No.	A	Weight kg/m
1	20969	0.80	0.233
2	20945	0.90	0.263
3	20581	1.10	0.344




SL. No.	Section No.	A	B	Weight kg/m
1	20868	20.50	0.70	0.220
2	20947	20.75	0.82	0.257
3	20584	20.75	1.10	0.335



SL. No.	Section No.	A	Weight kg/m
1	20624	1.20	0.353
2	20961	1.00	0.304


20946

0.238 kg/m




20618

0.980 kg/m




20625

0.488 kg/m




20626

0.567 kg/m




20951

0.297 kg/m




SLIDING WINDOW

(S/W 5/8")
(SERIES -15 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	20809	8.20	1.08	0.329
2	20597	7.80	1.60	0.485




SL. No.	Section No.	A	Weight kg/m
1	20810	1.07	0.369
2	20655	1.50	0.487



20671 0.699 kg/m



20672 0.594 kg/m




20690 0.366 kg/m




SL. No.	Section No.	A	Weight kg/m
1	20808	0.98	0.414
2	20664	1.30	0.562

20668 0.377 kg/m



20689 0.481 kg/m




SLIDING WINDOW

(S/W 5/8")
(SERIES -15 mm.)


20669

0.548 kg/m




20670

0.432 kg/m




20735

0.793 kg/m



20886


0.411 kg/m




SHUTTER SECTION

SLIDING WINDOW


(SERIES -18 mm.)



SL. No.	Section No.	A	Weight kg/m
1	20547	0.79	0.289
2	20807	0.91	0.325
3	20606	1.09	0.390
4	21455	1.19	0.418
5	20846	1.29	0.456
6	21449	1.42	0.494
7	20738	1.55	0.547
8	21515	2.00	0.696




SL. No.	Section No.	A	B	Weight kg/m
1	20687	43.00	1.30	0.424
2	20887	52.00	1.48	0.548



SL. No.	Section No.	A	B	Weight kg/m
1	20811	11.00	0.91	0.390
2	20963	11.00	1.13	0.488
3	20847	10.00	1.29	0.547
4	20652	11.00	1.30	0.547
4	20750	10.00	1.56	0.651


21545








0.677 kg/m



20577

0.522 kg/m




SHUTTER SECTION		SLIDING WINDOW		(SERIES -18 mm.)
20893	0.434 kg/m	20925	0.549 kg/m	
				
21430	0.307 kg/m	20739	0.909 kg/m	
				
20802	0.520 kg/m	S6415	0.695 kg/m	
				
G101484	0.608 kg/m			
				

SHUTTER SECTION

SLIDING WINDOW


(SERIES -18 mm.)



SL. No.	Section No.	A	Weight kg/m
1	20545	0.79	0.288
2	20805	0.91	0.325
3	20604	1.09	0.390
4	21585	1.19	0.418
5	20844	1.29	0.456
6	21448	1.42	0.494
7	20736	1.55	0.547
8	21513	2.00	0.695


21575

0.677 kg/m




20803

0.598 kg/m




20567

0.601 kg/m




20920

0.503 kg/m




21607

0.286 kg/m



21608

0.431 kg/m





SHUTTER SECTION SLIDING WINDOW (SERIES -18 mm.)

21649

0.828 kg/m

S4535

0.519 kg/m





20926

0.641 kg/m

20876

0.471 kg/m





21898

0.383 kg/m

21899

0.403 kg/m



MATCHING WITH 21902 & 21903



MATCHING WITH 21902 & 21903

G100796

0.518 kg/m

G100797


0.602 kg/m



INTERLOCK SECTION

SLIDING WINDOW


(SERIES -18 mm.)



SL. No.	Section No.	A	B	Weight kg/m
1	20546	8.34	0.80	0.346
2	20806	9.00	0.89	0.380
3	20605	8.70	1.00	0.440
4	21454	9.00	1.19	0.507
5	20845	9.00	1.29	0.547
6	20737	9.00	1.45	0.607


20804

0.626 kg/m




20576

0.663 kg/m




20892

0.527 kg/m




21494

0.426 kg/m




20924

0.683 kg/m



21303


0.586 kg/m



INTERLOCK SECTION **SLIDING WINDOW** (SERIES -18 mm.)


21302

0.457 kg/m




20686

0.558 kg/m




21514

0.817 kg/m




21552

0.798 kg/m




21429

0.378 kg/m



21900

0.392 kg/m




MATCHING SECTION WITH 21902 & 21903


TRACK SECTION

SLIDING WINDOW


(SERIES -18 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	20812	23.95	0.81	0.441
2	20966	23.85	1.00	0.543
3	20681	23.25	1.30	0.659
4	20829	22.70	1.50	0.784
5	21519	22.70	2.00	0.942



SL. No.	Section No.	A	B	Weight kg/m
1	20813	23.95	0.85	0.497
2	20956	23.85	1.05	0.613
3	20619	23.70	1.20	0.695
4	20830	22.70	1.50	0.909
5	21520	22.70	2.00	1.087



SL. No.	Section No.	A	B	Weight kg/m
1	20965	23.85	1.05	0.882
2	20657	23.45	1.30	1.055




SL. No.	Section No.	A	Weight kg/m
1	21452	1.30	1.017
2	21051	1.47	1.106


TRACK SECTION

SLIDING WINDOW





(SERIES -18 mm.)



SL. No.	Section No.	A	Weight kg/m
1	21453	1.30	0.923
2	20888	1.47	1.005



SL. No.	Section No.	A	B	Weight kg/m
1	20814	22.95	1.18	1.302
2	21031	22.95	1.30	1.441
3	20617	22.70	1.50	1.659
4	21518	22.70	2.00	2.040




TRACK SECTION

SLIDING WINDOW

(SERIES -18 mm.)

20702


1.284 kg/m




TRACK SECTION

SLIDING WINDOW


(SERIES -18 mm.)



SL. No.	Section No.	A	B	Weight kg/m
1	20816	23.60	0.95	0.683
2	20958	23.60	1.05	0.759
3	21447	23.60	1.20	0.856
4	20621	23.30	1.30	0.929
5	20831	22.70	1.50	1.060
6	21517	22.70	2.00	1.273




SL. No.	Section No.	A	B	Weight kg/m
1	20815	23.60	0.88	0.739
2	20957	23.60	1.10	0.911
3	21446	23.60	1.20	0.986
4	20620	23.30	1.30	1.065
5	20832	22.70	1.50	1.248
6	21516	22.70	2.00	1.490



SL. No.	Section No.	A	Weight kg/m
1	20817	1.10	0.976
2	20666	1.20	1.093


21431

0.813 kg/m



21645


1.033 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -18 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	20818	23.90	1.00	1.093
2	20706	23.90	1.10	1.205
3	20834	22.70	1.50	1.648
4	21521	22.70	2.00	1.964



SL. No.	Section No.	A	Weight kg/m
1	20833	1.50	1.398
2	21522	2.00	1.674


20667

1.148 kg/m



20635

1.130 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -18 mm.)


20674

1.829 kg/m




21028

1.792 kg/m



21029


1.523 kg/m



SHUTTER SECTION

SLIDING WINDOW


(SERIES -20 mm.)



SL. No.	Section No.	A	Weight kg/m
1	20968	0.80	0.277
2	20931	1.00	0.342
3	20975	1.25	0.418
4	20709	1.50	0.488
5	21093	2.00	0.634


21357

0.571 kg/m




20530

0.571 kg/m




20544

0.495 kg/m




21616

0.242 kg/m




21283

0.512 kg/m



21320


0.477 kg/m



SHUTTER SECTION SLIDING WINDOW (SERIES -20 mm.)


21609

0.379 kg/m



20972


0.451 kg/m



SHUTTER SECTION

SLIDING WINDOW


(SERIES -20 mm.)



SL. No.	Section No.	A	Weight kg/m
1	20988	0.98	0.314
2	20710	1.10	0.355
3	21092	2.00	0.606


20529

0.642 kg/m




20551

0.484 kg/m




21850

0.470 kg/m



21022


0.539 kg/m



INTERLOCK SECTION

SLIDING WINDOW


(SERIES -20 mm.)



SL. No.	Section No.	A	Weight kg/m
1	21052	1.00	0.409
2	20976	1.15	0.473
3	20708	1.50	0.605
4	21094	2.00	0.734


21849

0.344 kg/m




21611

0.435 kg/m




20566

0.693 kg/m




20531

0.697 kg/m




21356

0.678 kg/m



20840

0.594 kg/m




SLIDING WINDOW

INTERLOCK SECTION

(SERIES -20 mm.)

20973


0.503 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -20 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	21053	24.20	1.00	0.630
2	20703	24.20	1.20	0.726
3	21139	23.30	1.50	0.902



SL. No.	Section No.	A	B	Weight kg/m
1	20987	24.30	1.13	0.615
2	21138	23.30	1.50	0.807


20694

0.695 kg/m




20695

1.088 kg/m




21603

0.832 kg/m




21604

1.232 kg/m




TRACK SECTION **SLIDING WINDOW** (SERIES -20 mm.)


21894 0.977 kg/m




21895 1.092 kg/m




21848 0.554 kg/m



21847 0.517 kg/m




46121 1.105 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -20 mm.)




SL. No.	Section No.	A	B	Weight kg/m
1	21054	24.10	1.05	0.777
2	20696	24.10	1.20	0.907
3	20978	23.20	1.40	1.066
4	21137	23.20	1.50	1.102
4	21100	23.05	2.00	1.342




SL. No.	Section No.	A	B	Weight kg/m
1	21055	24.10	1.00	0.866
2	20704	24.10	1.20	1.036
3	20977	23.20	1.45	1.217
4	21099	23.05	2.00	1.516


20697 1.374 kg/m




21680 1.258 kg/m



21496 1.173 kg/m



21588 1.313 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -20 mm.)


21892

0.648 kg/m




21833

0.748 kg/m




21692

1.369 kg/m




21216

1.233 kg/m




21650

1.685 kg/m




21651

1.864 kg/m




21495

1.174 kg/m



21501

1.336 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -20 mm.)


21684

1.356 kg/m



21749


0.933 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -20 mm.)



SL. No.	Section No.	A	B	Weight kg/m
1	20910	24.00	1.30	1.394
2	21101	23.30	2.00	1.915




SL. No.	Section No.	A	B	Weight kg/m
1	20911	24.00	1.30	1.207
2	21098	23.30	2.00	1.670


SHUTTER SECTION

SLIDING WINDOW

(SERIES -25 mm.)




SL. No.	Section No.	A	B	C	Weight kg/m
1	20841	43.00	1.33	9.70	0.569
2	20602	43.00	1.57	9.70	0.665
3	21030	43.00	1.98	9.70	0.828
4	21253	50.00	1.00	12.20	0.483
5	20707	50.00	1.20	12.20	0.593
6	21056	50.00	1.51	12.51	0.717



SL. No.	Section No.	A	Weight kg/m
1	21144	1.50	0.797
2	20715	1.70	0.886
3	21361	1.98	1.003


20507

0.642 kg/m




20516

0.560 kg/m




21393

0.508 kg/m



21045


0.475 kg/m



SHUTTER SECTION SLIDING WINDOW (SERIES -25 mm.)


20923

0.895 kg/m




21382

0.779 kg/m




21355

0.598 kg/m




21349

0.887 kg/m




20506

0.717 kg/m




20518

0.675 kg/m




21484

0.833 kg/m



20882


0.748 kg/m




SHUTTER SECTION

SLIDING WINDOW

(SERIES -25 mm.)




SL. No.	Section No.	A	Weight kg/m
1	20639	1.15	0.678
2	20842	1.45	0.781



SL. No.	Section No.	A	Weight kg/m
1	21143	1.50	0.882
2	20716	2.00	1.119


20528

0.786 kg/m




20746

0.529 kg/m




20801

1.237 kg/m



20757


0.602 kg/m



SHUTTER SECTION SLIDING WINDOW (SERIES -25 mm.)


20884

0.685 kg/m




20921

0.584 kg/m




20857

1.051 kg/m




20922

0.925 kg/m




21539

0.638 kg/m




21542

0.711 kg/m




21398

1.622 kg/m



21556


0.778 kg/m



SHUTTER SECTION SLIDING WINDOW (SERIES -25 mm.)


21381

0.851 kg/m




21394

0.618 kg/m




21483

0.967 kg/m




21891

0.645 kg/m




21750

0.701 kg/m




21930

0.488 kg/m




21354

0.685 kg/m



20517


0.698 kg/m




INTERLOCK SECTION

SLIDING WINDOW


(SERIES -25 mm.)



SL. No.	Section No.	A	Weight kg/m
1	20939	1.40	0.678
2	20508	1.70	0.802




SL. No.	Section No.	A	Weight kg/m
1	20741	1.30	0.683
2	21091	1.48	0.776



SL. No.	Section No.	A	Weight kg/m
1	21145	1.50	0.985
2	20711	1.68	1.090


21380

0.901 kg/m



21540

0.639 kg/m




SLIDING WINDOW

INTERLOCK SECTION

(SERIES -25 mm.)


21437

0.637 kg/m




21485

0.893 kg/m




21928

1.488 kg/m




G101398

0.649 kg/m




G101525

0.659 kg/m




G101526

0.598 kg/m



G101527


0.550 kg/m



TRACK SECTION

SLIDING WINDOW


(SERIES -25 mm.)



SL. NO.	Section No.	A	B	Weight kg/m
1	21147	32.15	1.50	1.073
2	20713	31.00	2.00	1.429


20873

0.846 kg/m




20874

0.800 kg/m




20633

0.676 kg/m




20634

0.619 kg/m




20676

1.075 kg/m



21841

1.135 kg/m




SLIDING WINDOW

TRACK SECTION

(SERIES -25 mm.)


21830

0.806 kg/m




20732

0.669 kg/m




21346

0.735 kg/m




21460

0.621 kg/m




21146

1.308 kg/m




20712

1.805 kg/m



20717

2.572 kg/m





TRACK SECTION

SLIDING WINDOW


(SERIES -25 mm.)

21148


1.842 kg/m




SL. No.	Section No.	A	B	Weight kg/m
1	21149	32.10	1.50	1.539
2	20714	31.00	2.00	2.062



SL. No.	Section No.	A	B	Weight kg/m
1	21032	19.10	1.40	1.005
2	20678	18.90	1.70	1.194



1.300 kg/m




21590

1.457 kg/m

TRACK SECTION SLIDING WINDOW (SERIES -25 mm.)


20799

2.339 kg/m




20677

1.674 kg/m




20798

1.160 kg/m



21462


0.909 kg/m



TRACK SECTION SLIDING WINDOW (SERIES -25 mm.)


21840

1.039 kg/m




20673

1.619 kg/m




21304

1.082 kg/m



21587

1.072 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -25 mm.)


21646

1.208 kg/m




21677

1.518 kg/m




21676

1.323 kg/m



21826

1.766 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -25 mm.)


21842

1.673 kg/m




21878

1.668 kg/m




S6263

1.659 kg/m




S6264

1.455 kg/m




TRACK SECTION SLIDING WINDOW (SERIES -25 mm.)


20800 3.160 kg/m




20796 1.434 kg/m



20797 1.667 kg/m



21321 2.329 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -25 mm.)


S6099

2.182 kg/m




S6100

1.909 kg/m




G101395

0.831 kg/m



G101396


0.967 kg/m



TRACK SECTION SLIDING WINDOW (SERIES -25 mm.)


21570

1.733 kg/m



21571


2.026 kg/m



SHUTTER SECTION SLIDING WINDOW (SERIES -30 mm.)


20549

0.809 kg/m




20553

0.731 kg/m




21343

0.793 kg/m




21008

0.762 kg/m



21491


1.434 kg/m



SHUTTER SECTION

SLIDING WINDOW


(SERIES -30 mm.)



SL. No.	Section No.	A	Weight kg/m
1	20993	1.31	0.839
2	20772	1.50	0.948


20859

0.775 kg/m




20979

0.950 kg/m




21010

0.995 kg/m




21246

1.305 kg/m




21345

1.010 kg/m



21412

0.592 kg/m




SHUTTER SECTION

SLIDING WINDOW

(SERIES -30 mm.)


21543

0.699 kg/m




21492

1.720 kg/m




21702

0.999 kg/m




21414

0.705 kg/m




21675

0.766 kg/m




G100856

1.516 kg/m




G100857

0.924 kg/m



G100858

0.798 kg/m




SLIDING WINDOW


INTERLOCK SECTION

(SERIES -30 mm.)


20550 0.994 kg/m




20555 0.869 kg/m




21009 0.964 kg/m




21182 1.208 kg/m




21397 0.646 kg/m




21344 0.938 kg/m



21592 0.925 kg/m



21798 1.497 kg/m




SLIDING WINDOW

INTERLOCK SECTION

(SERIES -30 mm.)


21717

0.933 kg/m




21743

0.999 kg/m




21742

1.121 kg/m



G101540

0.763 kg/m




SLIDING WINDOW


TRACK SECTION

(SERIES -30 mm.)


20835 0.904 kg/m




20836 1.039 kg/m




21217 1.502 kg/m




21407 1.543 kg/m




21620 0.723 kg/m




21754 0.928 kg/m



20877 1.685 kg/m



20878 1.906 kg/m



ARCHITECTURAL


SLIDING WINDOW

(SERIES -30 mm.)

TRACK SECTION


21205

0.846 kg/m




21247

1.745 kg/m




20659

1.278 kg/m



20660

1.709 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -30 mm.)


20837

1.197 kg/m




20838

1.518 kg/m




20928

2.032 kg/m



S4455

1.307 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -30 mm.)


21203

2.073 kg/m




21621

1.007 kg/m




21831

1.163 kg/m



21738

1.262 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -30 mm.)


21737

1.587 kg/m



21843

1.923 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -30 mm.)


20631

1.613 kg/m




20632

1.408 kg/m




21206

1.223 kg/m



21243

2.586 kg/m




TRACK SECTION

SLIDING WINDOW

(SERIES -30 mm.)


21176

1.745 kg/m




21175

2.298 kg/m




21245

1.597 kg/m




21198

3.197 kg/m




TRACK SECTION SLIDING WINDOW (SERIES -30 mm.)


21204 1.694 kg/m




21244 3.415 kg/m



21748 1.575 kg/m




21752 2.912 kg/m



SHUTTER SECTION SLIDING WINDOW (SERIES -35 mm.)


21773

0.890 kg/m




21775

0.938 kg/m




20786

0.788 kg/m




20788

1.005 kg/m




21996

1.206 kg/m




20788

1.005 kg/m




21997

1.501 kg/m



21774

1.026 kg/m




SLIDING WINDOW

INTERLOCK SECTION

(SERIES -35 mm.)


21788

1.162 kg/m




21789

1.026 kg/m




G100795

0.636 kg/m




21995

1.441 kg/m




G100853

0.862 kg/m



G101397

0.548 kg/m




SLIDING WINDOW

(SERIES -35 mm.)


21771

1.640 kg/m



21772

1.852 kg/m




SLIDING WINDOW

(SERIES -40 mm.)


21124

2.314 kg/m




21125

5.038 kg/m



21126

3.170 kg/m




SLIDING WINDOW

(SERIES -55 mm.)


21127

6.800 kg/m




21128

3.402 kg/m




21129

3.141 kg/m



21130

3.458 kg/m




SLIDING WINDOW

(SERIES -60 mm.)


21258

3.185 kg/m




21262

1.780 kg/m




21266

3.652 kg/m



21265

2.815 kg/m




SLIDING WINDOW

(SERIES -60 mm.)


21267

3.642 kg/m



21268

6.662 kg/m



21301

3.136 kg/m

