


GENERAL SHAPE

FLAT BARS



SL. No.	Section No.	A	B	Weight kg/m
1	10546	6.40	5.90	0.102
2	10171	8.00	2.00	0.043
3	10318	8.50	8.00	0.183
4	G103088	9.50	7.80	0.200
5	G100256	10.00	6.00	0.162
6	10277	10.00	8.00	0.216
7	G102946	10.90	9.00	0.264
8	G100231	11.10	7.92	0.237
9	G100297	11.50	3.50	0.108
10	10351	11.50	6.35	0.197
11	10001	12.00	2.00	0.065
12	10061	12.00	3.00	0.097
13	10164	12.00	4.00	0.130
14	10110	12.50	6.00	0.202
15	10624	12.70	3.18	0.109
16	10626	12.70	4.76	0.163
17	10036	12.70	5.00	0.171
18	10596	12.70	6.40	0.219
19	10628	12.70	7.94	0.272
20	10369	12.70	8.50	0.291
21	G100230	12.70	9.53	0.326
22	G102975	13.00	10.00	0.351
23	10604	14.00	3.00	0.113
24	G103090	14.20	10.00	0.383
25	G103264	14.30	8.60	0.332
26	10153	15.00	2.00	0.081
27	10452	15.00	2.00	0.081
28	10087	15.00	3.00	0.122
29	10144	15.00	8.00	0.324
30	10103	15.00	8.55	0.346
31	G100233	15.75	9.53	0.405
32	G103265	15.80	7.80	0.333
33	10278	15.87	2.34	0.100
34	10625	15.88	3.18	0.136
35	10627	15.88	6.35	0.272
36	G101582	15.88	7.94	0.340
37	10573	15.90	9.57	0.410
38	10135	16.95	4.15	0.190
39	10569	16.95	4.27	0.195
40	10220	17.00	4.00	0.183
41	S4833	17.00	4.15	0.190
42	10160	17.50	1.80	0.085
43	10122	18.00	1.55	0.075
44	10109	18.00	2.50	0.121
45	10563	18.00	3.00	0.145

SL. No.	Section No.	A	B	Weight kg/m
46	G103086	18.20	9.50	0.466
47	G103225	18.40	4.65	0.231
48	10288	18.75	4.00	0.202
49	10279	19.00	1.82	0.093
50	10003	19.00	5.00	0.257
51	10035	19.00	9.50	0.487
52	10458	19.00	12.70	0.651
53	10123	19.05	2.25	0.116
54	10004	19.05	2.95	0.152
55	10005	19.05	3.18	0.163
56	10006	19.05	4.78	0.246
57	10007	19.05	6.35	0.327
58	10579	19.05	15.88	0.816
59	10600	19.50	14.50	0.763
60	10280	19.60	1.10	0.058
61	10118	20.00	1.60	0.086
62	10365	20.00	2.10	0.113
63	10008	20.00	3.00	0.162
64	10223	20.00	4.00	0.215
65	10065	20.00	5.00	0.270
66	10106	20.00	6.00	0.324
67	G103087	20.00	7.10	0.383
68	10009	20.00	8.00	0.432
69	10138	20.00	10.00	0.540
70	G100520	20.00	12.00	0.648
71	10302	20.00	15.00	0.810
72	10535	20.60	4.00	0.222
73	10500	21.00	18.00	1.020
74	10129	22.00	2.00	0.118
75	10547	22.00	4.00	0.237
76	10408	22.35	2.81	0.169
77	10091	23.00	2.50	0.155
78	10545	24.00	4.00	0.259
79	10095	25.00	1.00	0.068
80	10116	25.00	1.50	0.101
81	10281	25.00	2.80	0.189
82	10010	25.00	3.00	0.203
83	G103226	25.00	4.90	0.331
84	10178	25.00	5.00	0.337
85	10011	25.00	6.00	0.405
86	10270	25.00	6.50	0.439
87	10107	25.00	8.00	0.540
88	10506	25.00	10.00	0.675
89	10197	25.00	15.00	1.013
90	10222	25.00	16.00	1.080
91	10075	25.40	2.00	0.137
92	10080	25.40	2.30	0.158
93	10012	25.40	2.95	0.202
94	10013	25.40	3.18	0.218
95	10411	25.40	3.18	0.218

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
96	10034	25.40	4.00	0.274
97	10014	25.40	6.35	0.435
98	10152	25.40	9.52	0.652
99	10102	25.40	12.75	0.874
100	10391	25.40	15.88	1.089
101	10191	25.40	19.05	1.304
102	10581	25.40	22.23	1.524
103	10101	25.45	4.78	0.328
104	G103084	26.20	7.80	0.551
105	10094	27.00	15.00	1.093
106	10528	27.00	18.00	1.312
107	10396	27.00	24.00	1.749
108	10273	28.00	15.00	1.134
109	G101198	28.00	25.70	1.943
110	10622	29.00	2.00	0.156
111	10530	29.00	20.00	1.566
112	10168	30.00	2.00	0.162
113	10265	30.00	2.90	0.235
114	10189	30.00	3.00	0.243
115	10015	30.00	5.00	0.405
116	10550	30.00	6.00	0.486
117	10142	30.00	8.00	0.648
118	10441	30.00	10.00	0.809
119	10375	30.00	13.00	1.053
120	10274	30.00	15.00	1.215
121	10195	30.00	20.00	1.620
122	10611	30.00	25.00	2.025
123	10017	30.18	3.96	0.322
124	10079	31.75	2.30	0.197
125	10018	31.75	2.95	0.253
126	10347	31.75	3.18	0.272
127	10077	31.75	4.78	0.410
128	10019	31.75	6.35	0.544
129	10086	31.75	9.52	0.816
130	10524	31.75	12.70	1.088
131	10258	31.75	15.88	1.361
132	10198	31.75	19.05	1.633
133	10193	31.75	25.40	2.177
134	10409	31.85	3.18	0.273
135	10226	32.00	6.00	0.518
136	10227	32.00	10.00	0.864
137	10504	32.00	12.00	1.036
138	G103085	32.30	7.10	0.619
139	10120	33.50	12.00	1.085
140	G102499	33.78	3.40	0.310
141	10539	34.00	15.00	1.377
142	10593	34.00	18.00	1.652
143	10211	35.00	2.96	0.279
144	10397	35.00	5.00	0.472
145	G102732	35.00	20.00	1.890

SL. No.	Section No.	A	B	Weight kg/m
146	G102537	35.00	25.00	2.362
147	10243	36.00	2.65	0.257
148	10356	37.00	2.00	0.199
149	G103089	37.60	7.10	0.720
150	10477	38.00	1.50	0.154
151	10126	38.00	2.00	0.205
152	10190	38.00	3.00	0.308
153	10029	38.00	3.20	0.328
154	10181	38.00	5.00	0.513
155	10511	38.00	16.00	1.641
156	10336	38.00	20.00	2.052
157	10020	38.10	3.18	0.327
158	10410	38.10	3.18	0.327
159	G102500	38.10	3.40	0.349
160	10421	38.10	3.81	0.392
161	10033	38.10	4.78	0.492
162	10405	38.10	5.08	0.522
163	10021	38.10	6.35	0.653
164	G101583	38.10	7.940	0.816
165	G102506	38.10	8.00	0.823
166	10088	38.10	9.52	0.979
167	10104	38.10	12.70	1.306
168	10559	38.10	19.05	1.959
169	10199	38.10	25.40	2.613
170	10267	38.10	31.75	3.226
171	10140	40.00	1.60	0.173
172	10031	40.00	3.00	0.324
173	10047	40.00	4.00	0.432
174	10048	40.00	5.00	0.540
175	10503	40.00	6.00	0.648
176	10165	40.00	6.50	0.702
177	10148	40.00	8.00	0.864
178	10057	40.00	10.00	1.080
179	10083	40.00	12.00	1.296
180	10093	40.00	15.00	1.620
181	10466	40.00	16.00	1.728
182	10137	40.00	20.00	2.160
183	10613	40.00	25.00	2.700
184	10568	40.00	30.00	3.240
185	10529	40.00	32.00	3.456
186	10359	40.00	33.00	3.564
187	10459	41.50	4.00	0.448
188	10022	42.00	6.00	0.680
189	10562	42.00	20.00	2.267
190	10307	42.00	27.00	3.061
191	10555	42.50	2.80	0.321
192	10358	43.00	2.00	0.232
193	10373	44.00	16.00	1.900
194	10023	44.45	3.18	0.382
195	10366	44.45	12.70	1.524

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
196	10068	44.45	19.05	2.286
197	10218	44.45	25.40	3.048
198	10380	45.00	6.00	0.729
199	S6816	45.00	8.00	0.972
200	10601	45.00	12.00	1.458
201	10162	45.00	25.00	3.037
202	12146	45.00	32.00	3.888
203	10570	46.00	8.00	0.993
204	10067	47.00	2.00	0.254
205	10538	47.30	7.20	0.919
206	10599	49.00	6.00	0.793
207	10143	50.00	3.00	0.405
208	10030	50.00	4.00	0.540
209	10072	50.00	5.00	0.675
210	10069	50.00	6.00	0.810
211	10251	50.00	6.50	0.877
212	10100	50.00	8.00	1.080
213	10042	50.00	10.00	1.350
214	10232	50.00	12.00	1.619
215	10113	50.00	13.70	1.850
216	10145	50.00	15.00	2.025
217	10286	50.00	20.00	2.700
218	10612	50.00	25.00	3.375
219	10379	50.00	30.00	4.050
220	10510	50.80	3.18	0.436
221	G102501	50.80	3.40	0.466
222	10024	50.80	6.35	0.870
223	10037	50.80	9.52	1.306
224	10038	50.80	12.70	1.742
225	10071	50.80	15.88	2.178
226	10200	50.80	19.05	2.613
227	10217	50.80	25.40	3.483
228	10475	50.80	32.00	4.389
229	10467	50.80	38.10	5.225
230	10259	50.80	44.45	6.096
231	10515	51.00	46.00	6.334
232	10527	52.00	42.00	5.896
233	10256	54.00	3.30	0.481
234	10541	54.00	45.00	6.561
235	10597	55.00	8.00	1.188
236	10173	55.00	35.00	5.198
237	G102649	57.00	47.00	7.233
238	10201	57.15	12.70	1.960
239	G103884	57.15	38.1	5.879
240	G101311	57.15	44.45	6.858
241	G103045	57.20	6.35	0.980
242	10487	59.00	21.00	3.345
243	10293	59.54	6.35	1.020
244	10312	59.95	3.33	0.539
245	G103128	60.00	3.40	0.550

SL. No.	Section No.	A	B	Weight kg/m
246	10053	60.00	6.00	0.972
247	G103596	60.00	7.00	1.134
248	10039	60.00	10.00	1.620
249	G102538	60.00	12.00	1.944
250	10505	60.00	15.00	2.430
251	10196	60.00	20.00	3.240
252	10602	60.00	25.00	4.050
253	G101199	60.00	25.70	4.163
254	10156	60.00	30.00	4.860
255	10610	60.00	35.00	5.670
256	10608	60.00	40.00	6.480
257	10614	60.00	50.00	8.100
258	10480	60.30	32.00	5.210
259	10208	61.00	43.00	7.082
260	10389	63.00	8.00	1.360
261	10390	63.00	12.00	2.041
262	10184	63.00	38.00	6.464
263	G102502	63.50	3.40	0.583
264	10325	63.50	4.76	0.816
265	10025	63.50	6.35	1.089
266	10073	63.50	9.52	1.632
267	G102613	63.50	10.00	1.714
268	10468	63.50	12.70	2.177
269	10494	63.50	15.88	2.722
270	10202	63.50	19.05	3.266
271	10194	63.50	25.40	4.355
272	10260	63.50	31.75	5.443
273	10203	63.50	44.45	7.621
274	10268	63.50	50.80	8.709
275	10050	64.00	12.00	2.074
276	10413	64.00	34.00	5.875
277	10368	64.50	4.00	0.696
278	10131	65.00	50.00	8.775
279	G103797	65.00	55.00	9.652
280	10098	66.00	9.00	1.604
281	10295	66.50	14.20	2.550
282	10551	69.85	31.75	5.988
283	10216	69.85	50.80	9.580
284	G101041	69.85	63.50	11.975
285	10343	69.90	64.00	12.078
286	10225	70.00	3.18	0.601
287	10552	70.00	6.00	1.134
288	10615	70.00	10.00	1.890
289	10245	70.00	12.00	2.268
290	G100862	70.00	15.00	2.835
291	G102293	70.00	16.00	3.024
292	10331	70.00	20.00	3.780
293	G100090	70.00	25.00	4.725
294	10188	70.00	30.00	5.670
295	10482	70.00	40.00	7.560

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
296	10206	72.00	52.00	10.109
297	10269	73.00	2.70	0.532
298	10572	75.00	3.00	0.607
299	10166	75.00	5.00	1.013
300	10382	75.00	6.00	1.215
301	10332	75.00	8.00	1.620
302	10125	75.00	10.00	2.025
303	10084	75.00	12.00	2.430
304	10111	75.00	12.50	2.531
305	10540	75.00	27.00	5.467
306	G100506	75.00	40.00	8.100
307	10609	76.00	10.00	2.052
308	10052	76.00	15.00	3.078
309	S6274	76.00	20.00	4.104
310	10026	76.20	6.35	1.306
311	10059	76.20	9.52	1.958
312	10058	76.20	12.70	2.613
313	10476	76.20	16.00	3.291
314	10204	76.20	19.05	3.919
315	10285	76.20	25.40	5.225
316	10205	76.20	31.75	6.532
317	10315	76.20	38.10	7.838
318	G101310	76.20	44.45	9.145
319	10362	76.20	50.80	10.451
320	10584	76.20	57.15	11.758
321	10518	76.20	63.50	13.064
322	10287	80.00	4.00	0.864
323	10520	80.00	5.00	1.080
324	10049	80.00	6.00	1.296
325	10054	80.00	8.00	1.728
326	10060	80.00	10.00	2.160
327	10531	80.00	12.00	2.592
328	G102593	80.00	12.70	2.743
329	10537	80.00	15.00	3.240
330	G102294	80.00	16.00	3.456
331	10261	80.00	20.00	4.320
332	10544	80.00	25.00	5.400
333	10154	80.00	30.00	6.480
334	10603	80.00	60.00	12.960
335	10130	80.00	70.00	15.120
336	10489	82.00	2.00	0.442
337	G102063	82.55	6.35	1.415
338	10542	85.00	32.00	7.344
339	10133	85.00	65.00	14.918
340	10478	85.00	68.00	15.606
341	10136	85.72	34.92	8.082
342	10490	86.00	2.00	0.464
343	10554	87.00	9.00	2.114
344	10236	88.00	45.00	10.692
345	10590	88.90	12.70	3.048

SL. No.	Section No.	A	B	Weight kg/m
346	10580	88.90	15.88	3.811
347	10404	88.90	25.40	6.096
348	10582	88.90	31.75	7.621
349	10560	88.90	38.10	9.145
350	10321	88.90	76.20	18.290
351	10367	89.20	20.00	4.816
352	10516	89.50	44.50	10.753
353	10497	90.00	12.00	2.916
354	G102539	90.00	20.00	4.860
355	10556	90.00	25.00	6.075
356	10350	90.00	30.00	7.290
357	10353	91.00	8.00	1.965
358	S5358	95.00	4.00	1.026
359	10117	95.00	5.00	1.282
360	10486	100.00	1.50	0.405
361	10577	100.00	1.60	0.432
362	10383	100.00	6.00	1.620
363	10376	100.00	8.00	2.160
364	10064	100.00	10.00	2.700
365	10045	100.00	12.00	3.240
366	10082	100.00	12.50	3.375
367	10055	100.00	15.00	4.050
368	10096	100.00	20.00	5.400
369	10147	100.00	25.00	6.750
370	10324	100.00	30.00	8.100
371	10186	100.00	50.00	13.500
372	10607	100.00	60.00	16.200
373	10499	100.00	70.00	18.900
374	10158	100.00	80.00	21.600
375	10305	100.30	16.00	4.333
376	10349	101.60	3.18	0.872
377	G102503	101.60	5.16	1.415
378	10028	101.60	6.35	1.742
379	10046	101.60	12.70	3.484
380	G101138	101.60	13.20	3.621
381	10534	101.60	19.05	5.225
382	10215	101.60	22.22	6.095
383	10214	101.60	25.40	6.967
384	10469	101.60	32.00	8.778
385	10561	101.60	38.10	10.451
386	10470	101.60	40.00	10.972
387	10262	101.60	50.80	13.935
388	10361	101.60	76.20	20.903
389	10304	102.00	36.00	9.914
390	10276	102.00	82.00	22.583
391	10424	103.00	7.40	2.058
392	10406	103.00	43.00	11.958
393	10309	103.00	53.00	14.739
394	10363	103.00	63.00	17.520
395	10423	105.00	5.00	1.417

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
396	10043	105.00	15.00	4.253
397	G100553	105.00	20.00	5.670
398	10301	107.50	2.65	0.769
399	G103127	107.00	3.40	0.982
400	10090	110.00	12.00	3.564
401	10169	110.00	30.00	8.910
402	10235	112.00	60.00	18.144
403	G102504	114.30	6.35	1.959
404	10496	114.30	9.53	2.941
405	G101309	114.30	25.40	7.838
406	G101308	114.30	31.75	9.798
407	10239	115.00	3.30	1.025
408	10127	115.00	25.00	7.762
409	10257	115.00	60.00	18.630
410	10308	117.00	42.00	13.267
411	10374	118.00	31.00	9.876
412	10395	120.00	4.00	1.296
413	10393	120.00	6.00	1.944
414	10394	120.00	8.00	2.592
415	10051	120.00	10.00	3.240
416	G102534	120.00	10.70	3.466
417	10124	120.00	25.00	8.100
418	10444	120.00	69.00	22.356
419	10355	120.00	80.00	25.920
420	10402	120.00	95.00	30.780
421	10163	121.00	12.00	3.920
422	10299	122.00	12.70	4.183
423	10298	122.00	17.00	5.600
424	10271	122.00	38.10	12.550
425	10303	123.00	2.90	0.963
426	10548	123.00	15.00	4.981
427	S6578	125.00	3.00	1.012
428	10445	125.00	6.00	2.025
429	10436	125.00	10.00	3.375
430	G103310	125.00	12.00	4.050
431	S6206	125.00	15.00	5.062
432	10498	125.00	20.00	6.750
433	10228	125.00	50.80	17.145
434	10213	127.00	3.00	1.028
435	10076	127.00	6.35	2.177
436	10578	127.00	7.94	2.722
437	10041	127.00	9.52	3.264
438	10151	127.00	12.70	4.355
439	10488	127.00	15.88	5.445
440	10471	127.00	20.00	6.858
441	10472	127.00	25.40	8.709
442	10583	127.00	31.75	10.887
443	10473	127.00	32.00	10.972
444	10474	127.00	40.00	13.716
445	10263	127.00	50.80	17.419

SL. No.	Section No.	A	B	Weight kg/m
446	10159	127.00	76.20	26.129
447	G103046	130.00	5.00	1.755
448	10317	130.00	10.00	3.510
449	10172	130.00	13.00	4.563
450	10283	130.00	65.00	22.815
451	10407	132.00	19.00	6.771
452	G101090	133.00	25.00	8.977
453	10519	134.00	10.00	3.618
454	10230	135.00	44.45	16.202
455	10231	135.00	82.55	30.089
456	10403	136.00	43.00	15.789
457	10300	137.00	20.00	7.398
458	10132	140.00	10.00	3.780
459	G100061	140.00	12.70	4.800
460	10316	140.00	15.80	5.972
461	10442	140.00	16.50	6.237
462	10170	140.00	50.00	18.900
463	10492	140.00	57.00	21.546
464	G103529	140.00	91.00	34.398
465	10558	141.00	32.00	12.182
466	S6161	141.50	10.00	3.820
467	10585	143.60	12.70	4.924
468	10085	150.00	6.00	2.430
469	10128	150.00	7.50	3.037
470	10292	150.00	8.00	3.240
471	10066	150.00	10.00	4.050
472	10089	150.00	12.00	4.860
473	G100496	150.00	15.00	6.075
474	10294	150.00	16.00	6.480
475	10097	150.00	19.00	7.695
476	10174	150.00	20.00	8.100
477	10070	150.00	25.00	10.125
478	10134	150.00	30.00	12.150
479	10185	150.00	40.00	16.200
480	10249	150.00	45.00	18.225
481	10517	150.00	50.00	20.250
482	10284	150.00	75.00	30.375
483	10105	152.40	6.40	2.633
484	10575	152.40	9.52	3.917
485	10179	152.40	12.70	5.225
486	10557	152.40	19.05	7.838
487	10252	152.40	31.75	13.064
488	10264	152.40	50.80	20.903
489	10360	152.40	63.50	26.129
490	10451	152.40	101.60	41.806
491	10176	154.00	2.00	0.832
492	10522	154.00	12.60	5.239
493	10352	158.00	8.50	3.626
494	10443	158.00	16.00	6.825
495	10229	158.00	35.00	14.930

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
496	10401	159.00	3.00	1.288
497	10571	160.00	3.00	1.296
498	10250	160.00	6.00	2.592
499	10418	160.00	6.40	2.764
500	10533	160.00	8.00	3.455
501	10523	160.00	10.00	4.320
502	10247	160.00	18.00	7.776
503	G100652	160.00	20.00	8.640
504	10167	160.00	25.00	10.800
505	10525	160.00	45.00	19.440
506	10526	160.00	50.00	21.600
507	10240	160.00	55.00	23.800
508	10115	162.00	10.00	4.374
509	10238	165.00	14.00	6.236
510	10549	165.00	15.00	6.682
511	10493	165.00	50.00	22.275
512	10297	167.00	22.00	9.920
513	10319	167.00	30.00	13.527
514	10320	167.00	68.00	30.661
515	10387	170.00	12.00	5.508
516	10543	170.00	20.00	9.180
517	10221	170.00	32.00	14.688
518	G103807	171.90	9.64	4.474
519	10272	172.00	12.00	5.572
520	10233	173.00	14.00	6.539
521	10398	175.00	3.00	1.417
522	10187	175.00	50.00	23.625
523	10210	175.00	52.00	24.570
524	10507	175.00	65.00	30.712
525	10501	177.00	16.00	7.646
526	G102505	177.80	6.35	3.048
527	10392	177.80	9.52	4.570
528	10254	178.00	10.50	5.045
529	10244	178.00	19.50	9.371
530	S6747	180.00	6.00	2.916
531	G102042	180.00	10.00	4.860
532	10484	180.00	15.00	7.290
533	10412	180.00	19.00	9.234
534	10182	180.00	40.00	19.440
535	10183	190.00	4.00	2.052
536	10209	190.00	50.00	25.650
537	10483	190.50	9.53	4.901
538	S6697	194.00	54.00	28.285
539	G101722	195.00	12.00	6.318
540	10313	195.00	30.00	15.795
541	10592	200.00	4.00	2.160
542	10536	200.00	8.00	4.320
543	10326	200.00	8.00	4.320
544	10255	200.00	10.00	5.400
545	10502	200.00	12.00	6.480


SL. No.	Section No.	A	B	Weight kg/m
546	10180	200.00	13.00	7.020
547	10485	200.00	15.00	8.100
548	10341	200.00	25.00	13.500
549	10514	200.00	40.00	21.600
550	10266	203.20	12.70	6.967
551	10289	203.00	16.00	8.770
552	10587	203.20	19.05	10.451
553	10224	204.00	5.00	2.754
554	10237	208.00	45.00	25.272
555	10333	210.00	12.00	6.804
556	10338	210.00	15.00	8.505
557	10598	212.00	33.00	18.889
558	10495	220.00	8.00	4.752
559	10381	220.00	16.00	9.504
560	10426	222.00	4.75	2.847
561	10425	222.00	5.90	3.536
562	10455	222.00	10.25	6.143
563	10574	225.00	8.00	4.860
564	10521	227.00	91.00	55.774
565	10323	228.60	26.50	16.356
566	10400	229.00	19.00	11.747
567	10453	230.00	5.00	3.105
568	10371	230.00	6.00	3.726
569	10431	230.00	9.75	6.054
570	10440	230.00	112.00	69.552
571	10334	232.00	42.00	26.308
572	10290	238.00	16.00	10.282
573	10508	240.00	90.00	58.320
574	10386	244.00	7.00	4.611
575	10433	245.00	5.25	3.473
576	10241	245.00	18.00	11.907
577	10330	246.00	20.00	13.284
578	10327	250.00	10.00	6.750
579	10481	250.00	12.00	8.100
580	10435	250.00	19.00	12.825
581	G100535	250.00	40.00	27.000
582	10567	250.00	60.00	40.500
583	10354	250.00	100.00	67.500
584	10454	252.00	10.30	7.008
585	10346	254.00	12.70	8.709
586	10385	254.00	25.40	17.419
587	10447	255.00	6.25	4.303
588	10564	255.00	33.00	22.720
589	10430	258.00	6.80	4.737
590	10427	258.00	7.40	5.154
591	10429	258.00	7.40	5.154
592	10448	258.00	7.50	5.224
593	10449	258.00	9.00	6.269
594	10439	258.00	9.75	6.791
595	10460	258.00	10.00	6.966

GENERAL SHAPE

FLAT BARS

SL. No.	Section No.	A	B	Weight kg/m
596	10242	258.00	18.00	12.539
597	10532	260.00	6.00	4.212
598	10428	262.00	8.00	5.659
599	10565	265.00	16.00	11.448
600	10340	270.00	10.00	7.290
601	G102481	270.00	10.70	7.800
602	10586	280.00	30.00	22.680
603	10594	280.00	35.00	26.460
604	10595	280.00	42.00	31.752
605	10357	285.00	16.00	12.312
606	10566	285.00	23.00	17.698
607	10553	290.00	4.00	3.131
608	10329	290.00	20.00	15.660
609	10576	300.00	20.00	16.200
610	10384	300.00	25.00	20.250
611	10388	300.00	28.00	22.680
612	10605	304.80	6.35	5.225
613	10606	304.80	9.52	7.838
614	10588	304.80	19.05	15.677
615	10589	304.80	25.40	20.903
616	10322	304.80	26.50	21.808
617	10450	305.00	14.00	11.529
618	10509	305.00	16.00	13.176
619	10513	305.00	18.00	14.823
620	10342	312.00	8.00	6.739
621	10364	316.50	23.50	20.082
622	10314	320.00	20.00	17.280
623	G102008	325.00	6.00	5.265
624	10631	340.00	19.50	17.901
625	10370	340.00	22.00	20.196
626	10591	342.00	38.00	35.089
627	10378	350.00	22.50	21.262
628	10377	351.00	30.50	28.904
629	10512	425.00	8.20	9.409
630	10479	425.00	25.00	28.687

FLAT BAR WITH RADIUS



SL. No.	Section No.	A	B	R	Weight kg/m
1	G100249	6.80	2.00	0.60	0.036
2	G100250	8.50	2.00	0.60	0.045
3	G103091	8.80	7.80	1.00	0.183
4	G102941	10.30	9.20	1.00	0.254
5	G102945	13.00	11.50	1.00	0.401
6	G102944	13.50	7.30	2.00	0.257
7	G103546	15.00	12.00	3.00	0.465
8	G102458	15.88	7.92	1.00	0.337
9	18452	15.88	9.53	0.79	0.407
10	G103547	17.00	15.00	3.00	0.668
11	12359	17.47	8.25	1.60	0.383
12	G103548	19.00	17.00	3.00	0.851
13	G102943	20.00	16.00	1.50	0.859
14	G103549	21.00	19.00	3.00	1.056
15	G102363	22.50	12.00	4.00	0.692
16	S6118	25.40	8.25	1.60	0.560
17	12280	28.00	9.00	1.50	0.675
18	12350	28.00	10.00	2.50	0.742
19	12368	28.70	25.40	2.50	1.954
20	G103203	29.00	15.00	2.00	1.165
21	12348	30.00	10.00	3.00	0.789
22	12180	30.00	16.00	1.00	1.294
23	12351	35.00	10.00	4.00	0.908
24	12258	40.00	10.00	0.80	1.079
25	12134	40.00	10.00	3.00	1.059
26	12279	40.00	11.00	1.50	1.183
27	12147	40.00	26.00	3.00	2.787
28	G100847	44.45	6.35	0.50	0.762
29	12372	45.00	28.00	1.00	3.400
30	G101317	48.00	38.00	3.00	4.904
31	12217	50.00	8.00	3.00	1.059
32	12135	50.00	10.00	3.00	1.329
33	12096	50.00	12.00	3.00	1.599
34	12311	50.00	40.00	1.00	5.398
35	S6250	54.50	30.00	2.25	4.403
36	12278	55.00	15.00	2.00	2.218
37	G101457	57.00	10.00	0.50	1.538
38	12307	60.00	8.00	1.00	1.294
39	12128	60.00	10.00	1.00	1.618
40	12136	60.00	10.00	3.00	1.559
41	12290	63.00	54.00	1.00	9.183
42	12092	65.00	8.00	3.00	1.383
43	12215	65.00	8.00	3.00	1.383
44	G103157	69.85	44.45	1.00	8.381
45	12402	70.00	50.00	1.00	9.448

SL. No.	Section No.	A	B	R	Weight kg/m
46	G100302	70.00	55.00	3.00	10.374
47	12373	70.00	60.00	1.00	11.338
48	G102240	71.00	36.00	1.00	6.899
49	G103502	74.00	64.00	1.00	12.785
50	12243	75.00	10.00	3.00	2.004
51	12409	75.00	70.00	1.00	14.173
52	12374	75.00	60.00	1.00	12.148
53	12415	76.00	65.00	1.00	13.336
54	12023	80.00	10.00	3.00	2.138
55	G100267	80.00	25.00	0.76	5.399
56	12265	80.00	40.00	0.60	8.639
57	12395	80.00	50.00	1.00	10.798
58	G103540	80.70	45.45	20.00	8.976
59	G100924	81.30	3.40	0.50	0.746
60	G101139	85.00	35.00	3.00	8.012
61	G100301	85.00	40.00	1.80	9.172
62	12358	85.00	47.00	2.00	10.777
63	12376	85.00	70.00	1.00	16.063
64	G101699	86.00	66.00	3.00	15.304
65	12200	88.90	50.80	1.00	12.191
66	12201	88.90	63.50	1.00	15.240
67	12344	90.00	10.00	3.00	2.409
68	12390	90.00	40.00	1.00	9.718
69	G101318	90.00	44.00	3.00	10.671
70	12391	90.00	50.00	1.00	12.148
71	12410	90.00	60.00	1.00	14.578
72	12375	90.00	65.00	1.00	15.793
73	12131	90.00	75.00	0.50	18.225
74	12304	93.00	67.00	0.80	16.822
75	12328	95.00	45.00	10.00	11.311
76	12408	95.00	70.00	1.00	17.953
77	12377	95.00	75.00	1.00	19.235
78	12305	95.00	88.00	0.80	22.571
79	12137	100.00	10.00	3.00	2.679
80	12114	100.00	12.00	3.00	3.219
81	12388	100.00	40.00	1.00	10.798
82	G101316	100.00	48.00	3.00	12.939
83	12069	101.60	9.52	1.50	2.606
84	12199	101.60	15.88	1.00	4.354
85	12206	101.60	44.45	1.00	12.191
86	G100402	101.00	96.00	1.00	26.177
87	12323	110.00	3.00	1.00	0.889
88	G102751	110.00	8.50	0.50	2.524
89	G100010	110.00	80.00	1.00	23.758
90	12250	110.50	12.00	1.00	3.578
91	12212	110.50	77.00	1.00	22.971
92	G102037	114.30	6.35	0.50	1.959
93	12202	114.30	88.90	1.00	27.433
94	G103158	114.30	101.60	2.00	31.346
95	12407	115.00	75.00	1.00	23.285

FLAT BAR WITH RADIUS

SL. No.	Section No.	A	B	R	Weight kg/m
96	12165	115.00	79.00	1.00	24.527
97	12172	116.00	88.00	1.00	27.559
98	12141	120.00	10.00	3.00	3.219
99	12113	120.00	12.00	3.00	3.867
100	12392	120.00	15.00	1.00	4.858
101	12115	120.00	16.00	3.00	5.163
102	12399	120.00	20.00	1.00	6.478
103	12394	120.00	30.00	1.00	9.718
104	12397	120.00	40.00	1.00	12.958
105	12105	120.00	45.00	1.00	14.578
106	12387	120.00	50.00	1.00	16.198
107	12389	120.00	60.00	1.00	19.438
108	12412	120.00	90.00	2.00	29.151
109	12080	120.00	100.00	2.00	32.391
110	G102598	124.00	54.00	1.00	18.077
111	G102828	124.50	55.50	1.00	18.654
112	12312	125.00	50.00	3.00	16.854
113	G102717	125.00	66.00	1.00	22.273
114	12289	125.00	95.00	1.00	32.060
115	12317	127.00	38.10	1.00	13.062
116	12203	127.00	101.60	1.20	34.835
117	G103566	127.00	114.30	3.00	39.173
118	12124	130.00	17.00	1.00	5.965
119	12091	130.00	100.00	1.00	35.098
120	12298	130.00	105.00	1.00	36.853
121	G103795	130.00	115.00	1.00	40.363
122	G103917	130.00	120.00	2.50	42.106
123	12138	140.00	10.00	3.00	3.759
124	12263	140.00	40.00	1.00	15.118
125	12262	140.00	90.00	1.00	34.018
126	12145	140.00	110.00	1.00	41.578
127	12386	142.00	50.00	1.00	19.168
128	G101460	143.00	10.00	0.50	3.860
129	12221	144.00	74.00	2.00	28.762
130	12133	145.00	4.80	1.00	1.877
131	12252	145.00	27.00	1.00	10.568
132	12251	145.00	68.00	1.00	26.620
133	12406	145.00	120.00	5.00	46.922
134	12224	150.00	22.00	1.00	8.908
135	12230	150.00	100.00	1.00	40.498
136	12219	151.00	7.80	2.00	3.171
137	12104	151.00	111.00	2.00	45.245
138	12253	152.00	16.00	1.00	6.564
139	12127	152.00	80.00	1.00	32.830
140	12303	152.40	25.40	1.00	10.449
141	12318	152.40	38.10	1.00	15.675
142	12205	152.40	76.20	1.00	31.352
143	G103972	152.40	101.60	5.00	41.748
144	G103796	155.00	35.00	1.00	14.645
145	G103647	155.00	46.00	1.00	19.249

SL. No.	Section No.	A	B	R	Weight kg/m
146	12130	155.00	58.00	1.00	24.271
147	12098	160.00	10.00	3.00	4.299
148	G100653	160.00	80.00	1.80	34.552
149	12255	160.00	115.00	1.00	49.678
150	12179	161.00	40.00	1.00	17.386
151	12171	163.00	39.00	1.00	17.162
152	12260	165.00	6.35	3.00	2.808
153	S4339	165.00	44.00	1.50	19.597
154	12264	165.00	55.00	1.00	24.500
155	12055	165.00	85.00	2.00	37.858
156	12160	165.00	120.00	1.00	53.458
157	12140	168.00	133.00	1.00	60.326
158	12132	169.00	4.80	1.00	2.188
159	S5203	169.00	7.80	2.00	3.550
160	12169	170.00	77.00	1.00	35.341
161	12259	170.00	80.00	2.00	36.711
162	G101693	173.00	153.00	5.00	71.408
163	G101130	177.80	90.00	1.00	43.203
164	G101131	177.80	101.60	1.00	48.772
165	12109	180.00	10.00	3.00	4.839
166	12242	180.00	30.00	2.00	14.571
167	12241	180.00	63.00	1.00	30.616
168	12071	185.00	15.00	1.00	7.490
169	G101616	187.00	15.00	2.00	7.564
170	12283	200.00	6.00	0.70	3.239
171	12139	200.00	10.00	3.00	5.379
172	12268	200.00	20.00	0.50	10.799
173	12065	200.00	20.00	1.00	10.800
174	12285	200.00	22.00	1.00	11.878
175	12118	200.00	32.00	1.00	17.278
176	12361	200.00	44.00	1.50	23.755
177	12226	200.00	55.00	2.00	29.691
178	G100658	200.00	60.00	1.80	32.392
179	G100654	200.00	80.00	1.80	43.192
180	G100655	200.00	100.00	2.00	53.991
181	G100445	202.00	31.75	2.00	17.307
182	12190	203.00	52.00	1.00	28.499
183	12191	203.00	62.00	1.00	33.980
184	12087	203.20	9.52	3.00	5.202
185	12349	203.20	44.45	1.00	24.385
186	12284	203.20	101.60	1.00	55.740
187	12207	204.00	26.00	2.00	14.312
188	G100727	204.00	54.00	2.00	29.734
189	G102491	204.00	65.00	1.80	35.794
190	12070	205.00	15.00	1.00	8.300
191	12365	205.00	72.00	1.00	39.850
192	12204	208.00	12.70	1.00	7.130
193	G100656	210.00	60.00	1.80	34.012
194	12083	212.00	38.00	2.00	21.742
195	G103623	215.00	66.00	2.00	38.304

FLAT BAR WITH RADIUS


SL. No.	Section No.	A	B	R	Weight kg/m
196	12177	215.00	76.20	1.00	44.232
197	G103374	218.60	109.00	2.00	64.325
198	12173	220.00	12.30	2.00	7.297
199	G103660	220.00	30.00	1.00	17.818
200	12078	222.00	32.00	1.50	19.176
201	G100146	222.00	43.00	0.70	25.773
202	12103	223.00	18.00	1.00	10.835
203	12213	225.00	50.00	2.00	30.366
204	G103375	229.00	163.80	2.50	101.263
205	12308	230.00	65.00	1.00	40.363
206	G101617	230.00	127.00	3.00	78.846
207	G103659	232.00	38.00	1.00	23.801
208	12074	233.00	17.00	1.00	10.692
209	G101447	237.00	78.00	2.00	49.903
210	G101478	240.00	20.00	1.00	12.958
211	G101613	240.00	50.00	2.00	32.391
212	12084	250.00	18.00	1.50	12.145
213	12054	250.00	30.00	2.50	20.236
214	G103281	250.00	125.00	5.00	84.317
215	G100333	254.00	19.05	1.00	13.062
216	12167	254.00	21.50	1.00	14.742
217	12266	254.00	50.80	0.60	34.838
218	12097	255.00	17.50	1.50	12.044
219	12063	255.00	23.00	1.00	15.833
220	12090	256.00	4.82	2.00	3.322
221	12088	256.00	9.52	2.00	6.571
222	G100934	258.00	63.50	3.50	44.206
223	12188	260.00	22.00	2.00	15.435
224	12081	260.00	23.00	2.00	16.137
225	G100728	262.00	20.00	1.00	14.146
226	12110	265.00	18.00	2.00	12.879
227	12235	267.00	22.00	2.00	15.851
228	12293	268.00	18.00	3.00	13.004
229	G101807	270.00	15.00	1.00	10.933
230	12196	270.00	22.00	4.00	16.001
231	G103661	275.00	18.00	1.00	13.363
232	12064	276.00	23.00	2.00	17.130
233	G100933	279.40	63.50	3.50	47.875
234	12082	284.00	18.00	2.00	13.793
235	12085	285.00	23.00	2.00	17.699
236	12320	290.00	15.00	1.00	11.743
237	12195	290.00	29.00	4.00	22.670
238	12236	292.00	23.00	4.00	18.096
239	G101776	300.00	22.50	1.00	18.223
240	12222	300.00	36.00	1.00	29.158
241	G101479	300.00	15.00	1.00	12.148
242	12056	305.00	6.00	1.00	4.939
243	12057	305.00	8.00	1.00	6.586
244	12197	305.00	20.00	1.00	16.468
245	G102782	315.00	50.00	2.00	42.516

SL. No.	Section No.	A	B	R	Weight kg/m
246	G102969	320.00	16.50	1.00	14.254
247	G103666	350.00	19.00	1.00	17.953
248	G100341	366.00	36.00	3.00	35.554
249	G101615	370.00	45.00	2.00	44.946
250	12267	380.00	10.00	1.00	10.258
251	G101614	380.00	36.00	2.00	36.927
252	G101072	391.00	19.00	1.00	20.056
253	12329	400.00	45.00	1.00	48.598
254	G101885	412.00	32.00	3.00	35.576
255	G101477	420.00	34.00	3.00	38.535
256	12244	426.00	30.00	6.00	34.423
257	G103651	430.00	19.00	1.00	22.057
258	G102855	430.00	23.00	1.00	26.701

GENERAL SHAPE

FLAT BAR WITH CHAMFER


FLAT BAR WITH CHAMFER



SL. No.	Section No.	A	B	C	Weight kg/m
1	G101576	33.80	19.00	0.80	1.730
2	G100999	76.20	12.70	1.00	2.607
3	12369	78.00	47.00	2.00	9.877
4	12301	101.60	78.00	2.00	21.375
5	12300	114.30	50.80	2.00	15.656
6	12291	118.00	75.00	2.00	23.873
7	G100243	120.00	76.00	1.00	24.619
8	G102117	120.00	76.00	3.00	24.575
9	12398	120.00	86.00	3.00	27.815
10	G103357	125.00	20.00	6.00	6.556
11	G100093	125.00	110.00	2.00	37.103
12	12310	140.00	115.00	1.00	43.465
13	12292	146.00	75.00	2.00	29.543
14	12315	153.00	55.00	1.50	22.708
15	G100635	165.00	140.00	3.00	62.321
16	12339	172.00	166.00	3.00	77.042
17	12363	175.00	155.00	3.00	73.189
18	12380	185.00	42.00	2.00	20.957
19	G100092	185.00	155.00	2.00	77.400
20	12393	186.00	32.00	2.00	16.049
21	12379	192.00	51.00	2.00	26.417
22	12364	200.00	90.00	2.00	48.578
23	12370	203.20	50.80	2.00	27.849
24	10491	235.00	152.00	4.00	96.358
25	12345	249.00	36.00	2.00	24.181
26	12352	255.00	90.00	3.00	61.916
27	12338	264.00	41.00	2.50	29.191
28	12334	267.00	27.00	2.00	19.443
29	12336	285.00	52.00	3.00	39.965
30	12371	290.00	30.00	2.00	23.468
31	G100688	332.00	29.00	1.50	25.983
32	12413	334.20	16.00	2.00	14.416
33	12362	388.00	18.00	1.00	18.851

GENERAL SHAPE

FLAT BAR WITH FULL RADIUS



SL. No.	Section No.	A	B	Weight kg/m
1	12335	20.00	3.00	0.157
2	12400	20.00	6.00	0.303
3	G102496	21.40	6.00	0.326
4	12330	25.00	6.00	0.384
5	12030	25.20	6.30	0.405
6	12316	25.40	4.76	0.313
7	12209	30.00	13.00	0.955
8	G100846	31.75	6.35	0.521
9	12261	32.00	9.00	0.731
10	28328	37.00	16.00	1.450
11	G102698	38.40	17.40	1.629
12	12302	40.00	6.00	0.627
13	12039	40.00	10.00	1.022
14	12231	40.00	15.00	1.490
15	28215	49.00	23.00	2.736
16	12269	50.00	5.00	0.661
17	12117	50.00	6.00	0.789
18	12001	50.00	10.00	1.292
19	12111	50.00	12.00	1.537
20	G100167	50.30	25.00	3.033
21	12046	50.40	6.30	0.834
22	28314	51.00	25.60	3.145
23	29032	51.00	25.60	3.145
24	28117	51.60	28.00	3.447
25	12297	55.00	25.60	3.422
26	12229	60.00	5.00	0.796
27	12245	60.00	6.00	0.951
28	12075	60.00	6.20	0.982
29	12270	60.00	8.00	1.259
30	12198	61.00	7.50	1.203
31	12367	63.50	6.35	1.065
32	G101842	63.50	12.70	2.084
33	28158	65.20	25.20	4.068
34	12322	70.00	5.00	0.931
35	G101487	70.00	30.00	5.149
36	28961	72.00	27.00	4.826
37	12341	73.50	2.50	0.493
38	12116	75.00	6.00	1.194
39	12150	76.20	9.52	1.906
40	12331	76.20	12.70	2.519
41	G102857	77.00	27.00	5.191
42	12271	80.00	8.00	1.691
43	G103591	80.00	10.00	2.102
44	G103592	80.00	15.00	3.110
45	G103370	81.90	12.00	2.570

SL. No.	Section No.	A	B	Weight kg/m
46	12340	93.50	2.50	0.628
47	12100	100.00	6.00	1.599
48	12246	100.00	6.00	1.599
49	12272	100.00	8.00	2.123
50	G102594	100.00	10.00	2.642
51	12144	100.00	12.00	3.157
52	G103043	101.60	4.75	1.290
53	12050	101.60	6.35	1.720
54	12342	102.00	2.50	0.685
55	12343	112.00	2.50	0.752
56	G102459	114.30	6.35	1.936
57	12273	120.00	8.00	2.555
58	12274	120.00	12.00	3.805
59	G102040	125.00	6.00	2.004
60	G102595	125.00	10.00	3.317
61	12227	140.00	6.00	2.247
62	G103355	140.00	15.00	5.540
63	12102	150.00	6.00	2.409
64	12193	150.00	10.00	3.992
65	12042	152.40	6.35	2.590
66	12275	160.00	10.00	4.262
67	12276	160.00	14.00	5.934
68	12239	175.00	6.00	2.814
69	12228	185.00	6.00	2.976
70	12353	200.00	6.00	3.219
71	G102041	200.00	6.00	3.219
72	G103332	200.00	6.00	3.219
73	12319	200.00	10.00	5.342
74	12068	200.00	12.00	6.397
75	G102039	220.00	6.00	3.543
76	12208	240.00	6.00	3.867
77	12216	240.00	6.00	3.867
78	G103283	240.00	6.00	3.867