


GENERAL SHAPE

ROUND TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	G103126	5.60	0.70	0.029
2	13422	5.60	1.20	0.045
3	13311	6.20	0.90	0.040
4	13125	6.20	1.20	0.050
5	13630	6.35	1.22	0.053
6	13176	6.35	1.50	0.062
7	13245	6.35	2.07	0.075
8	13576	7.25	1.42	0.070
9	13118	7.40	1.50	0.075
10	13286	7.75	1.00	0.057
11	13481	7.80	1.00	0.058
12	13255	8.00	1.00	0.059
13	13355	8.00	1.20	0.069
14	13036	8.00	1.27	0.072
15	13063	8.00	1.50	0.083
16	13775	8.00	1.80	0.095
17	13445	8.00	2.00	0.102
18	13692	8.10	0.50	0.032
19	13781	8.10	2.35	0.115
20	13149	8.30	1.45	0.084
21	13670	8.46	0.68	0.045
22	13602	8.60	0.80	0.053
23	13265	8.80	2.65	0.138
24	13208	9.00	0.53	0.038
25	13329	9.05	1.00	0.063
26	13326	9.20	0.78	0.056
27	13284	9.35	0.55	0.041
28	13209	9.35	0.64	0.048
29	13553	9.35	0.65	0.048
30	13163	9.50	1.35	0.093
31	13144	9.52	0.78	0.058
32	13003	9.52	0.92	0.067
33	13210	9.52	1.00	0.073
34	13303	9.52	1.13	0.080
35	13001	9.52	1.22	0.086
36	13002	9.52	1.63	0.109
37	13784	9.60	0.80	0.060
38	13536	9.70	1.40	0.099
39	13647	9.75	2.13	0.138
40	13394	10.00	0.80	0.062
41	13524	10.00	0.82	0.064
42	13097	10.00	1.00	0.076
43	13093	10.00	1.50	0.108
44	13436	10.50	0.51	0.043
45	13381	10.50	1.70	0.127

SL. No.	Section No.	ØA	B	Weight kg/m
46	13159	10.80	1.40	0.112
47	13578	11.00	0.42	0.038
48	13207	11.00	0.48	0.043
49	13488	11.00	3.00	0.204
50	13396	11.10	1.00	0.086
51	13277	11.11	1.60	0.129
52	13231	12.00	0.48	0.047
53	13181	12.00	0.55	0.054
54	13145	12.00	0.72	0.068
55	13130	12.00	0.91	0.086
56	13128	12.00	1.00	0.093
57	13791	12.00	1.00	0.093
58	13745	12.00	2.20	0.183
59	13462	12.00	3.00	0.229
60	13004	12.70	0.86	0.086
61	13005	12.70	1.19	0.116
62	13779	12.70	1.40	0.134
63	13006	12.70	1.63	0.153
64	13007	12.70	2.03	0.184
65	13058	12.70	2.20	0.196
66	13608	12.70	2.55	0.220
67	13263	13.00	1.00	0.102
68	13126	13.00	1.85	0.175
69	13664	14.00	0.87	0.097
70	G101454	14.00	1.10	0.120
71	13234	14.00	1.55	0.164
72	13237	14.00	3.10	0.287
73	13067	14.50	1.22	0.137
74	13211	15.00	0.54	0.066
75	13182	15.00	0.60	0.073
76	13685	15.00	1.00	0.119
77	13008	15.00	2.00	0.221
78	13267	15.00	4.75	0.413
79	13228	15.20	0.72	0.088
80	13465	15.40	3.20	0.331
81	13621	15.50	2.35	0.262
82	13727	15.50	4.25	0.406
83	13751	15.70	3.50	0.362
84	13009	15.88	0.92	0.117
85	13212	15.88	0.96	0.121
86	13010	15.88	1.22	0.152
87	13011	15.88	1.63	0.197
88	13459	15.88	2.00	0.235
89	13012	15.88	2.38	0.272
90	13274	16.00	1.00	0.127
91	13691	16.00	1.60	0.195
92	13070	16.00	2.20	0.257
93	13124	16.00	2.75	0.309
94	13778	16.00	3.50	0.371
95	13334	16.90	2.45	0.300

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
96	13232	17.00	0.56	0.078
97	G101455	17.00	1.10	0.148
98	13169	17.00	2.60	0.318
99	13071	17.10	2.10	0.267
100	13792	17.50	3.30	0.397
101	13157	18.00	0.60	0.089
102	G100668	18.00	1.00	0.144
103	13492	18.00	1.30	0.184
104	13132	18.00	1.63	0.226
105	13185	18.00	2.00	0.271
106	13579	18.50	0.47	0.072
107	13213	18.50	0.51	0.078
108	13612	18.50	0.54	0.082
109	13183	18.50	0.60	0.091
110	13146	18.50	0.72	0.108
111	13643	18.50	1.00	0.148
112	13673	18.60	1.15	0.170
113	13165	19.00	1.15	0.174
114	13335	19.00	2.65	0.367
115	13257	19.05	0.82	0.127
116	13013	19.05	0.92	0.141
117	13214	19.05	0.95	0.145
118	13014	19.05	1.12	0.171
119	13368	19.05	1.20	0.182
120	13304	19.05	1.30	0.195
121	13015	19.05	1.63	0.241
122	13016	19.05	1.70	0.249
123	13460	19.05	2.00	0.289
124	13017	19.05	2.50	0.351
125	13461	19.05	3.18	0.428
126	13645	19.50	1.50	0.229
127	13072	19.60	2.30	0.337
128	13150	19.60	2.40	0.350
129	13035	19.60	3.05	0.428
130	13347	19.80	6.20	0.715
131	13359	20.00	1.00	0.161
132	G101456	20.00	1.10	0.176
133	13018	20.00	1.25	0.199
134	13409	20.00	1.50	0.235
135	13113	20.00	1.63	0.254
136	13251	20.00	3.15	0.450
137	13857	20.50	2.30	0.355
138	G103068	21.00	4.25	0.604
139	13272	21.00	5.10	0.688
140	13336	21.10	3.00	0.460
141	S4491	21.18	1.60	0.266
142	13107	21.20	2.55	0.403
143	G101224	21.30	2.77	0.435
144	13615	21.40	4.80	0.676
145	13073	21.50	2.50	0.403

SL. No.	Section No.	ØA	B	Weight kg/m
146	13168	21.70	3.10	0.489
147	13262	22.00	0.55	0.100
148	13770	22.00	0.55	0.100
149	13752	22.00	0.75	0.135
150	13253	22.00	0.85	0.152
151	13626	22.00	1.00	0.178
152	13603	22.00	1.20	0.212
153	13562	22.00	1.25	0.220
154	13561	22.00	1.60	0.277
155	13238	22.00	4.10	0.623
156	13589	22.00	5.00	0.721
157	G103083	22.00	5.25	0.746
158	13019	22.22	0.88	0.159
159	13376	22.22	1.20	0.214
160	13061	22.22	1.60	0.280
161	13278	22.23	1.00	0.180
162	S4492	22.30	1.60	0.281
163	13796	22.50	6.00	0.840
164	13384	23.00	1.40	0.257
165	G101459	23.00	5.445	0.811
166	13665	23.40	1.00	0.190
167	13108	23.70	2.85	0.504
168	13337	23.90	3.65	0.626
169	13147	24.00	0.84	0.165
170	13308	24.00	1.25	0.241
171	13133	24.00	1.63	0.309
172	13080	24.00	2.75	0.496
173	13523	25.00	1.00	0.204
174	13117	25.00	1.22	0.246
175	13034	25.00	1.50	0.299
176	13363	25.00	1.50	0.299
177	13470	25.00	1.50	0.299
178	13020	25.00	2.00	0.390
179	13566	25.00	2.00	0.390
180	13021	25.00	2.50	0.477
181	13862	25.00	3.00	0.560
182	13122	25.00	4.00	0.713
183	G101464	25.00	4.20	0.741
184	13721	25.00	5.00	0.848
185	13378	25.00	6.45	1.015
186	13776	25.20	0.90	0.186
187	13369	25.40	0.83	0.173
188	13215	25.40	0.87	0.181
189	13222	25.40	1.00	0.207
190	13305	25.40	1.06	0.219
191	13022	25.40	1.22	0.250
192	13306	25.40	1.22	0.250
193	13577	25.40	1.30	0.266
194	13023	25.40	1.60	0.323
195	13129	25.40	1.90	0.379

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
196	13090	25.40	3.20	0.603
197	13293	25.40	5.95	0.981
198	G102607	25.50	0.65	0.137
199	13444	25.91	4.63	0.836
200	13787	26.00	1.60	0.331
201	13441	26.00	3.00	0.585
202	13479	26.00	3.50	0.668
203	G101462	26.00	5.425	0.947
204	13683	26.00	6.50	1.075
205	13837	26.51	3.43	0.671
206	13641	26.67	3.17	0.633
207	G101225	26.70	2.87	0.580
208	13186	27.00	2.50	0.520
209	13127	27.00	3.00	0.611
210	13109	27.00	3.20	0.646
211	13318	27.00	5.50	1.003
212	13338	27.20	3.95	0.779
213	13387	27.50	1.50	0.331
214	13360	28.00	1.00	0.229
215	13401	28.00	1.60	0.358
216	13110	28.00	3.00	0.636
217	13655	28.00	3.00	0.636
218	13038	28.00	4.00	0.814
219	13705	28.00	5.35	1.028
220	13315	28.00	9.50	1.491
221	13809	28.60	1.60	0.366
222	13114	28.60	1.63	0.373
223	13081	28.60	3.30	0.708
224	13429	28.70	2.28	0.511
225	13417	29.00	1.00	0.238
226	13235	29.00	2.50	0.562
227	13386	30.00	0.70	0.174
228	13260	30.00	0.77	0.191
229	13382	30.00	1.00	0.246
230	13047	30.00	1.50	0.363
231	13264	30.00	2.00	0.475
232	13829	30.00	2.00	0.475
233	13379	30.00	2.30	0.540
234	13190	30.00	2.50	0.583
235	13866	30.00	3.00	0.687
236	13639	30.00	4.60	0.991
237	13101	30.00	5.25	1.102
238	13171	30.00	6.65	1.318
239	13068	30.00	7.25	1.399
240	13024	30.10	1.22	0.299
241	13339	30.20	4.20	0.926
242	13628	31.00	2.25	0.549
243	13654	31.00	3.00	0.713
244	13111	31.00	3.50	0.816
245	13798	31.75	0.80	0.210

SL. No.	Section No.	ØA	B	Weight kg/m
246	13254	31.75	0.95	0.248
247	13229	31.75	1.05	0.273
248	13571	31.75	1.00	0.261
249	13530	31.75	1.10	0.286
250	13025	31.75	1.22	0.316
251	13026	31.75	1.63	0.416
252	13027	31.75	2.00	0.505
253	13094	31.75	3.18	0.771
254	13758	31.80	3.15	0.766
255	13599	31.80	3.20	0.776
256	13458	31.80	4.50	1.042
257	13707	31.90	5.10	1.159
258	13328	32.00	1.20	0.314
259	G100739	32.00	1.50	0.388
260	13248	32.00	1.60	0.412
261	13100	32.00	2.00	0.509
262	13598	32.00	3.00	0.738
263	13082	32.00	3.50	0.846
264	13066	32.00	4.00	0.950
265	G102699	32.00	4.00	0.950
266	13700	32.00	4.25	1.000
267	13375	32.00	4.50	1.050
268	13496	32.00	8.00	1.629
269	13581	32.00	10.00	1.866
270	13865	32.25	4.69	1.097
271	13640	32.25	4.86	1.129
272	13771	32.50	3.55	0.872
273	13591	32.80	5.80	1.328
274	13137	33.00	3.50	0.875
275	13483	33.00	6.20	1.409
276	13044	33.00	6.25	1.418
277	G103066	33.00	7.60	1.637
278	13570	33.30	1.10	0.300
279	G101226	33.40	3.38	0.861
280	G100271	34.00	1.00	0.280
281	13600	34.00	4.50	1.126
282	13199	34.00	5.75	1.378
283	13447	34.00	8.75	1.874
284	G102443	34.20	2.20	0.597
285	13736	34.25	5.25	1.291
286	13730	34.64	1.44	0.406
287	G100987	34.70	9.75	2.063
288	13342	34.80	4.90	1.242
289	13442	35.00	1.20	0.344
290	13393	35.00	3.00	0.814
291	13202	35.00	4.50	1.164
292	13712	35.00	5.00	1.272
293	13316	35.00	7.00	1.663
294	13633	35.00	8.50	1.911
295	S4303	35.10	3.40	0.914

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
296	13585	35.20	4.50	1.172
297	13706	35.40	4.90	1.268
298	13703	35.80	4.90	1.284
299	13446	35.90	4.95	1.300
300	G100740	36.00	1.30	0.383
301	13135	36.00	2.00	0.576
302	13828	36.00	2.00	0.577
303	13103	36.00	4.00	1.085
304	13607	36.00	7.50	1.813
305	13443	36.00	8.00	1.900
306	13567	36.10	1.60	0.468
307	13250	36.50	3.00	0.852
308	S6192	37.00	4.00	1.120
309	13388	37.00	5.00	1.357
310	13083	37.50	4.25	1.198
311	13256	37.90	1.70	0.522
312	13711	38.00	1.00	0.314
313	13411	38.00	1.20	0.375
314	13091	38.00	2.00	0.611
315	13710	38.00	3.00	0.891
316	13323	38.00	5.90	1.606
317	13057	38.00	6.50	1.737
318	13385	38.00	6.75	1.789
319	13367	38.00	7.50	1.940
320	13224	38.10	1.30	0.405
321	13028	38.10	1.63	0.504
322	13029	38.10	2.00	0.612
323	13030	38.10	2.50	0.755
324	13099	38.10	7.55	1.956
325	13140	38.20	3.20	0.950
326	13762	38.80	9.52	2.365
327	13606	39.00	9.00	2.290
328	13769	39.00	4.00	1.188
329	13646	39.10	1.50	0.478
330	13340	39.10	5.45	1.555
331	G103070	39.50	8.25	2.187
332	13763	39.80	10.03	2.532
333	13786	40.00	1.00	0.331
334	13480	40.00	1.20	0.395
335	G100741	40.00	1.30	0.427
336	13078	40.00	1.50	0.490
337	13048	40.00	2.00	0.645
338	13152	40.00	2.50	0.795
339	13098	40.00	3.00	0.941
340	13134	40.00	4.00	1.221
341	13370	40.00	5.00	1.484
342	G101738	40.00	5.00	1.484
343	13507	40.00	7.00	1.959
344	13389	40.00	8.00	2.171
345	13276	40.00	11.00	2.705

SL. No.	Section No.	ØA	B	Weight kg/m
346	13766	40.00	14.00	3.088
347	13504	40.60	1.80	0.592
348	13174	41.00	5.00	1.527
349	13416	41.80	4.56	1.440
350	13649	41.80	4.56	1.440
351	13827	42.00	2.00	0.679
352	13089	42.00	2.00	0.679
353	13319	42.00	7.50	2.195
354	13584	42.00	8.25	2.362
355	13412	42.00	11.50	2.975
356	13807	42.10	4.75	1.505
357	13808	42.15	1.45	0.501
358	13737	42.16	3.55	1.163
359	13419	42.16	4.85	1.535
360	S6650	42.20	2.70	0.905
361	13772	42.50	3.95	1.292
362	13696	42.50	8.75	2.505
363	13661	42.55	4.90	1.565
364	13564	42.70	9.35	2.645
365	S5990	43.00	6.25	1.948
366	13116	43.00	7.00	2.137
367	13601	43.40	10.00	2.833
368	G100742	44.00	1.30	0.471
369	13468	44.00	3.00	1.043
370	13194	44.00	10.00	2.884
371	13341	44.40	6.35	2.049
372	13750	44.45	1.60	0.582
373	G100629	44.45	9.525	2.822
374	13077	45.00	2.50	0.901
375	G101818	45.00	3.00	1.069
376	13200	45.00	4.00	1.391
377	13331	45.00	5.00	1.696
378	13487	45.00	14.00	3.681
379	13565	45.20	10.30	3.049
380	13505	45.70	1.80	0.670
381	13084	46.00	5.00	1.738
382	13136	46.00	5.50	1.889
383	13310	46.00	6.00	2.035
384	G103069	46.00	8.75	2.765
385	G103067	46.00	9.75	2.998
386	13804	46.25	1.00	0.384
387	G102281	47.50	9.20	2.989
388	G103071	47.60	8.35	2.780
389	G100743	48.00	1.30	0.515
390	13826	48.00	2.00	0.780
391	G101698	48.00	3.00	1.145
392	13298	48.00	4.00	1.492
393	13138	48.00	5.00	1.823
394	13056	48.00	8.75	2.913
395	13088	48.00	9.00	2.977

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
396	13512	48.10	4.60	1.697
397	13667	48.10	4.75	1.747
398	13408	48.16	4.51	1.670
399	13172	48.26	3.68	1.391
400	13420	48.26	5.08	1.861
401	13510	48.30	4.00	1.503
402	13767	48.30	3.00	1.153
403	13588	48.41	4.47	1.666
404	S4210	48.99	4.90	1.833
405	13597	49.90	10.75	3.570
406	13271	50.00	1.50	0.617
407	13467	50.00	2.00	0.814
408	13064	50.00	2.50	1.007
409	13757	50.00	2.50	1.007
410	13065	50.00	3.00	1.196
411	13121	50.00	5.00	1.908
412	13327	50.00	6.00	2.239
413	13371	50.00	7.50	2.704
414	13583	50.00	10.00	3.393
415	13713	50.00	12.50	3.976
416	G103474	50.00	15.00	4.453
417	13131	50.20	3.10	1.238
418	G101223	50.80	1.244	0.523
419	13031	50.80	1.63	0.680
420	13506	50.80	1.80	0.748
421	13032	50.80	2.03	0.840
422	13033	50.80	2.50	1.024
423	13414	50.80	3.00	1.216
424	G100569	50.80	3.20	1.292
425	13282	50.80	6.35	2.400
426	13112	51.00	6.00	2.290
427	13768	51.00	18.00	5.038
428	G101691	51.40	8.70	3.151
429	G101387	51.40	9.70	3.431
430	S3923	51.80	3.65	1.491
431	G100744	52.00	1.30	0.559
432	13042	52.00	7.00	2.672
433	13037	52.00	9.50	3.425
434	G100986	52.00	11.00	3.826
435	13437	54.00	1.60	0.711
436	13825	54.00	2.00	0.882
437	13672	54.00	8.75	3.358
438	13170	54.00	10.00	3.732
439	13783	54.00	12.00	4.275
440	13268	55.00	2.50	1.113
441	13777	55.40	2.00	0.906
442	13398	55.80	7.35	3.021
443	G100624	56.00	1.30	0.603
444	13632	56.00	5.50	2.356
445	G103667	56.00	10.00	3.902

SL. No.	Section No.	ØA	B	Weight kg/m
446	13556	56.80	14.40	5.179
447	13674	56.86	5.09	2.235
448	13085	57.00	6.75	2.877
449	13652	57.00	7.50	3.149
450	13549	57.00	18.00	5.955
451	13049	57.60	2.90	1.346
452	13682	57.80	16.90	5.863
453	13372	58.80	11.50	4.614
454	13062	59.50	4.50	2.099
455	G100630	60.00	1.30	0.647
456	13075	60.00	2.00	0.984
457	13824	60.00	2.00	0.984
458	13395	60.00	2.50	1.219
459	13817	60.00	3.00	1.450
460	13748	60.00	3.50	1.677
461	G101819	60.00	4.00	1.900
462	13196	60.00	10.00	4.241
463	13761	60.00	12.00	4.886
464	13438	60.00	20.00	6.786
465	13218	60.32	3.91	1.870
466	13525	60.33	5.28	2.468
467	13236	60.33	5.54	2.575
468	13653	61.00	8.00	3.596
469	G102300	61.00	11.50	4.829
470	13782	61.07	5.54	2.607
471	13239	62.00	6.37	3.005
472	G103303	62.00	15.00	5.980
473	13050	63.00	1.60	0.833
474	13526	63.00	2.00	1.035
475	13453	63.00	3.00	1.527
476	13404	63.00	4.00	2.002
477	13397	63.00	9.00	4.122
478	13059	63.50	3.18	1.627
479	13625	63.50	6.00	2.926
480	13139	63.50	7.00	3.354
481	S5991	63.50	9.55	4.370
482	G100625	64.00	1.30	0.691
483	13448	64.00	6.00	2.952
484	13671	64.00	8.25	3.901
485	G100222	64.00	13.50	5.783
486	G100962	64.00	14.50	6.088
487	13175	65.00	1.00	0.542
488	G100156	65.00	3.50	1.826
489	S5660	65.00	6.00	3.003
490	G103668	65.00	10.00	4.665
491	13823	66.00	2.00	1.086
492	13119	66.00	6.00	3.053
493	13241	66.20	3.05	1.633
494	G100626	68.00	1.30	0.736
495	G100306	68.00	2.00	1.120

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
496	13046	69.35	3.18	1.782
497	13166	69.50	12.50	6.043
498	13695	70.00	2.00	1.154
499	13620	70.00	4.00	2.239
500	13508	70.00	5.00	2.757
501	13780	70.00	15.00	6.998
502	13746	70.00	16.50	7.488
503	13040	70.00	17.50	7.793
504	13614	70.00	25.00	9.543
505	13451	70.50	19.75	8.502
506	13822	72.00	2.00	1.188
507	13690	72.00	2.50	1.474
508	13299	72.00	12.00	6.107
509	G100548	72.30	1.30	0.783
510	13704	73.00	9.00	4.886
511	13153	73.03	5.16	2.970
512	13086	73.03	7.00	3.920
513	13233	75.00	3.00	1.832
514	13193	75.00	18.00	8.702
515	G100549	76.00	1.30	0.824
516	13269	76.00	2.50	1.559
517	13115	76.00	7.00	4.096
518	13187	76.10	4.50	2.732
519	13225	76.20	1.30	0.825
520	13723	76.20	1.45	0.919
521	13259	76.20	1.60	1.012
522	13658	76.20	2.00	1.259
523	13141	76.20	3.18	1.970
524	13281	76.20	6.35	3.762
525	13719	76.50	27.75	11.475
526	13051	76.20	9.50	5.375
527	13624	76.20	10.00	5.615
528	13722	76.20	12.70	6.841
529	13498	76.50	23.50	10.565
530	13821	78.00	2.00	1.289
531	G103694	78.00	21.00	10.153
532	13471	78.18	4.00	2.517
533	13773	79.50	19.75	10.010
534	13217	80.00	2.50	1.643
535	13569	80.00	3.00	1.959
536	13120	80.00	4.00	2.579
537	13349	80.00	5.00	3.180
538	G101741	80.00	5.00	3.180
539	13191	80.00	6.00	3.766
540	13391	80.00	8.00	4.886
541	13734	80.00	10.00	5.938
542	13810	80.00	10.00	5.938
543	G101739	80.00	10.00	5.938
544	13515	80.00	11.50	6.682
545	13164	80.00	15.00	8.270

SL. No.	Section No.	ØA	B	Weight kg/m
546	13744	80.00	15.00	8.270
547	13742	80.00	20.00	10.179
548	13725	80.00	21.00	10.509
549	G103590	80.00	22.00	10.823
550	13324	80.00	25.00	11.663
551	13527	80.20	2.00	1.327
552	G100550	80.80	1.30	0.877
553	13216	82.00	7.00	4.453
554	13261	82.00	21.50	11.033
555	13092	82.55	3.20	2.154
556	13820	84.00	2.00	1.391
557	13313	85.00	1.30	0.922
558	13802	85.00	12.50	7.687
559	S6514	85.00	23.50	12.259
560	13806	85.00	27.50	13.413
561	13189	86.00	8.00	5.293
562	13045	86.35	3.18	2.243
563	13714	88.00	2.00	1.459
564	13715	88.00	3.00	2.163
565	S6807	88.00	17.50	10.465
566	13154	88.90	4.05	2.915
567	13106	88.90	5.36	3.798
568	13430	88.90	5.49	3.884
569	13142	88.90	6.35	4.446
570	13295	88.90	7.62	5.253
571	13617	88.90	7.62	5.254
572	13637	88.90	7.62	5.254
573	13493	88.90	9.52	6.410
574	S6275	89.00	10.00	6.701
575	13698	90.00	1.70	1.273
576	13613	90.00	2.50	1.856
577	13162	90.00	3.50	2.568
578	13074	90.00	4.00	2.918
579	G101086	90.00	6.00	4.275
580	G100098	90.00	11.00	7.371
581	13759	90.00	15.00	9.543
582	13055	90.00	17.50	10.762
583	S6660	90.24	7.62	5.340
584	13760	90.50	8.00	5.598
585	13192	91.80	3.30	2.477
586	13720	92.00	10.00	6.955
587	13611	92.00	14.50	9.532
588	G103777	92.00	13.00	8.711
589	13552	92.00	22.00	13.063
590	S6195	92.00	36.25	17.142
591	13582	92.10	6.27	4.568
592	13854	94.00	14.00	9.500
593	13728	95.00	2.50	1.962
594	13500	95.25	12.70	8.893
595	13790	96.00	3.00	2.367

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
596	13204	96.00	11.50	8.243
597	13179	96.00	19.50	12.653
598	13320	96.50	5.00	3.880
599	13198	96.50	10.00	7.337
600	13592	96.50	25.00	15.162
601	13423	98.00	4.00	3.189
602	13258	98.00	26.00	15.878
603	13716	100.00	2.50	2.068
604	13095	100.00	3.20	2.627
605	13242	100.00	4.00	3.257
606	13540	100.00	5.00	4.029
607	13520	100.00	6.00	4.784
608	13252	100.00	8.00	6.243
609	G102697	100.00	10.00	7.634
610	13729	100.00	15.00	10.815
611	13743	100.00	15.00	10.815
612	13800	100.00	16.00	11.400
613	S6808	100.00	17.00	11.969
614	13732	100.00	20.00	13.572
615	13659	101.60	2.30	1.937
616	13219	101.60	3.20	2.671
617	13864	101.60	4.45	3.663
618	13069	101.60	5.74	4.667
619	13296	101.60	8.08	6.409
620	13407	101.60	10.00	7.770
621	13495	101.60	19.05	13.339
622	G101965	101.60	28.55	17.690
623	13322	102.00	12.00	9.160
624	G103589	102.50	32.75	19.376
625	G103369	103.00	10.00	7.889
626	13521	105.00	2.50	2.174
627	13604	105.15	1.90	1.664
628	13666	106.00	3.70	3.211
629	13852	106.00	14.00	10.925
630	13853	106.00	20.00	14.590
631	13151	108.00	3.00	2.672
632	13344	109.00	2.00	1.815
633	13455	110.00	5.00	4.453
634	S6003	110.00	10.00	8.842
635	13668	110.00	15.00	12.087
636	S6642	110.00	23.50	17.242
637	13178	112.00	11.50	9.803
638	G103404	112.00	30.00	20.866
639	13815	112.50	5.50	4.992
640	S6809	113.00	17.50	14.176
641	13491	113.50	7.20	6.492
642	13605	113.54	2.04	1.925
643	13638	114.20	8.51	7.629
644	13678	114.30	6.02	5.529
645	G103734	114.30	6.02	5.529

SL. No.	Section No.	ØA	B	Weight kg/m
646	13158	114.30	6.35	5.814
647	13330	114.30	8.56	7.678
648	13618	114.30	8.56	7.678
649	13076	114.50	4.50	4.199
650	13490	114.50	5.50	5.085
651	G103658	117.50	33.25	23.762
652	13380	117.70	11.75	10.560
653	13345	118.00	2.00	1.967
654	G102145	118.00	38.75	26.049
655	G102144	118.00	40.25	26.545
656	13348	120.00	1.50	1.507
657	13548	120.00	3.00	2.977
658	S6158	120.00	3.50	3.459
659	13785	120.00	4.00	3.936
660	13593	120.00	5.00	4.877
661	G103209	120.00	6.00	5.802
662	G101740	120.00	8.00	7.600
663	13586	120.00	8.00	7.600
664	13657	120.00	10.00	9.331
665	13662	120.00	12.00	10.993
666	13616	120.00	12.00	10.993
667	13709	120.00	13.00	11.799
668	13684	120.00	15.00	13.360
669	13733	120.00	17.50	15.215
670	13735	120.00	17.50	15.215
671	13755	120.00	20.00	16.965
672	G103426	120.00	30.00	22.902
673	13366	120.65	6.35	6.156
674	13686	121.00	30.50	23.413
675	13399	122.00	23.50	19.634
676	13541	122.50	30.00	23.538
677	13533	125.00	2.00	2.087
678	G100266	125.00	3.00	3.105
679	G100154	125.00	6.00	6.056
680	13173	125.00	6.50	6.533
681	G103311	125.00	7.00	7.006
682	13830	125.00	10.00	9.755
683	13413	125.00	12.00	11.502
684	13795	125.00	15.00	13.996
685	13052	125.00	20.00	17.813
686	13697	126.50	24.25	21.032
687	13321	127.00	3.50	3.666
688	13816	127.00	6.50	6.644
689	13801	127.00	9.07	9.073
690	G103282	127.00	19.05	17.443
691	13749	128.00	39.50	29.652
692	13201	130.00	7.50	7.793
693	13390	130.00	9.00	9.237
694	13831	130.00	10.00	10.179
695	13609	130.00	12.00	12.011

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
696	13764	130.00	23.50	21.229
697	13595	130.00	25.00	22.266
698	13450	130.00	28.50	24.537
699	13610	130.00	33.50	27.421
700	G100409	131.50	19.50	18.525
701	13774	131.00	20.50	19.215
702	13754	132.00	2.50	2.746
703	13454	132.00	5.00	5.386
704	13542	133.00	4.00	4.377
705	13765	133.00	15.00	15.014
706	13517	133.00	28.00	24.938
707	13374	135.00	32.50	28.257
708	13301	136.00	16.50	16.725
709	S6486	137.00	3.00	3.410
710	13283	137.00	26.00	24.480
711	G101896	138.00	10.00	10.857
712	13392	139.70	7.35	8.251
713	13405	140.00	4.00	4.614
714	S6304	140.00	8.00	8.957
715	13432	140.00	9.00	10.001
716	G101087	140.00	10.00	11.027
717	13424	140.00	10.50	11.534
718	13832	140.00	15.00	15.904
719	13587	140.00	17.50	18.184
720	13747	140.00	20.00	20.358
721	13687	140.00	24.00	23.615
722	G101853	141.30	6.553	7.490
723	13477	141.30	9.53	10.652
724	13699	141.30	9.53	10.652
725	13731	141.50	23.25	23.320
726	G100694	142.00	11.50	12.730
727	13279	143.00	6.00	6.972
728	13439	143.00	29.00	28.042
729	13457	144.00	35.25	32.516
730	13357	145.00	7.50	8.747
731	13244	145.00	32.50	31.013
732	13534	146.00	17.50	19.075
733	13426	147.00	4.50	5.439
734	13361	150.00	2.00	2.511
735	13717	150.00	2.80	3.496
736	13794	150.00	3.00	3.741
737	13509	150.00	5.00	6.150
738	13644	150.00	6.50	7.912
739	13501	150.00	13.60	15.735
740	13476	152.00	10.00	12.045
741	13400	152.00	31.00	31.817
742	13499	153.00	22.50	24.906
743	13484	153.50	13.25	15.763
744	13547	153.60	44.00	40.905
745	13406	154.00	4.00	5.089

SL. No.	Section No.	ØA	B	Weight kg/m
746	13563	154.00	5.00	6.319
747	13522	155.00	2.50	3.234
748	13753	155.00	2.50	3.234
749	13373	155.00	16.00	18.865
750	G100769	155.00	23.50	26.212
751	13663	155.00	30.50	32.209
752	13594	156.00	8.00	10.043
753	13456	156.00	29.50	31.654
754	13803	158.00	3.00	3.944
755	13543	158.00	4.00	5.225
756	13246	159.00	4.50	5.897
757	13123	160.00	5.50	7.208
758	13440	160.00	5.50	7.208
759	13428	160.00	6.00	7.838
760	13402	160.00	8.00	10.314
761	G100153	160.00	10.00	12.723
762	13688	160.00	11.00	13.902
763	13511	160.00	13.00	16.210
764	13797	160.00	17.50	21.153
765	13559	160.00	25.50	29.092
766	G101610	160.00	27.50	30.907
767	13529	160.00	35.00	37.110
768	13528	160.40	4.00	5.307
769	13249	162.00	11.00	14.089
770	13718	164.00	6.00	8.041
771	G100335	165.00	3.00	4.122
772	13538	165.00	4.50	6.126
773	S5668	165.00	10.00	13.148
774	G100107	165.00	42.50	44.161
775	13474	165.00	44.50	45.484
776	13724	165.10	25.40	30.098
777	G101571	165.10	19.05	23.600
778	G103403	166.00	18.00	22.597
779	13702	167.00	6.00	8.194
780	13351	168.00	4.50	6.240
781	13415	168.00	7.50	10.210
782	13648	168.00	9.00	12.138
783	13518	168.00	25.00	30.324
784	13726	168.28	7.11	9.720
785	13813	168.30	3.00	4.206
786	13660	168.30	3.50	4.893
787	13502	168.30	10.97	14.640
788	13544	169.00	4.50	6.279
789	13550	170.00	5.00	6.998
790	13650	170.00	8.00	10.993
791	13675	170.00	8.50	11.644
792	G100779	171.00	19.50	25.059
793	G101728	171.00	4.00	5.666
794	13290	172.00	10.00	13.741
795	13287	172.00	17.00	22.350

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
796	13537	173.00	19.00	24.819
797	13285	173.00	24.00	30.333
798	13161	173.80	6.40	9.087
799	G100808	174.00	12.00	16.490
800	13425	175.00	15.00	20.358
801	13573	175.00	22.50	29.105
802	13793	176.00	3.00	4.402
803	13805	176.00	3.00	4.402
804	13289	177.80	12.70	17.785
805	13701	178.00	8.00	11.536
806	13516	178.00	20.50	27.387
807	13433	180.00	6.50	9.566
808	13836	180.00	10.00	14.420
809	13275	180.00	15.00	20.993
810	13352	184.00	4.50	6.851
811	13756	184.00	8.00	11.943
812	G100669	184.50	2.66	4.103
813	13356	184.50	6.00	9.084
814	13535	185.00	11.00	16.235
815	G100534	185.00	45.00	53.438
816	G100155	186.00	6.00	9.161
817	13247	190.00	5.00	7.846
818	13560	190.00	9.00	13.818
819	13627	192.00	42.50	53.894
820	S6520	194.00	32.00	43.972
821	13503	195.00	13.50	20.784
822	13350	195.00	17.50	26.348
823	13680	195.00	20.00	29.688
824	13629	195.00	23.00	33.556
825	13354	195.00	25.00	36.050
826	13452	195.00	29.50	41.413
827	S5669	196.00	10.50	16.521
828	13811	197.00	4.00	6.548
829	13677	197.00	31.00	43.650
830	13353	200.00	4.50	7.462
831	13631	200.00	5.00	8.270
832	13693	200.00	6.00	9.873
833	13403	200.00	8.00	13.029
834	13622	200.00	10.00	16.116
835	G100807	200.00	12.00	19.136
836	G100165	200.00	25.00	37.110
837	G101612	200.00	32.50	46.176
838	13497	202.00	9.53	15.559
839	13472	202.00	18.50	28.795
840	G100390	202.00	18.50	28.795
841	13623	203.20	6.35	10.603
842	G100768	203.00	31.50	45.824
843	G101897	205.00	3.20	5.478
844	G102384	205.00	3.50	5.982
845	13539	205.00	5.00	8.482

SL. No.	Section No.	ØA	B	Weight kg/m
846	13280	205.00	27.00	40.765
847	G100770	205.00	45.00	61.073
848	13418	206.00	8.50	14.240
849	13464	207.00	28.50	43.152
850	13545	210.00	5.00	8.694
851	13557	210.00	5.00	8.694
852	13513	210.00	15.00	24.811
853	G103695	210.00	25.00	39.231
854	13740	214.00	9.00	15.650
855	13814	215.80	3.00	5.415
856	G100529	219.08	8.179	14.632
857	13519	220.00	6.50	11.771
858	13590	220.00	8.00	14.386
859	13580	220.00	9.50	16.962
860	G100391	220.00	9.50	16.962
861	13642	220.00	10.00	17.813
862	13532	220.00	17.50	30.059
863	13789	223.00	8.50	15.465
864	G101378	223.00	11.50	20.631
865	13619	224.00	11.00	19.874
866	13478	225.00	5.00	9.331
867	13434	225.00	6.50	12.047
868	13572	225.00	20.00	34.777
869	13475	226.00	11.00	20.061
870	13656	226.00	42.00	65.551
871	G100679	227.00	8.50	15.754
872	13596	227.00	12.50	22.743
873	13676	229.00	24.00	41.733
874	13551	230.00	5.00	9.543
875	13636	230.00	25.00	43.472
876	13635	230.00	28.00	47.976
877	13679	230.00	13.00	23.929
878	G101609	230.00	25.00	43.472
879	13568	234.00	27.00	47.408
880	G103665	234.87	4.75	9.272
881	13410	235.00	8.00	15.404
882	13741	235.00	9.00	17.253
883	G103061	235.00	10.00	19.085
884	13838	238.00	5.00	9.882
885	13835	240.00	15.00	28.628
886	13819	240.00	40.00	67.858
887	13463	242.00	19.50	36.803
888	13574	245.00	35.00	62.345
889	13738	246.00	20.00	38.340
890	13651	246.00	30.00	54.965
891	13482	250.00	5.00	10.391
892	13799	250.00	6.00	12.418
893	13694	250.00	8.00	16.422
894	G100810	252.00	6.00	12.520
895	13669	252.00	11.00	22.487

GENERAL SHAPE

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
896	13473	252.00	17.00	33.887
897	13555	252.00	17.00	33.887
898	13546	260.00	5.00	10.815
899	13708	262.00	6.00	13.029
900	13788	264.00	7.00	15.260
901	13558	270.00	5.00	11.239
902	13514	270.00	14.00	30.401
903	G100684	270.00	20.00	42.412
904	13431	271.00	8.00	17.847
905	G103735	273.03	9.27	20.740
906	13681	275.00	5.00	11.451
907	13435	275.00	7.50	17.018
908	G103338	276.00	13.00	29.001
909	13689	279.40	15.88	35.496
910	13856	280.00	32.50	68.230
911	13818	280.00	45.00	89.700
912	13634	282.00	8.50	19.719
913	13554	290.00	5.00	12.087
914	13834	290.00	15.00	34.989
915	G100680	290.00	18.00	41.529
916	G100502	296.00	8.00	19.543
917	13812	297.00	15.00	35.880
918	S5729	300.00	10.00	24.599
919	G103733	300.00	11.00	26.965
920	13739	300.00	12.70	30.949
921	G103732	300.00	13.00	31.647
922	S6305	300.00	30.00	68.707