





DOORS SECTIONS



DOORS SECTIONS




SL. No.	Section No.	A	B	C	Weight kg/m
1	19538	47.62	44.45	1.18	0.667
2	19547	47.62	44.45	1.35	0.759
3	19526	47.62	44.50	1.62	0.881
4	19569	47.62	44.45	2.02	1.052
5	19501	47.62	44.45	3.10	1.509
6	19585	50.00	44.50	1.90	1.030
7	19554	50.00	44.50	2.50	1.292
8	19516	53.70	44.45	2.30	1.238
9	19600	85.00	44.45	1.40	1.037
10	19550	85.00	44.45	1.56	1.139
11	19572	85.00	44.45	1.80	1.301
12	19560	85.00	44.45	2.00	1.417
13	19509	85.00	44.45	3.00	2.050
14	19592	85.00	44.45	3.26	2.200



SL. No.	Section No.	A	B	Weight kg/m
1	19570	47.62	1.90	0.911
2	19502	47.62	2.82	1.294
3	19518	53.70	2.30	1.173


19614

1.243 kg/m




19589

0.777 kg/m




19543


0.493 kg/m



DOORS SECTIONS




SL. No.	Section No.	A	B	Weight kg/m
1	20006	25.00	2.40	0.918
2	20042	49.91	0.98	0.607
3	20086	49.91	1.30	0.753
4	19575	49.91	1.60	0.882
5	20060	49.91	2.01	1.072
6	20014	49.91	3.00	1.495
7	19625	83.50	1.28	0.976
8	19599	83.50	1.40	1.052
9	19551	83.50	1.54	1.139
10	19535	83.50	1.70	1.243
11	20111	83.50	2.11	1.497
12	19525	83.50	2.40	1.679
13	19583	83.50	3.18	2.145
14	19564	100.00	2.00	1.603
15	19653	100.00	3.00	2.302
16	20002	150.00	2.65	2.779
17	19596	150.00	3.00	3.116
18	19620	200.00	3.00	3.926



SL. No.	Section No.	A	B	C	Weight kg/m
1	19542	47.62	44.45	1.14	0.607
2	19527	47.62	44.45	1.74	0.881
3	20071	47.62	44.45	1.88	0.943
4	20061	47.62	44.45	2.17	1.072
5	19512	47.62	44.45	3.00	1.426
6	19548	47.62	44.50	1.42	0.737
7	19549	83.50	44.45	1.62	1.139
8	19582	83.50	44.45	1.87	1.300
9	19508	83.50	44.45	3.00	2.107
10	19647	83.50	44.45	4.00	2.609


19568

1.600 kg/m




19578


1.006 kg/m



DOORS SECTIONS




SL. No.	Section No.	A	B	C	D	Weight kg/m
1	19539	47.62	44.45	1.40	10.20	0.719
2	19637	47.62	44.45	1.67	10.20	0.850
3	19528	47.62	44.45	1.74	10.16	0.881
4	19571	47.62	44.45	1.95	10.16	0.974
5	19503	47.62	44.45	3.18	10.16	1.501
6	19555	50.00	44.50	2.50	9.50	1.247
7	19580	83.50	44.45	1.49	9.50	1.055
8	20140	83.50	44.45	1.26	9.50	0.935
9	19581	83.50	44.45	2.00	9.50	1.384
10	19593	83.50	44.45	3.27	9.50	2.172
11	19648	83.50	44.45	4.00	9.50	2.609
12	19563	85.00	44.45	2.70	10.00	1.843
13	19529	95.25	44.45	1.70	25.40	1.301
14	19505	95.25	44.45	2.00	25.40	1.511
15	19556	101.60	44.50	2.50	25.00	1.943
16	19541	114.30	44.45	1.29	25.40	1.139
17	19534	114.30	44.45	1.35	10.15	1.190
18	19530	114.30	44.45	1.49	25.40	1.302
19	19623	114.30	44.45	1.68	10.15	1.459
20	19567	114.30	44.45	1.75	10.15	1.516
21	19559	114.30	44.45	1.95	10.15	1.674
22	19573	114.30	44.45	2.15	10.15	1.836
23	19574	114.30	44.45	2.15	25.40	1.836
24	19591	114.30	44.45	2.42	10.15	2.051
25	19510	114.30	44.45	3.18	10.15	2.646
26	19511	114.30	44.45	3.18	25.40	2.646
27	19517	150.00	44.45	2.20	25.40	2.376
28	19584	150.00	44.45	3.10	25.40	3.181
29	19621	200.00	44.45	3.00	25.40	3.894



SL. No.	Section No.	A	B	Weight kg/m
1	19520	48.00	9.50	1.342
2	19519	100.00	25.00	1.917


DOORS SECTIONS




SL. No.	Section No.	A	C	D	Weight kg/m
1	19576	47.62	0.99	10.15	0.537
2	19544	95.25	0.89	25.40	0.719
3	19540	95.25	1.16	25.40	0.911

19601


1.481 kg/m



DOORS SECTIONS



SL. No.	Section No.	A	B	C	Weight kg/m
1	19566	47.00	38.00	2.40	1.102
2	19616	47.00	38.00	4.20	1.797
3	19579	47.50	38.25	1.58	0.769
4	19636	47.62	37.46	3.00	1.344
5	20138	83.50	73.35	1.46	0.998
6	19590	83.50	73.35	1.55	1.053




SL. No.	Section No.	A	Weight kg/m
1	19613	1.40	0.830
2	19565	2.40	1.281

DOORS SECTIONS


19531

0.924 kg/m




21339

1.318 kg/m




19634

1.840 kg/m





19545

2.959 kg/m



19514

1.415 kg/m




SL. No.	Section No.	A	Weight kg/m
1	19650	48.00	0.774
2	19649	57.90	0.988

DOORS SECTIONS


19515

3.170 kg/m




19546

2.725 kg/m




19595

2.325 kg/m




19602

1.581 kg/m




19611

1.527 kg/m



19646


0.914 kg/m



DOORS SECTIONS


19598

0.632 kg/m





19603

0.529 kg/m



19606

0.434 kg/m




SL. No.	Section No.	A	Weight kg/m
1	19607	0.80	0.397
2	19597	1.00	0.492

DOORS SECTIONS


19631

1.450 kg/m




19639

0.785 kg/m



19466


0.781 kg/m



MATCHING WITH 21614

19467


0.710 kg/m



MATCHING WITH 21615

41533

1.012 kg/m




MATCHING WITH 21358

DOORS SECTIONS


21159

1.969 kg/m




19674

1.466 kg/m




19675

1.211 kg/m



19652


1.172 kg/m




MATCHING WITH 19472

DOORS SECTIONS


19504 1.324 kg/m




19594 1.285 kg/m




19557 1.248 kg/m




19552 1.116 kg/m




19612 2.043 kg/m




19609 0.974 kg/m











19619 1.124 kg/m



20861 0.858 kg/m




DOORS SECTIONS




DOORS SECTIONS


19661 1.053 kg/m




S5452 2.178 kg/m




19671 3.118 kg/m




19673 1.134 kg/m




19670 1.624 kg/m




19669 0.662 kg/m



S5637 1.948 kg/m




S5484 2.790 kg/m



DOORS SECTIONS


38521

1.259 kg/m




19684

2.981 kg/m





19662

2.628 kg/m



20149


1.999 kg/m



SL. No.	Section No.	A	Weight kg/m
1	20130	1.40	0.947
2	20024	1.70	1.158
3	20001	2.65	1.657
4	20137	3.18	1.954


G100401

1.039 kg/m



G100877


1.593 kg/m



DOORS SECTIONS


19533

2.863 kg/m




19553

1.800 kg/m




19558

1.926 kg/m



19618


2.111 kg/m



DOORS SECTIONS


19610

1.753 kg/m




19635

1.876 kg/m




19622

1.986 kg/m



19654


2.393 kg/m



DOORS SECTIONS


19659

3.425 kg/m




21473

0.988 kg/m




19664

2.047 kg/m




19608

1.626 kg/m




DOORS SECTIONS



SL. No.	Section No.	A	Weight kg/m
1	21033	2.64	0.945
2	20515	3.00	1.056

MATCHING WITH 21034,20513




SL. No.	Section No.	A	Weight kg/m
1	21034	2.64	1.555
2	20513	3.00	1.705

MATCHING WITH 21033,20515


19641

1.654 kg/m



20153


0.976 kg/m



DOORS SECTIONS

19657


1.031 kg/m



MATCHING WITH 19658

19658


0.650 kg/m



MATCHING WITH 19657


21311

3.524 kg/m



20900


1.207 kg/m



DOORS SECTIONS


S6178

2.905 kg/m




S6616

2.593 kg/m




S6176

4.209 kg/m



S6591


1.793 kg/m



DOORS SECTIONS


19665

3.304 kg/m




S6590

2.956 kg/m



21370


0.912 kg/m



MATCHING WITH 20513

19688


3.548 kg/m



DOORS SECTIONS


19615

3.145 kg/m




21474

1.881 kg/m



19663


3.560 kg/m



DOORS SECTIONS


S6181

4.479 kg/m




19642

2.981 kg/m



20087


2.079 kg/m



DOORS SECTIONS


S6595

3.122 kg/m




19672

3.786 kg/m



20154


1.757 kg/m



DOORS SECTIONS


20996

2.102 kg/m




21312

4.033 kg/m



G101117


2.421 kg/m



DOORS SECTIONS


G101279

2.405 kg/m




G101360

3.543 kg/m



G102796


2.277 kg/m



DOORS SECTIONS


19638

1.687 kg/m




19644

0.808 kg/m




19643

0.952 kg/m




19645

0.552 kg/m




29562

1.655 kg/m




19660

0.623 kg/m




15171

0.580 kg/m








29694

0.416 kg/m




DOORS SECTIONS



DOORS SECTIONS


19678

1.573 kg/m




19679

0.843 kg/m




19689

0.768 kg/m



G101132


1.739 kg/m



MATCHING WITH 16039


G101278

1.359 kg/m




G101133

0.797 kg/m



G101134


1.058 kg/m



DOORS SECTIONS

G102035


0.314 kg/m



MATCHING WITH G102036

G102036


0.527 kg/m



MATCHING WITH G102035


G102794

1.716 kg/m




G102795

1.329 kg/m




G103136

1.155 kg/m




G103135

2.192 kg/m



G103134


1.747 kg/m



DOORS SECTIONS


G103137

3.469 kg/m




G103138

6.340 kg/m



G103100

3.713 kg/m




MATCHING WITH 19447,G103108

DOORS SECTIONS

G103103


3.905 kg/m



MATCHING WITH G103108

G103101


4.855 kg/m



MATCHING WITH 19447,G103108



G103102

5.047 kg/m




MATCHING WITH 19447,G103108

PARTITION SECTION



PARTITION SECTION


DOUBLE GROOVE



SL. No.	Section No.	A	B	C	D	Weight kg/m
1	20089	47.80	24.00	0.59	7.50	0.316
2	20050	50.80	25.40	0.63	7.50	0.350
3	20044	50.80	25.40	0.79	7.50	0.414
4	20079	50.80	25.40	0.98	7.50	0.496
5	20031	50.80	25.40	1.19	7.50	0.581
6	20017	50.80	25.40	1.34	8.00	0.651
7	20046	63.50	38.10	0.66	7.50	0.455
8	20069	63.50	38.10	0.83	7.50	0.547
9	20034	63.50	38.10	0.92	7.50	0.593
10	20053	63.50	38.10	1.08	7.50	0.686
11	20026	63.50	38.10	1.21	7.50	0.761
12	20062	63.50	38.10	1.28	8.00	0.805
13	20047	63.50	38.10	1.53	8.00	0.942
14	20072	63.50	38.10	1.85	8.00	1.095
15	20064	63.50	38.10	2.50	8.00	1.444
16	20004	63.50	38.10	3.18	8.00	1.790
17	20143	75.00	38.10	1.20	8.00	0.832
18	20144	75.00	45.00	1.25	8.00	0.908
19	20037	82.50	38.00	1.10	8.00	0.833
20	20124	89.00	32.00	1.50	8.00	1.079
21	20035	82.50	38.00	1.60	8.00	1.139
22	20160	82.50	38.00	3.18	8.00	2.115
23	20021	89.00	32.00	2.75	8.00	1.905
24	20147	92.00	31.75	1.30	8.00	0.972
25	20152	92.00	31.75	2.00	8.00	1.422
26	20051	101.60	44.45	1.20	8.00	1.060
27	20028	101.60	44.45	1.50	8.00	1.301
28	20076	101.60	44.45	1.93	8.00	1.608
29	20075	101.60	44.45	2.40	8.00	1.954
27	20057	101.60	44.45	2.50	8.00	2.050
27	20066	101.60	44.45	3.00	8.00	2.415
28	20010	101.60	44.45	3.18	8.00	2.683
29	20113	101.60	44.45	3.60	8.00	2.849
30	20145	116.00	44.50	1.50	8.00	1.404
31	20081	123.00	44.45	1.50	8.00	1.456

PARTITION SECTION

SINGLE GROOVE




SL. No.	Section No.	A	B	C	D	Weight kg/m
1	20088	47.80	24.00	0.60	7.50	0.274
2	20058	50.00	25.00	2.00	8.00	0.849
3	20049	50.80	25.40	0.73	7.50	0.342
4	20043	50.80	25.40	0.91	7.50	0.414
5	20080	50.80	25.40	1.09	7.50	0.489
6	20030	50.80	25.40	1.30	8.00	0.581
7	20016	50.80	25.40	1.50	8.00	0.651
8	20045	63.50	38.10	0.75	7.50	0.455
9	20068	63.50	38.10	0.92	7.50	0.546
10	20033	63.50	38.10	1.01	7.50	0.595
11	20054	63.50	38.10	1.17	7.50	0.681
12	20027	63.50	38.10	1.31	8.00	0.758
13	20063	63.50	38.10	1.41	8.00	0.818
14	20125	63.50	38.10	1.50	8.00	0.861
15	20048	63.50	38.10	1.65	8.00	0.942
16	20073	63.50	38.10	1.95	8.00	1.092
17	20065	63.50	38.10	2.50	8.00	1.369
18	20005	63.50	38.10	3.18	8.00	1.777
19	20038	82.50	38.00	1.20	8.00	0.829
20	20036	82.50	38.00	1.70	8.00	1.139
21	20159	82.50	38.00	3.18	8.00	2.037
22	20158	82.50	82.50	1.80	8.00	1.633
23	20032	89.00	32.00	2.75	8.00	1.787
24	20126	92.00	29.50	1.15	7.50	0.794
25	20128	92.00	32.00	1.30	8.00	0.910
26	20052	101.60	44.45	1.27	8.00	1.049
27	20029	101.60	44.45	1.60	8.00	1.301
28	20146	101.60	44.45	1.90	8.50	1.534
29	20078	101.60	44.45	2.01	8.00	1.605
30	20077	101.60	44.45	2.47	8.00	1.950
31	20102	101.60	44.45	2.50	8.00	1.977
32	20067	101.60	44.45	3.00	8.00	2.342
33	20011	101.60	44.45	3.18	8.00	2.541
34	20112	101.60	44.45	3.70	8.00	2.846
35	20059	123.00	44.45	1.50	8.00	1.394
36	20136	123.00	44.45	3.00	8.00	2.687
37	20157	127.00	44.45	3.00	8.00	2.752
38	20139	127.20	25.25	1.22	8.00	1.048

PARTITION SECTION



20023

2.150 kg/m



20022


1.933 kg/m




SL. No.	Section No.	A	Weight kg/m
1	20150	0.85	0.155
2	20151	1.10	0.195
3	20121	1.20	0.210
4	20107	1.44	0.246

20129


0.346 kg/m



PARTITION SECTION




SL. No.	Section No.	A	Weight kg/m
1	20074	2.45	1.951
2	20008	3.18	2.508




SL. No.	Section No.	C	Weight kg/m
1	20007	2.40	1.995
2	20101	3.18	2.617


20141 1.992 kg/m




20013 1.959 kg/m



20155 1.474 kg/m



G100757 1.358 kg/m




MATCHING SECTION 19377

PARTITION SECTION


20122

1.774 kg/m




20123

1.943 kg/m




20362

1.153 kg/m




20363

1.297 kg/m




G100758

1.453 kg/m



G101281


1.437 kg/m



MATCHING SECTION 19377


G101362

1.923 kg/m



G101363


3.063 kg/m



PARTITION SECTION


20055

1.032 kg/m




20134

1.036 kg/m




20056

0.969 kg/m




17587

1.147 kg/m



20133


0.925 kg/m



PARTITION SECTION


20012

0.886 kg/m




20156

1.062 kg/m




20148

0.661 kg/m




20142

0.901 kg/m




20127

1.887 kg/m



G101978

1.471 kg/m




MATCHING SECTION 19383

PARTITION SECTION

G103621


2.025 kg/m



PARTITION SECTION


20019

2.655 kg/m




20020

2.818 kg/m




20135

2.673 kg/m




20092

0.717 kg/m



20161


0.407 kg/m



SAMOSA SECTION

20103

0.944 kg/m



20106

1.875 kg/m

