


GENERAL SHAPE

CHANNELS

CHANNELS - ROUND FILLET TOES




SL. No.	Section No.	A	B	C	D	R1	R2	R3	Weight kg/m
1	16034	14.20	19.00	1.50	1.50	-	0.75	1.00	0.197
2	15792	16.00	16.00	0.80	0.80	0.40	0.75	0.40	0.100
3	G102135	22.225	25.40	1.981	1.981	3.175	1.981	0.30	0.377
4	17521	22.60	10.80	1.30	1.20	1.25	-	3.00	0.137
5	G102136	25.40	22.225	1.60	1.60	3.175	1.60	0.30	0.297
6	17621	27.00	14.00	1.50	1.50	1.60	0.75	3.20	0.200
7	16039	40.50	29.00	2.00	2.00	1.00	0.30	3.00	0.501
8	G103976	43.80	13.00	1.60	1.60	2.00	0.40	0.40	0.292
9	16040	50.80	19.10	3.20	3.20	4.00	2.50	0.40	0.725
10	16014	50.80	31.75	6.65	4.40	3.25	-	-	1.597
11	16030	63.00	32.00	5.00	5.00	1.00	-	-	1.580
12	16027	63.50	25.40	4.76	4.76	8.00	-	12.76	1.232
13	16036	65.00	35.00	3.00	3.00	1.00	-	1.50	1.043
14	16010	75.00	40.00	5.00	5.00	5.00	-	-	1.986
15	16026	76.00	38.00	5.00	3.00	7.00	-	-	1.617
16	16031	76.20	38.10	5.70	4.00	8.00	-	-	1.943
17	16003	76.20	38.10	7.94	6.35	8.50	4.50	-	2.728
18	16035	85.00	40.00	3.00	3.00	1.00	-	2.00	1.284
19	S6343	88.80	28.50	2.90	2.90	2.10	1.45	5.00	1.067
20	16004	100.00	25.00	2.00	2.00	2.00	-	-	0.792
21	16015	100.00	50.00	1.80	1.80	1.50	-	-	1.061
22	16007	101.60	41.83	6.68	6.68	9.52	-	-	3.205
23	16001	101.60	50.80	7.90	6.40	9.10	-	-	3.746
24	16033	102.00	50.00	8.00	8.00	9.00	-	-	4.111
25	S6581	118.00	20.00	3.00	3.00	-	=	3.40	1.218
26	16011	125.00	55.00	6.50	6.50	6.00	-	-	3.938
27	16038	127.00	70.00	8.00	5.00	6.00	-	-	4.563
28	16020	127.20	47.88	8.05	8.05	9.40	-	-	4.598
29	16006	140.00	50.00	8.00	8.00	6.00	-	-	4.881
30	16005	140.00	70.00	8.00	8.00	6.00	-	-	5.745
31	16021	152.40	51.60	8.10	8.10	11.20	-	-	5.380
32	16012	160.00	79.50	10.00	10.00	1.00	-	-	8.072
33	15737	177.80	58.40	9.98	9.98	11.11	-	-	7.543
34	16041	177.80	63.50	11.11	7.84	2.70	0.40	0.40	7.289
35	27565	177.80	95.25	12.70	12.70	3.17	3.17	15.87	11.455
36	16023	184.00	43.00	3.00	3.00	-	-	-	2.128
37	16042	198.05	23.00	7.45	9.00	3.00	0.40	2.80	5.377
38	16017	203.20	65.00	11.84	11.84	12.70	-	-	10.081
39	16025	224.00	43.00	3.00	3.00	-	-	3.00	2.452
40	16018	250.00	75.00	5.00	5.00	10.00	-	-	5.380
41	16019	254.00	92.87	13.18	13.18	12.90	-	-	14.903
42	16024	254.00	92.87	13.18	13.18	12.90	-	8.00	14.829
43	16028	264.00	43.00	3.00	3.00	-	-	3.00	2.776

GENERAL SHAPE

CHANNELS

CHANNELS - SQUARE FILLET



SL. No.	Section No.	A	B	C	D	Weight kg/m
1	15660	5.50	10.90	1.10	1.10	0.074
2	15601	6.25	10.30	1.30	2.00	0.092
3	15693	6.60	9.50	0.80	0.80	0.052
4	15679	7.50	7.50	0.60	0.60	0.034
5	15666	7.80	6.90	0.49	0.49	0.027
6	15626	8.00	6.00	1.50	1.50	0.069
7	15715	8.00	7.00	0.36	0.36	0.021
8	15602	8.75	9.50	1.20	1.50	0.087
9	15771	8.75	9.50	1.10	1.40	0.081
10	15789	8.75	9.75	1.50	1.50	0.102
11	15635	9.00	8.00	0.57	0.57	0.037
12	15784	9.00	15.00	1.20	1.20	0.118
13	15776	9.30	9.30	0.55	0.55	0.040
14	15778	9.40	9.40	0.90	0.90	0.064
15	15603	9.52	9.52	0.57	0.57	0.042
16	15673	9.52	9.52	0.76	0.76	0.055
17	15702	9.52	9.52	0.95	0.95	0.068
18	15650	9.52	9.52	1.15	1.15	0.081
19	15604	9.52	9.52	1.60	1.60	0.110
20	15672	9.52	12.50	1.65	1.65	0.139
21	15812	10.00	8.00	1.20	1.20	0.076
22	15706	10.00	12.00	2.80	2.80	0.214
23	15717	10.00	12.00	2.80	2.80	0.215
24	15668	11.70	11.70	0.51	0.51	0.047
25	15667	11.80	8.50	0.52	0.52	0.039
26	15622	12.00	9.00	0.62	0.62	0.048
27	15767	12.00	10.00	1.20	1.20	0.096
28	15724	12.00	15.00	1.80	1.80	0.186
29	15749	12.00	20.00	2.00	2.00	0.259
30	15740	12.50	15.00	1.00	1.00	0.109
31	15621	12.70	12.70	0.57	0.57	0.057
32	15674	12.70	12.70	0.85	0.85	0.083
33	15605	12.70	12.70	1.09	1.09	0.105
34	G100126	12.70	12.70	1.397	1.397	0.133
35	15606	12.70	12.70	2.38	2.38	0.213
36	15726	14.00	14.00	1.00	1.00	0.108
37	15681	14.30	18.00	1.20	1.20	0.154
38	15692	14.50	14.50	0.90	0.90	0.101
39	15607	15.00	10.00	1.60	1.60	0.137
40	15630	15.00	12.00	1.10	1.10	0.109
41	15698	15.00	15.00	1.20	1.20	0.138
42	15659	15.00	15.00	2.00	2.00	0.221
43	15796	15.00	18.50	1.80	1.60	0.229
44	15664	15.40	15.40	1.40	1.40	0.164
45	28439	15.87	16.51	2.99	6.35	0.435

CHANNELS

CHANNELS - SQUARE FILLET

SL. No.	Section No.	A	B	C	D	Weight kg/m
46	15783	16.00	4.00	1.50	1.50	0.085
47	15696	16.00	16.00	1.20	1.20	0.148
48	G103491	16.00	16.00	1.60	1.60	0.193
49	15675	16.00	19.00	1.20	1.20	0.167
50	15669	16.80	10.50	0.49	0.49	0.049
51	15782	16.95	9.85	1.20	1.20	0.111
52	15642	17.00	10.50	0.63	0.63	0.062
53	27418	18.00	4.50	2.40	3.20	0.171
54	15629	18.00	12.00	1.10	1.10	0.118
55	15741	19.00	15.00	1.00	1.00	0.127
56	15694	19.00	19.00	1.00	1.00	0.149
57	15619	19.05	12.70	1.25	1.25	0.141
58	15608	19.05	19.05	1.63	1.63	0.237
59	15684	20.00	10.00	1.40	1.40	0.140
60	15747	20.00	20.00	1.00	1.00	0.156
61	G103489	20.00	20.00	1.40	1.40	0.216
62	G102805	20.00	20.00	1.50	1.50	0.230
63	15665	20.00	20.00	3.00	3.00	0.438
64	15785	20.30	20.30	2.00	2.00	0.307
65	15811	22.00	6.70	1.20	1.20	0.107
66	15670	22.00	10.00	0.62	0.62	0.069
67	15695	22.00	19.00	1.10	1.10	0.172
68	15712	22.00	20.00	1.10	1.10	0.178
69	15627	22.20	12.70	1.10	1.10	0.135
70	15719	22.40	14.22	1.52	1.52	0.195
71	15643	23.00	10.80	0.68	0.68	0.079
72	15646	23.00	11.00	1.19	1.19	0.136
73	15661	23.00	11.00	1.45	1.45	0.165
74	15662	23.00	11.00	1.62	1.62	0.182
75	15663	23.00	11.00	1.97	1.97	0.218
76	15742	23.00	15.00	1.00	1.00	0.137
77	15678	23.00	23.00	1.10	1.10	0.198
78	15632	24.00	11.00	1.20	1.20	0.141
79	15677	24.00	12.50	1.90	1.90	0.232
80	15700	24.60	4.00	1.10	1.20	0.096
81	15768	24.60	24.60	2.50	2.50	0.464
82	15763	25.00	15.00	5.00	6.00	0.661
83	15733	25.00	20.00	1.10	1.10	0.186
84	15769	25.00	30.00	2.50	2.50	0.540
85	15786	25.00	50.00	2.00	2.00	0.653
86	15718	25.16	19.03	1.40	1.40	0.228
87	15710	25.20	4.10	1.00	1.00	0.085
88	15633	25.40	12.70	1.22	1.22	0.159
89	15634	25.40	12.70	2.00	3.00	0.311
90	15610	25.40	12.70	3.18	3.18	0.381
91	15795	25.00	25.00	3.00	3.00	0.559
92	15793	25.00	41.00	7.00	10.00	1.847
93	15611	25.40	19.05	3.18	3.18	0.491
94	15775	25.40	25.40	1.20	1.20	0.239
95	15612	28.58	25.40	3.00	3.00	0.594

CHANNELS

CHANNELS - SQUARE FILLET

SL. No.	Section No.	A	B	C	D	Weight kg/m
96	G102159	28.60	27.00	1.20	1.20	0.259
97	G102169	29.40	23.00	1.40	1.40	0.274
98	15647	30.00	13.00	0.90	0.90	0.130
99	15657	30.00	30.00	3.00	3.00	0.681
100	15810	31.00	6.70	1.20	1.20	0.136
101	15618	31.50	19.00	3.00	3.00	0.514
102	15686	31.75	12.70	1.56	1.56	0.228
103	15613	31.75	12.70	3.18	3.18	0.435
104	15685	32.00	3.50	1.20	1.50	0.142
105	28048	33.00	7.00	5.00	5.00	0.499
106	15800	34.00	33.00	1.40	1.40	0.367
107	15648	37.00	15.00	0.85	0.85	0.147
108	15743	38.00	15.00	1.00	1.00	0.178
109	15748	38.00	25.00	3.00	3.00	0.664
110	15649	38.10	12.00	2.50	2.50	0.385
111	15732	38.10	19.05	1.59	1.59	0.313
112	15682	38.10	19.05	2.40	2.40	0.462
113	15614	38.10	19.05	3.22	3.22	0.607
114	15751	38.10	38.10	3.18	3.18	0.926
115	G101559	38.60	31.75	3.18	3.18	0.820
116	15787	39.00	20.60	2.00	2.00	0.411
117	G102296	40.00	12.00	2.00	2.00	0.324
118	15739	40.00	20.00	1.10	1.10	0.231
119	15708	40.00	20.00	1.20	1.20	0.251
120	15774	40.00	20.00	1.50	1.50	0.311
121	15697	40.00	20.00	1.80	1.80	0.371
122	15658	40.00	40.00	4.00	4.00	1.210
123	15625	40.00	40.00	5.00	5.00	1.485
124	15801	41.00	10.00	4.00	4.00	0.572
125	15794	42.00	90.00	5.00	5.00	2.862
126	15699	42.50	25.00	2.00	2.00	0.478
127	15744	44.00	15.00	1.00	1.00	0.194
128	15615	44.00	25.40	2.95	2.95	0.708
129	15781	44.00	28.00	1.78	1.78	0.463
130	15620	44.45	25.40	3.18	4.78	0.928
131	15738	45.00	20.00	1.10	1.10	0.246
132	15720	45.00	30.00	3.00	3.00	0.802
133	15713	45.00	37.00	2.00	2.00	0.621
134	15791	45.00	50.00	5.00	5.00	1.822
135	15688	45.00	54.00	2.00	2.00	0.805
136	15745	50.00	15.00	1.00	1.00	0.210
137	15734	50.00	20.00	1.10	1.10	0.260
138	15730	50.00	25.00	1.80	1.80	0.468
139	15637	50.00	40.00	5.00	5.00	1.620
140	15683	50.80	25.40	3.00	3.00	0.773
141	15656	50.80	25.40	4.76	4.76	1.183
142	15701	50.80	25.40	6.59	7.35	1.650
143	15773	50.80	50.80	3.18	3.18	1.254
144	15797	60.00	30.00	4.00	4.00	1.209
145	G102330	64.00	50.00	4.00	4.00	1.684


CHANNELS

CHANNELS - SQUARE FILLET


SL. No.	Section No.	A	B	C	D	Weight kg/m
146	15728	67.00	39.00	2.80	2.80	1.053
147	15691	68.00	22.00	1.20	1.20	0.354
148	15765	75.00	35.00	4.00	4.00	1.479
149	S6593	75.00	50.00	5.00	5.00	2.227
150	15716	76.00	32.00	5.00	2.20	1.256
151	15617	76.20	50.80	3.18	3.18	1.472
152	15707	76.40	19.20	1.90	1.20	0.432
153	15799	77.00	35.00	5.00	5.00	1.849
154	G103505	80.00	60.00	8.00	8.00	3.974
155	S6580	94.00	20.00	3.00	3.00	1.036
156	15746	99.00	15.00	1.10	1.10	0.376
157	15762	100.00	25.00	1.50	1.50	0.595
158	15680	100.00	25.00	2.00	2.00	0.788
159	15709	100.00	30.00	1.10	1.10	0.468
160	15736	100.00	30.00	1.50	1.50	0.635
161	15798	100.00	30.00	2.00	2.00	0.842
162	15766	100.00	50.00	10.00	10.00	4.860
163	15788	100.00	103.00	2.50	2.50	2.031
164	15725	101.60	50.80	5.00	5.00	2.608
165	15723	101.60	50.80	6.35	6.35	3.266
166	S6371	104.00	25.00	2.00	2.00	0.810
167	S6779	105.00	12.00	2.00	2.00	0.675
168	15703	110.00	25.00	2.00	2.00	0.842
169	15780	120.00	50.00	8.00	8.00	4.406
170	15779	120.00	60.00	8.00	8.00	4.838
171	G102858	125.00	35.00	3.00	3.00	1.531
172	S6032	127.00	48.00	12.00	12.00	6.447
173	15777	130.00	50.00	7.00	7.00	4.082
174	15729	130.00	67.50	11.60	11.60	7.573
175	15764	134.00	32.00	10.00	8.00	4.190
176	15750	150.00	50.00	4.00	4.00	2.613
177	S6798	150.00	100.00	2.50	2.50	2.328
178	15772	152.40	63.50	7.60	4.60	4.310
179	S6370	164.00	25.00	2.00	2.00	1.134
180	15790	200.00	100.00	12.00	12.00	12.182
181	S6706	200.00	125.00	6.00	6.00	7.095

GENERAL SHAPE


CHANNELS




SL. No.	Section No.	A	B	R	Weight kg/m
1	17545	23.40	1.13	0.60	0.184
2	17539	23.90	1.65	0.80	0.268



SL. No.	Section No.	A	B	C	Weight kg/m
1	17711	24.60	12.30	0.73	0.096
2	17579	24.60	12.30	0.95	0.123



SL. No.	Section No.	A	Weight kg/m
1	26960	61.67	0.633
2	26959	86.00	0.817
3	26958	111.00	1.006
4	26957	137.60	1.207
5	26956	163.00	1.399




SL. No.	Section No.	A	B	C	D	Weight kg/m
1	27382	75.00	35.00	6.00	3.00	1.639
2	27383	100.00	40.00	6.50	3.50	2.221
3	27384	125.00	45.00	8.00	5.00	3.406
4	27385	150.00	50.00	10.00	5.00	4.446
5	27386	175.00	60.00	9.00	5.00	5.026
6	27387	200.00	65.00	9.00	5.00	5.607

GENERAL SHAPE

CHANNELS


17603

0.249 kg/m




17754

0.454 kg/m




17772

0.173 kg/m




17707

1.223 kg/m




17715

0.873 kg/m



17728

16.537 kg/m



29637

2.046 kg/m




GENERAL SHAPE

CHANNELS


28848

1.664 kg/m




29451

0.901 kg/m




29584

0.793 kg/m




17713

0.325 kg/m




17714

0.648 kg/m




17656

1.761 kg/m



17729

0.658 kg/m




GENERAL SHAPE

CHANNELS


27884

1.543 kg/m




28486

2.757 kg/m




27828

1.397 kg/m




25095

5.913 kg/m




17783

13.375 kg/m




17774

2.178 kg/m



28099

1.412 kg/m



GENERAL SHAPE



CHANNELS

29577

1.191 kg/m

S6596

2.116 kg/m





S6793

0.053 kg/m


S6484

0.336 kg/m




G100045

8.024 kg/m



G100046

8.669 kg/m




GENERAL SHAPE

CHANNELS


G100685

0.842 kg/m




G101103

0.718 kg/m




G100714

9.326 kg/m




G100715

5.367 kg/m




G100772

1.371 kg/m




G100788

0.205 kg/m



G101002

5.694 kg/m




GENERAL SHAPE

CHANNELS


G101234

4.228 kg/m




G101235

5.375 kg/m




G101262

1.115 kg/m



G101263

1.200 kg/m




GENERAL SHAPE

CHANNELS


G101272

1.397 kg/m




G101562

6.929 kg/m




G101782

5.940 kg/m




G101559

0.820 kg/m



G102703

0.508 kg/m




GENERAL SHAPE

CHANNELS


G101884

0.544 kg/m




G101883

0.501 kg/m



G102023

2.447 kg/m



G103314

9.589 kg/m

