



**Viva**<sup>®</sup>  
Metal Composite Panel

[vivaacp.com](http://vivaacp.com)

A STROLL THROUGH  
— THE **ART CITY**





# About Viva

## Established Innovators

Pioneering the ACP Industry  
since 2003

## Quality Assurance

Rigorous in-house testing (100+ tests)  
ensures MCP sheets meet top standards.

## State-of-the-Art Facilities

Equipped with cutting-edge machinery  
in Gujarat for high-quality MCP always.

## Fire-Safe

Pioneers of FR Class A2+ ACCP in  
India, ensuring best-in-class MCP.

## Trusted Material Sources

We source materials only from certified  
vendors, like Hindalco, Nippon & many more.

## Customer-Centric Approach

We are committed to customer satisfaction with  
our value-engineered high-quality products.



# What Sets Us Apart?

## 20+ Years

Manufacturing Excellence

## 3 Colour

Coating Lines

## 12 Million M<sup>2</sup>

Annual Production Capacity

## 300+ Shades

Customisable Shades

## 12 Production

Lines

## 100+ Quality

In-house Lab Tests

## A Benchmark in Quality

FR A2+, A2 & B

Weather Resistant

Versatile Application

Low Maintenance

**15** Years  
Warranty

# Welcome to **SANTA FE**



A city is not just a place.


It's the sum of its **Populace, Art, Culture,  
& History.**

Santa Fe is the oldest capital of the **United States** and the first **UNESCO Creative City.**

The sun bears witness to the romance of heritage and modern art throughout the year. Santa Fe is peppered with sun-kissed avenues, and adobe structures that serve as a portal to an alternate time. An eclectic mix of Victorian, Italian and Spanish architecture is manifested in the city.

As we stroll through the city, we experience warm shades that remind us of living a full life built on the foundation of health, stamina, and strength.

**Santa Fe Series** is our attempt to encapsulate human endeavour and provide an exceptional experience that is not just beautiful to look at but also magic to touch.





# Witness Pantone's Colour of the Year

**Peach  
Fuzz**

**PANTONE**<sup>®</sup>

## **Terracotta**

Inspired  
by the **Pantone's  
Colour of the Year  
2024**

## **Peach Fuzz**

- is Pantone's COTY for 2024.

According to their official website - Peach Fuzz is a velvety gentle peach whose all-embracing spirit enriches the heart, mind, and body.

Emerging from pandemic challenges, a shift towards work-life balance is evident. With a slower pace, productivity prioritizes well-being, urging intentional living. Peach Fuzz embodies this transition, symbolizing warmth, community strength, and inner peace.

Architects, meeting diverse client needs, find inspiration in this hue, emphasizing comfort, safety, and aesthetics in design. From plans to completion, Peach Fuzz fosters harmonious environments, elevating human experiences.

# Meow Wolf 2008

— Architect - **Dan Craig,**  
**Shears Adkins Rockmore Architects**

Mystery, Magnificence and Multimedia, all under one roof. That is the Meow Wolf, and George RR Martin is the Chief World Builder for it. Intriguing, isn't it?

When we first encountered the pale white structure, we wondered what could it possibly behold. And, just within seconds of walking in here, we were mesmerized by its magical realm. The plain, simple white could hold a wonderland in it. Awed by its glory, we pulled in the colour Calce Chalk for you, in our Santa Fe Series

— **#Editor'sChoice**





# Witness Calce Chalk



**VA 12004**



# 2014 Cumbres House

— Architect - **DCPP Arquitectos**

Embrace the fusion of modernity and sophistication with Cumbres House, a visionary residential project situated in Santa Fe's dynamic Cumbres neighbourhood, Mexico City.


Drawing inspiration from the sleek lines and avant-garde aesthetic of Cumbres House, we introduce Pacific Anthracite - VA 12007.

— **#SignatureExperience**





# Feel **Pacific Anthracite**



**VA 12007**




# Pottawatomie County Museum

— Architect - **Charles Frederick Whittlesey**


It houses an abundance of artefacts and information about the history of Pottawatomie County. An eclectic collection of stories, art pieces and historic objects is found here. We were mystified by the ancient array, and we admired the hue the monument was constructed in. So, dedicated to take a little memory of monument, and carefully preserve it in our Santa Fe Collection

#LandmarkofHistory





# Experience **Basalt Black**



VA 12006







# Sundial House

— Architect - **Scott Specht, AIA,**  
**Specht Architects**

A beautiful Ridgetop House in Santa Fe, organized around two perpendicular board-formed concrete walls, is the SunDial House. In the city enchanted with art, aesthetic and archaic divinity, the House speaks modernity. The grey hue subtle, yet stable, manifests solidity and durability. Being intrigued by the simplicity and innovation of the Specht Architects, we decided to adorn modern constructions with the Cementum shade

— **#HighlyRecommended**





# Experience **Cementum Grey**



**VA 12003**



# 1912 Pepto Bismol Building

— Architect - **Harper Cunningham**

The structure was built to resemble Alhambra in Spain, where Queen Isabela christened Santa Fe's name. The Pink hue of the structure distinctively stands apart from the rest of the Santa Fe Architecture. Being allured by this unique shade and its subtle sight, we ventured upon the thought of including the shade in our Santa Fe collection.



#BucketList





# Discover **Terracotta**



**VA 12002**



# Loretto Chapel

— Architect - **Projectus Mouly**

A divine replication of the Gothic Age, the Chapel was built by a French Architect for the sisters of Loretto. It's revered for its 20 ft long circular staircase and its sleek curves which charmed us, while the divine rustic shade soothed our eyes. We found the beige hue admirable, and decided to bring it to you with an Urban Touch

#TravelersChoice





# Enjoy **Urban Beige**



**VA 12001**



# 1867 Soldiers Monument

— Architect - **John & Michael McGee**

Located in the midst of the Santa Fe Plaza, the Soldier's Monument is a memorial monument erected as a 33 feet stone cenotaph. While taking a stride through the plaza, we were mesmerized by the downtown beauty of the monument. Thereby, inspired by the earthy tone, we bring this shade to you in our Santa Fe Collection

— **#IconicSpot**





# A touch of **Victorian Yellow**



**VA 12005**





# Shield Your Structures with **Viva Fire Retardant Panels**

**FR ACP**  
Class A2, A2+, B

Our ACP is  
Certified by



**Certification:**

NFPA 285-2019 | EN 13501-1:2018  
ASTM D1929-20 | ASTM E84-22



---

# Our Series Tailored for World-Class Architecture



& Many More...

## A Closer Look: **Technical Aspects**

| A | Panel Dimensions                                    |                   |                   |                                                                              |           |           |
|---|-----------------------------------------------------|-------------------|-------------------|------------------------------------------------------------------------------|-----------|-----------|
|   | Standard                                            | 2440 mm x 1220 mm | 3050 mm x 1220 mm | 3660 mm x 1220 mm                                                            |           |           |
| B | Panel Thickness (LDPE/Mineral/Aluminium Corrugated) |                   |                   |                                                                              |           |           |
|   | Panel                                               | Core              | Top Skin          | Bottom Skin                                                                  | Alloy     |           |
|   | 6 Star                                              |                   |                   |                                                                              |           |           |
|   | 3.0 mm                                              | 2.4 mm            | 0.30 mm           | 0.30 mm                                                                      | 3105      |           |
|   | 4.0 mm                                              | 3.4 mm            | 0.30 mm           | 0.30 mm                                                                      | 3105      |           |
|   | 7 Star                                              |                   |                   |                                                                              |           |           |
|   | 4.0 mm                                              | 3.0 mm            | 0.50 mm           | 0.50 mm                                                                      | 3150      |           |
| C | Coating Type                                        |                   |                   |                                                                              |           |           |
|   | Top Skin                                            | Bottom Skin       |                   | Paint supplier:<br>Nippon   Spectrum   JSW   Berger Becker   PPG   Akzonobel |           |           |
|   | PVDF/FEVE                                           | PE                |                   |                                                                              |           |           |
| D | Permissible Product Tolerance                       |                   |                   |                                                                              |           |           |
|   | Size                                                |                   | Thickness         |                                                                              |           |           |
|   | Length                                              | Width             | Bow               | Squareness                                                                   | Panel     | Coil      |
|   | ± 2.0 mm                                            | ± 2.0 mm          | Maximum 0.5%      | Maximum ± 2.0 mm                                                             | ± 0.20 mm | ± 0.03 mm |

\*Shade variance may vary on batch variance

\*For further queries you may contact our customer care manager at 1800 313 3770

\*AA5005 series alloy is available on request

\*Our warranties are limited to products supply only

\*For 0.50mm Thickness (7 Star) MOQ 1000 Sq.Mt

\*Viva warrants that its products are free from manufacturing defects and they are fit and suitable for usual purposes.

\*The product should be inspected prior to installation and our liability will be limited to the cost of the product only.



## A Closer Look: **Technical Aspects**

| Property                          | Test Method | Units              | Polyethylene Core | Mineral Core (Class B) | Mineral Core (Class A2) | Aluminium Corrugated Core (Class A2) |
|-----------------------------------|-------------|--------------------|-------------------|------------------------|-------------------------|--------------------------------------|
| ACP Thickness                     | Measurement | mm                 | 4.0               | 4.0                    | 4.0                     | 4.0                                  |
| Coil Thickness                    | Measurement | mm                 | 0.3               | 0.5                    | 0.5                     | 0.5                                  |
| ACP Weight                        | Measurement | Kg/m <sup>2</sup>  | 5.2               | 7.5                    | 8.5                     | 3.8                                  |
| Core Density                      | Measurement | —                  | 1.10              | 1.6                    | 1.87                    | 2.74                                 |
| Peel Test                         | ASTM D 903  | N/mm               | Min.5             | Min.7                  | Min.7                   | Min.7                                |
| ACP Tensile Strength              | ASTM D 638  | Mpa                | Min.40            | Min.40                 | Min.45                  | Min.45                               |
| ACP Yield Strength                | ASTM D 638  | Mpa                | Min.35            | Min.35                 | Min.40                  | Min.40                               |
| ACP Elongation                    | ASTM D 638  | %                  | Min.5             | Min.5                  | Min.5                   | Min.5                                |
| Thermal Expansion                 | ASTM D 696  | mm/M/100°C         | 2.4               | 2.4                    | 2.4                     | 2.4                                  |
| Heat Transmission Coefficient (U) | ASTM C 1363 | W/m <sup>2</sup> K | 5.52              | 5.53                   | 5.53                    | 5.53                                 |
| Fire Classifications              | EN 13501-1  | -                  | —                 | Class B-s1,d0          | ClassA2-s1,d0           | ClassA2-s1,d0                        |
| Fire Rating                       | EN 13501-1  | —                  | —                 | Class B                | Class A2                | Class A2                             |
| Sound Transmission Loss           | ASTM E 90   | dB                 | 25                | 25                     | 25                      | 25                                   |
| Sound Absorption Factor           | ISO 354     | —                  | 0.05              | 0.05                   | 0.05                    | 0.05                                 |



# VIVA COMPOSITE PANEL PVT. LTD.

## Head Office:

601, 6<sup>th</sup> Floor, A Wing, Times Square Building, Marol Naka, Andheri -  
Kurla Rd, Andheri East, Mumbai, Maharashtra - 400059

## Branch Offices:

Delhi | Bengaluru | Ahmedabad | Hyderabad | Chennai |  
Bhubaneshwar | Jaipur | Raipur | Lucknow | Udaipur | Surat |  
Ranchi | Kochi | Hubli | Indore | Pune | Nagpur | Nashik | Bhopal

## Factory Address:

Survey No, 85/8, 85/9, 85/10, 68/1, 70/14, At Post: Khattalwada,  
Manekpur Road, Opp Poultry Farm, Near Apar Industries Ltd,  
Tal-Umbergoan, Dist - Valsad, Station - Sanjan, Gujarat - 396120

## Overseas Branch

### Qatar

Viva Composite Panels Trading W.L.L. Doha, Qatar

### Kuwait

Viva Composite Panels W.L.L. Qurain, Kuwait

## Overseas Associates

USA | UAE | South Africa | Sri Lanka | Saudi Arabia

ASIA'S LARGEST  
**ACP** MANUFACTURER

 [vivaacp.com](http://vivaacp.com)

 1800 313 3770 (Toll Free)

 [info@vivaacp.com](mailto:info@vivaacp.com)

