



Parcus Medical has joined Anika



Product Catalog

IMPLANTS AND INSTRUMENTS FOR TISSUE REPAIR




Table of Contents


Parcus Medical designs, manufactures, and distributes implants and instrumentation used by orthopedic surgeons in sports medicine procedures to repair the shoulder, knee, hip, and distal extremities. Parcus offers over 400 innovative products, in over 60 countries around the world. Founded in 2007, Parcus Medical is headquartered in Sarasota, Florida.

Parcus Medical's **Value Proposition Program** is designed to reduce cost per case by:

- Cost savings on a per implant basis due to in-house design and manufacturing
- Reusable instrumentation available (single use instruments often result in higher costs)
- Products available individually (kitted products often result in the purchase of unused products)



Synd-EZ Syndesmosis Repair Kit.....	3
ATLAS CMC Kit.....	4
Knotless AP Push-In Suture Anchors.....	5
AcTiFlip Biceps Tenodesis System.....	6
Twist Knotless Screw-In Suture Anchors	7
SLiK™ Fix Screw-In Tenodesis System.....	8
SLiK™ Knotless Screw-In Anchors	9
Draw Tight™ Suture-Based Anchors.....	10
PEEK CF Push-In Suture Anchors.....	11
Knotless PEEK CF Push-In Suture Anchors	12
Knotless PEEK Push-In Suture Anchors	13
Twist & Triple Twist PEEK Screw-In Suture Anchors	14
V-LoX™ & V-LoX ³ PEEK CF Screw-In Suture Anchors...	15
MiTi & MiTi XL Titanium Screw-In Suture Anchors	16
V-LoX & V-LoX ³ Titanium Screw-In Suture Anchors	17
Parcus Braid™.....	18
Patient Positioning.....	19
Suture Anchor Instrumentation	20
Graft Fixation System Ultimate (GFS Ultimate)	22
Graft Fixation System Mini (GFS Mini).....	23
Graft Fixation System II (GFS II)	24
Graft Fixation System Naked (GFS Naked)	25
PEEK CF Interference Screws	26
Titanium Interference Screws	27
Knee Instrumentation	28
Hip Instrumentation	31
The Parcus PEEK CF Difference	32



The Synd-EZ kit provides a solution for damage to the syndesmosis joint which connects the tibia and fibula bones of the lower leg. This simple yet effective device is designed to help stabilize the ankle and can be used with or without a fracture plate.

Features & Benefits

Versatile design

- Ideal for use with or without a fracture plate
- Washer included for use without a fracture plate
- Top hat is low profile and self centering on fracture plates

Adjustable knotless construct


- Simplifies surgical procedure

Counter traction suture & tension handle

- Integrated for predictably smooth tension of construct


Synd-EZ					
Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
11223	3.2	12	Synd-EZ Titanium kit	-	1

Synd-EZ Instrumentation					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
11272	-	Small Joint	Synd-EZ drill guide	Unsterile	Reusable



Synd-EZ Kit Components	
1	Top hat
2	White/blue adjustment suture
3	Solid blue counter-traction suture
4	Button
5	Solid white passing suture
6	White/black toggle suture
7	3.5mm cannulated drill bit
8	2.4mm passing pin
9	1.5mm K-wire
10	Black tension handle
11	Washer





The Anatomic Thumb Arthroplasty Ligament System (ATLAS) is an anatomic thumb carpal-metacarpal (CMC) reconstruction procedure. This procedure corrects thumb CMC instability and provides rapid return to function by placing stable suture-based anchor fixation at the anatomic insertion sites of the thumb basal ligament.

Features & Benefits

Suspensory arthroplasty construct

- Does not require a tendon graft harvest

Small insertion footprint & sub-cortical fixation

- Strong, stable, bone sparing


ATLAS Kit					
Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11200	-	-	ATLAS Kit	-	1

ATLAS Instrumentation					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10823	-	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable



ATLAS Components	
1	ATLAS Suture Passer
2	2 x 8mm GFS Micro Naked Button
3	Draw Tight Drill Bit
4	1.8mm Draw Tight





Knotless AP Push-In Suture Anchors are recommended for use in both large and small-joint repairs. The proven design of the Knotless Product family, is updated with Parcus Advanced Polymer (AP) material that is comprised of 70% PLGA and 30% B-TCP.

Features & Benefits

Advanced Polymer

- Resorbable, radiolucent, and MR safe

Knotless

- Provides a step-saving alternative to conventional "knotted" suture anchors
- Eliminates "knot stacks" associated with soft tissue irritation

Knotless AP Push-In Suture Anchors


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10802	2.8	10.1	28 Knotless, push-in, suture anchor, w/suture passer	AP	1
10803	4.5	16.3	45 Knotless, push-in, suture anchor, w/suture passer	AP	1
10804	5.5	18.1	55 Knotless, push-in, suture anchor, w/suture passer	AP	1

Instrumentation for Knotless AP Push-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
11000U	4	Small Joint	Drill bit	Unsterile	Reusable
11241	4	Small Joint	Drill guide	Unsterile	Reusable
10365	3.2	Shoulder	Awl	Unsterile	Reusable
10874U	-	Small Joint	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10615U	-	Shoulder	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10823	-	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable
10924	5.2	Shoulder	8-point slotted knotless drill guide, w/beaver tail handle	Unsterile	Reusable
10446	-	Shoulder	8-point drill guide, w/trocar tip obturator	Unsterile	Reusable
10330	-	Shoulder	V-Mouth drill guide w/trocar tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, w/1.8mm cannulation	Unsterile	Reusable
10405	3.5	Shoulder	Trocar tip obturator	Unsterile	Reusable
11172	-	Shoulder	Awl, w/ taper from 3.6mm to 4.1mm	Unsterile	Reusable



Shoulder



AcTiFlip is a button fixation system recommended for proximal biceps tenodesis and distal biceps repair. The titanium AcTiFlip button is designed for unicortical and bicortical techniques. AcTiFlip is available in two configurations. The innovative “Cinch Loop” option saves time in the operating room. The “Infinity Loop” option is designed for conventional whip stitching of the biceps tendon.

Features & Benefits

AcTiFlip Inserter

- Robust and reliable insertion of the button

Retractable finger

- Ability to reload the button if needed

Cinch loop


- Eliminates the need to whip stitch the biceps tendon
- Precise control and tension on the biceps tendon

AcTiFlip Biceps Tenodesis System

Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
11183SB	3.2	10	AcTiFlip SB, cinch loop, w/1, #2 suture (wht/blu), w/ needles (MO-6)	-	1
11185SB	3.2	10	AcTiFlip SB, w/1 whip (wht/blu), w/suture passer	-	1
11183	3.9	12	AcTiFlip, cinch loop, w/1, #2 suture (wht/blu), w/ needles (MO-6)	-	1
11185	3.9	12	AcTiFlip, w/1 infinity loop (wht/blu), w/suture passer	-	1

AcTiFlip Instrumentation

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
11152SB	3.5	Shoulder	AcTiFlip SB, drill bit	Sterile	Single-use
11152	4.5	Shoulder	AcTiFlip, drill bit	Sterile	Single-use
11216	4.5	Shoulder	AcTiFlip, cannulated headed drill bit, w/guide wire	Sterile	Single-use




AcTiFlip Components

1	AcTiFlip button
2	Inserter shaft with post
3	Retractable finger
4	Handle with activation button
5	Reload pin
6	AcTiFlip cinch loop
7	AcTiFlip drill bit



Shoulder



Twist Knotless was designed to be extremely reliable and strong. The fully threaded screw-in knotless anchor is ideally suited for rotator cuff repair and Achilles repair.

Features & Benefits

Knotless

- Provides a step-saving alternative to conventional "knotted" suture anchors
- Eliminates "knot stacks" associated with soft tissue irritation

Fully-threaded design

- Optimal cortical fixation
- Reduce the risk of "pull-back"

Made of PEEK-OPTIMA Natural

- Non-absorbable, radiolucent, and MR safe

Twist Knotless					
Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11165	4.75	15	Twist Knotless, screw-in, suture anchor, w/suture passer	PEEK	1
11166	5.5	15	Twist Knotless, screw-in, suture anchor, w/suture passer	PEEK	1
11167	6.25	15	Twist Knotless, screw-in, suture anchor, w/suture passer	PEEK	1

Twist Knotless DEX					
Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11259	4.75	15	Twist Knotless DEX, screw-in, suture anchor, w/suture passer	PEEK	1
11260	5.5	15	Twist Knotless DEX, screw-in, suture anchor, w/suture passer	PEEK	1


Twist Knotless Instrumentation					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
11172	-	Shoulder	Awl, w/taper from 3.6mm to 4.1mm	Unsterile	Reusable
11000U	4	Small Joint	Drill bit	Unsterile	Reusable
11241	4	Small Joint	Drill guide	Unsterile	Reusable




Twist Knotless DEX



Twist Knotless





SLiK Fix is a screw-in tenodesis system recommended for use in both large and small-joint repairs. **SLiK Fix** is ideally suited for biceps repair. Available in carbon fiber-reinforced PEEK-OPTIMA.

Features & Benefits

Activation button

- Allows for one-handed insertion which saves time in the operating room

Suture retention tip and tendon washer

- Effective manipulation of tendon

Designed to advance tendon prior to fixation

- Compression fixation along full length of implant

SLiK Fix PEEK CF Screws


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10995	7	15	SLiK Fix , tenodesis screw	PEEK CF	1
10996	8	15	SLiK Fix , tenodesis screw	PEEK CF	1
10997	9	15	SLiK Fix , tenodesis screw	PEEK CF	1

Instrumentation for SLiK Fix Screws

Part #	Diameter (mm)	Joint	Description	Sterile/ Unsterile	Single-use/Reusable
11016U	7	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11017U	8	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11018U	9	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11019U	10	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use



Shoulder



SLiK is a knotless screw-in anchor recommended for use in both large and small-joint repairs. Combining the **SLiK** anchor with Parcus Braid Suture Tape helps to create an ideal knotless double row rotator cuff repair. Available in natural PEEK-OPTIMA.

Features & Benefits

Activation button

- Allows for one-handed insertion which saves time in the operating room

Large suture guide

- Ability to set tension prior to fixation
- Accommodates multiple suture/tape configurations

Knotless

- Provides a step-saving alternative to conventional “knotted” suture anchors
- Eliminates “knot stacks” associated with soft tissue irritation

SLiK PEEK Anchors


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10915	4.75	15	SLiK, knotless, screw-in, suture anchor, w/suture passer	PEEK	1
10918	5.5	15	SLiK, knotless, screw-in, suture anchor, w/suture passer	PEEK	1
10919	6.25	15	SLiK, knotless, screw-in, suture anchor, w/suture passer	PEEK	1

Instrumentation for SLiK Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-Use/Reusable
11092	4.1	Shoulder	SLiK, awl	Unsterile	Reusable
11000U	4	Small Joint	Drill bit	Unsterile	Reusable
11241	4	Small Joint	Drill guide	Unsterile	Reusable



Shoulder



Draw Tight Suture-Based Anchors are recommended for use in both large and small-joint repairs. Made with UHMWPE and a natural PEEK-OPTIMA power tip.

Features & Benefits

Small insertion footprint & sub-cortical fixation

- Bone sparing

Deployment sutures

- Tactile confirmation the anchor has been successfully deployed

PEEK power tip

- Delivers improved insertion and a solid core for stronger fixation

Draw Tight DEX Suture-Based Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11034	1.8	-	Draw Tight DEX, push-in, suture anchor, w/1, 1.6mm suture tape (wht/blu), w/needles (MO-6)	UHMWPE	1

Draw Tight Suture-Based Anchors


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10565	1.8	-	Draw Tight, push-in, suture-based anchor, w/1, #2 suture (wht/blu)	UHMWPE	1
10820	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, #2 sutures (blu & blu/blu)	UHMWPE	1
10588	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, #2 sutures (wht/blu & wht/blk)	UHMWPE	1

Draw Tight Suture-Based Anchors w/Suture Tape

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11148	1.8	-	Draw Tight, push-in, suture-based anchor, w/1 1.6mm suture tape (wht/blu)	UHMWPE	1
11151	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, 1.6mm suture tapes (wht/blu & wht/blk)	UHMWPE	1
11288	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, 1.6mm suture tapes (blu, wht/blu)	UHMWPE	1
11289	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, 1.6mm suture tapes (blk, wht/blk)	UHMWPE	1


Instrumentation for Draw Tight Suture-Based Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10365	3.2	Shoulder	Awl	Unsterile	Reusable
10873U	-	Small Joint	1.8 Draw Tight, drill bit, w/positive stop	Unsterile	Reusable
10590U	-	Shoulder	1.8 Draw Tight, drill bit, w/positive stop	Unsterile	Reusable
10505U	3.2	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10540U	3.2	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10591	-	Shoulder	3.2 Draw Tight, drill guide ¹	Unsterile	Reusable
10823	-	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable
10446	-	Shoulder	8-point drill guide, w/trocar tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator ²	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, 1.8mm cannulation ²	Unsterile	Reusable
10405	3.4	Shoulder	Trocar tip obturator ²	Unsterile	Reusable



Shoulder

¹Use w/10329 or 10466 ²Use w/10446 & 10330



PEEK CF Push-In Suture Anchors are recommended for knotted fixation in shoulder instability or foot and ankle.

Features & Benefits

Made of carbon fiber-reinforced PEEK-OPTIMA

- Non-absorbable, radiolucent, and MR safe
- Modulus of elasticity closely matching cortical bone

PEEK CF Push-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11339	3.5	8	Push-in, suture anchor, w/1, 1.6mm suture tape (blu)	PEEK CF	1
10323T	3.5	8	Push-in, suture anchor, w/ 2, #2 sutures (blu & wht/grn)	PEEK CF	6
10407	3.5	8	Push-in, suture anchor, w/ 2, #2 sutures (blu & wht/grn), w/needles (MO-6 short)	PEEK CF	6


Instrumentation for PEEK CF Push-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10333U	2.8	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10538U	2.8	Shoulder	Drill bit w/positive stop	Unsterile	Reusable
10482U	3	Small Joint	Drill bit w/positive stop	Unsterile	Reusable
10537U	3	Shoulder	Drill bit w/positive stop	Unsterile	Reusable
10823	-	Small Joint	8-Point drill guide, w/beaver tail handle	Unsterile	Reusable
10924	5.2	Shoulder	8-Point slotted knotless drill guide, w/beaver tail handle ¹	Unsterile	Reusable
10446	-	Shoulder	8-Point drill guide w/trocar tip obturator	Unsterile	Reusable
10330	-	Shoulder	V-Mouth drill guide w/trocar tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator ²	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, w/1.8mm cannulation ²	Unsterile	Reusable
10405	3.4	Shoulder	Trocar tip obturator ²	Unsterile	Reusable
10397	2.8	Shoulder	Switching stick	Unsterile	Reusable



Shoulder

¹Accommodates 300mm drill guide ²Use w/10446 & 10330



Knotless PEEK CF Push-In Suture Anchors are recommended for use in both large and small-joint repairs.

Features & Benefits

Made of carbon fiber-reinforced PEEK-OPTIMA

- Non-absorbable, radiolucent, and MR safe
- Modulus of elasticity closely matching cortical bone

Knotless

- Provides a step-saving alternative to conventional "knotted" suture anchors
- Eliminates "knot stacks" associated with soft tissue irritation

Knotless PEEK CF Push-In Suture Anchors


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10312	2.8	10	28 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1
10994	3.5	10	35 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1
10313	3.5	10	35 Knotless, push-in, suture anchor (implant only, driver not included), w/suture passer	PEEK CF	1
10314	4.5	16.3	45 Knotless, push-in, suture anchor (implant only, driver not included), w/suture passer	PEEK CF	1
11175	4.5	16.3	45 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1
10315	5.5	18.1	55 Knotless, push-in, suture anchor (implant only, driver not included), w/suture passer	PEEK CF	1
11176	5.5	18.1	55 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1

Knotless PEEK CF Push-In Suture Anchor, Hip Length

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10312H	2.8	10.2	28 Knotless, push-in, suture anchor, w/hip length driver, w/suture passer	PEEK CF	1

Instrumentation for Knotless PEEK CF Push-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10483	-	Shoulder	35 Knotless suture anchor driver ¹	Unsterile	Reusable
10487	-	Shoulder	45 or 55 knotless suture anchor driver ²	Unsterile	Reusable
10365	3.2	Shoulder	Awl	Unsterile	Reusable
10333U	2.8	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10874U	-	Small Joint	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10538U	2.8	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10615U	-	Shoulder	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10482U	3	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10537U	3	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10505U	3.2	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10540U	3.2	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10823	-	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable
10924	5.2	Shoulder	8-point slotted knotless drill guide, w/beaver tail handle ³	Unsterile	Reusable
10446	-	Shoulder	8-point drill guide, w/trocar tip obturator	Unsterile	Reusable
10330	-	Shoulder	V-Mouth drill guide w/trocar tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator ⁴	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, w/1.8mm cannulation ⁴	Unsterile	Reusable
10405	3.5	Shoulder	Trocar tip obturator ⁴	Unsterile	Reusable
10397	2.8	Shoulder	Switching stick	Unsterile	Reusable



Shoulder

¹Use w/10313

²Use w/10314 or 10315

³Use w/10329 or 10466

⁴Use w/10446 or 10330

Knotless PEEK Push-In Suture Anchors are recommended for use in both large and small-joint repairs. Available in natural PEEK-OPTIMA.


Features & Benefits

Knotless

- Provides a step-saving alternative to conventional "knotted" suture anchors
- Eliminates "knot stacks" associated with soft tissue irritation

Made of PEEK-OPTIMA Natural

- Non-absorbable, radiolucent, MR safe



Knotless PEEK Push-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11321	2.8	10	28 Knotless, push-in, suture anchor, w/suture passer	PEEK	1

Knotless PEEK Push-In Suture Anchor, Hip Length

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11321H	2.8	10.2	28 Knotless, push-in, suture anchor, w/hip length driver, w/suture passer	PEEK	1

Instrumentation for Knotless PEEK Push-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10874U	-	Small Joint	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10615U	-	Shoulder	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10823	-	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable
10924	5.2	Shoulder	8-point slotted knotless drill guide, w/beaver tail handle ³	Unsterile	Reusable
10446	-	Shoulder	8-point drill guide, w/trocar tip obturator	Unsterile	Reusable
10330	-	Shoulder	V-Mouth drill guide w/trocar tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator ⁴	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, w/1.8mm cannulation ⁴	Unsterile	Reusable
10405	3.5	Shoulder	Trocar tip obturator ⁴	Unsterile	Reusable




Shoulder

¹Use w/10313

²Use w/10314 or 10315

³Use w/10329 or 10466

⁴Use w/10446 or 10330



Twist & Triple Twist PEEK Screw-In Suture Anchors are recommended for use in both large and small-joint repairs.

Features & Benefits

Fully-threaded design

- Optimal cortical fixation
- Reduce the risk of "pull-back"

Made of PEEK-OPTIMA Natural

- Non-absorbable, radiolucent, MR safe

Twist PEEK Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10511T	4.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK	1
10517T	5.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK	1
10518T	6.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK	1
10521	4.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK	1
10522	5.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK	1
10523	6.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK	1

Triple Twist PEEK Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10524T	5.5	12.6	Triple Twist, screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK	1

Twist PEEK Screw-In Suture Anchors w/Two Suture Tapes


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11003	4.5	12.6	Twist, screw-in, suture anchor, w/2, 1.6mm suture tapes (wht/blu & wht/blk)	PEEK	1
11283	4.5	12.6	Twist, screw-in, suture anchor, w/2, 1.6mm suture tapes (blu, wht/blu)	PEEK	1
11285	4.5	12.6	Twist, screw-in, suture anchor, w/2, 1.6mm suture tapes (blk, wht/blk)	PEEK	1
11004	5.5	12.6	Twist, screw-in, suture anchor, w/2, 1.6mm suture tapes (wht/blu & wht/blk)	PEEK	1
11284	5.5	12.6	Twist, screw-in, suture anchor, w/2, 1.6mm suture tapes (blu, wht/blu)	PEEK	1
11286	5.5	12.6	Twist, screw-in, suture anchor, w/2, 1.6mm suture tapes (blk, wht/blk)	PEEK	1
11005	6.5	12.6	Twist, screw-in, suture anchor, w/2, 1.6mm suture tapes (wht/blu & wht/blk)	PEEK	1

Twist SST PEEK Screw-In Suture Anchors w/One Suture Tape


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11349	4.5	12.6	Twist SST, screw-in, suture anchor, w/1, 2mm suture tape (blu)	PEEK	1
11350	4.5	12.6	Twist SST, screw-in, suture anchor, w/1, 2mm suture tape (blk)	PEEK	1
11351	5.5	12.6	Twist SST, screw-in, suture anchor, w/1, 2mm suture tape (blu)	PEEK	1
11352	5.5	12.6	Twist SST, screw-in, suture anchor, w/1, 2mm suture tape (blk)	PEEK	1

Instrumentation for Twist PEEK Screw-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10365	3.2	Shoulder	Awl	Unsterile	Reusable
10338	4.1	Shoulder	Awl	Unsterile	Reusable
10609	4.5	Shoulder	Punch/tap	Unsterile	Reusable
10277	5.5	Shoulder	5.5mm or 6.5mm punch/tap	Unsterile	Reusable
10222	5.5	Shoulder	5.5mm or 6.5mm punch/tap, hudson	Unsterile	Reusable
10505U	3.2	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10540U	3.2	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10541U	4	Shoulder	Drill bit	Unsterile	Reusable
10823	-	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable
11000U	4	Small Joint	Drill bit	Unsterile	Reusable
11241	4	Small Joint	Drill guide	Unsterile	Reusable



Shoulder



V-LoX and V-LoX³ PEEK CF Screw-In Suture Anchors, the first family of suture anchors manufactured from carbon fiber-reinforced PEEK-OPTIMA, are recommended for use in both large and small-joint repairs.

Features & Benefits

Fully-threaded design

- Optimal cortical fixation
- Reduce the risk of "pull-back"

Made of carbon fiber-reinforced PEEK-OPTIMA

- Non-absorbable, radiolucent, and MR safe
- Modulus of elasticity closely matching cortical bone

V-LoX PEEK CF Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10253	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht/blu & wht/blk)	PEEK CF	1
10253T	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK CF	1
10254T	6.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK CF	1

V-LoX³ PEEK CF Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10324T	5.5	12.7	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK CF	1

V-LoX PEEK CF Screw-In Suture Anchors w/Suture Tape


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11026	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, 1.6mm suture tapes (wht/blu & wh/blk)	PEEK CF	1
11027	6.5	12.7	V-LoX, screw-in, suture anchor, w/2, 1.6mm suture tapes (wht/blu & wh/blk)	PEEK CF	1

Instrumentation for V-LoX & V-LoX³ PEEK CF Screw-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
11000U	4	Small Joint	Drill bit	Unsterile	Reusable
11241	4	Small Joint	Drill guide	Unsterile	Reusable
10338	4.1	Shoulder	Awl	Unsterile	Reusable
10277	5.5	Shoulder	5.5mm or 6.5mm punch/tap	Unsterile	Reusable
10222	5.5	Shoulder	5.5mm or 6.5mm punch/tap, hudson	Unsterile	Reusable



Shoulder



MiT*i* Screw-In Suture Anchors are recommended to address a variety of small-joint applications due to their small diameter and tremendous pull-out strength.

Features & Benefits

Fully-threaded design

- Optimal cortical fixation
- Reduce the risk of "pull-back"


Made of 6Al-4V ELI titanium alloy

- Self-tapping threads

MiT*i* Titanium Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10425	2	6.4	MiT <i>i</i> , screw-in, suture anchor, w/2, 3-0 sutures (wht & wht/blu), w/needles (BB-1), w/drill bit	Titanium	1
10433	2.5	6.4	MiT <i>i</i> , screw-in, suture anchor, w/1, #2 suture (wht/blu), w/needles (MO-6), w/drill bit	Titanium	1
10429	2.5	6.4	MiT <i>i</i> , screw-in, suture anchor, w/2, 3-0 sutures (wht & wht/blu), w/needles (BB-1), w/drill bit	Titanium	1
10472	3.5	7.6	MiT <i>i</i> , screw-in, suture anchor, w/1, #2 suture (wht/blu), w/needles (MO-6), w/drill bit	Titanium	1





V-LoX & V-LoX³ Titanium Screw-In Suture Anchors are recommended for use in both large and small-joint repairs. Quick, easy, and reliable; titanium implants deliver high strength and stability while reducing the need for drilling and tapping.

Features & Benefits

Fully-threaded design

- Optimal cortical fixation
- Reduce the risk of "pull-back"

Made of 6Al-4V ELI titanium alloy

- Self-tapping threads

V-LoX Titanium Screw-In Suture Anchors


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10353T	4.5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	Titanium	1
10251	5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht/blu & wht/blk)	Titanium	1
10356T	5.5	14.1	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	Titanium	1
10252T	6.5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	Titanium	1
10257	5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	Titanium	1
10258	6.5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	Titanium	1

V-LoX³ Titanium Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10284T	5.5	14.1	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn, wht/blk)	Titanium	1
10358T	6.5	13.9	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn, wht/blk)	Titanium	1



Shoulder



Parcus Braid, available in multiple configurations: suture tape, infinity loop, and suture, is recommended for use in soft tissue approximation and allograft tissues in sports medicine procedures.

Features & Benefits

Made of Ultra High Molecular Weight Polyethylene (UHMWPE)

- High strength
- Non-absorbable

Variety of color combinations

- Suture management in complicated repairs

Various needle options

- Ideal for open surgical procedures

Parcus Braid Suture					
Part #	Size	Description	Total Length (in)	Working/Loop Length (in)	QTY/ Box
20046	#1	Parcus Braid, suture (wht/blu)	36	-	12
20050	#2	Parcus Braid, suture (wht/blu)	36	-	12
20049	#2	2, Parcus Braid, sutures (wht/blu & wht/blk)	36	-	12
20049S	#2	2, Parcus Braid, sutures (wht/blu & wht/blk)	36	-	1
20035S	#2	Parcus Braid, suture (blu), w/needles (MO-6 & CE)	36	-	1
20055	#2	Parcus Braid, suture (wht), w/needles (MO-6)	36	-	12
20055S	#2	Parcus Braid, suture (wht), w/needles (MO-6)	36	-	1
20054	#2	Parcus Braid, suture (wht/blk), w/needles (MO-6)	36	-	12
20054S	#2	Parcus Braid, suture (wht/blk), w/needles (MO-6)	36	-	1
20059	#5	Parcus Braid, suture (wht), w/needles (CCS)	36	-	12
20059S	#5	Parcus Braid, suture (wht), w/needles (CCS)	36	-	1


Parcus Braid Infinity Loop					
Part #	Size	Description	Total Length (in)	Working/Loop Length (in)	QTY/ Box
20053	#2	Parcus Braid, infinity loop (wht), w/needle	24	20	12
20053S	#2	Parcus Braid, infinity loop (wht), w/needle	24	20	1
20056	#2	Parcus Braid, infinity loop (wht/blu), w/needle	24	20	12
20056S	#2	Parcus Braid, infinity loop (wht/blu), w/needle	24	20	1
20060	#5	Parcus Braid, infinity loop (wht/blu), w/needle	24	20	12

Parcus Braid Suture Tape					
Part #	Size	Description	Total Length (in)	Working/Loop Length (in)	QTY/ Box
20032S	1.6mm	Parcus Braid, suture tape (wht/blu)	39	27	1
20034S	1.6mm	Parcus Braid, suture tape (wht/blk)	39	27	1
20042	2mm	Parcus Braid, suture tape (wht/blu)	39	7	6
20042S	2mm	Parcus Braid, suture tape (wht/blu)	39	7	1



Key: Needles

Type	Description
CE	Reverse cutting curved needle
MO-6	Curved, 28mm needle
MO-6 & CE	MO-6 needle on one side, CE needle on the other side
BB-1	Curved 17mm needle with taper point
CCS	48mm curved piercing needle



Parcus Shoulder Traction Unit and Kit are designed to provide a convenient method to apply traction and position the patient's arm during shoulder procedures.

Features & Benefits

Stockinette

- Creates sterile moisture-proof barrier to reduce bacterial migration

Patented Strap Stroll®

- Quick and easy application

Kit packed


- Convenience in the operating room

Parcus Shoulder Suspension Kit & Traction Unit

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
20016	-	Shoulder	Parcus, Shoulder Suspension Kit (6 per box)	Sterile	Single-use
10129	-	Shoulder	Parcus, Traction Unit	Unsterile	Reusable



Shoulder



Parcus Shoulder Instruments are designed to provide precise preparation of implant sites critical to performance and reproducible outcomes. Available individually or as part of the Suture Anchor Instrument Set.

Features & Benefits

Designed to meet the needs of various orthopedic procedures

- Arthroscopic and mini-open techniques
- Threaded & knotless applications

Laser depth marking (as applicable)

- Convenience in an operating room

Color coding

- Method for surgical staff to quickly recognize related devices
- Ideal in low-light situations

Suture Anchor Instrument Set

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10761	-	Shoulder	Suture Anchor Instrument Tray	Unsterile	Reusable

Drivers


Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10483	-	Shoulder	35 Knotless suture anchor driver ¹	Unsterile	Reusable
10487	-	Shoulder	45 or 55 Knotless suture anchor driver ²	Unsterile	Reusable

Awls

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10365	3.2	Shoulder	Awl	Unsterile	Reusable
10338	4.1	Shoulder	Awl	Unsterile	Reusable
11092	4.1	Shoulder	SLiK , awl	Unsterile	Reusable

Punch/Taps


Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10609	4.5	Shoulder	Punch/tap	Unsterile	Reusable
10277	5.5	Shoulder	5.5mm or 6.5 mm punch/tap	Unsterile	Reusable
10222	5.5	Shoulder	5.5mm or 6.5 mm punch/tap, hudson	Unsterile	Reusable




Drill Bits					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10590U		Shoulder	1.8 Draw Tight, drill bit, w/positive stop	Unsterile	Reusable
10538U	2.8	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10615U	-	Shoulder	28 Knotless, drill bit, w/positive stop	Unsterile	Reusable
10537U	3	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10540U	3.2	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10541U	4	Shoulder	Drill bit	Unsterile	Reusable
11216	4.5	Shoulder	AcTiFlip, cannulated headed drill bit, w/guide wire	Sterile	Single-use
11016U	7	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11017U	8	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11018U	9	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11019U	10	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use

Drill Guides, Obturators, & Switching Stick					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10591	-	Shoulder	3.2 Draw Tight, drill guide ¹	Unsterile	Reusable
10924	5.2	Shoulder	8-point slotted knotless guide, w/beaver tail handle ¹	Unsterile	Reusable
10446	-	Shoulder	8-point drill guide, w/trocar tip obturator	Unsterile	Reusable
10330	-	Shoulder	V-Mouth drill guide w/trocar tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator ²	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, w/1.8mm cannulation ²	Unsterile	Reusable
10933	4.8	Shoulder	Conical tip obturator, w/1.8mm cannulation	Unsterile	Reusable
10405	3.4	Shoulder	Trocar tip obturator ²	Unsterile	Reusable
10397	2.8	Shoulder	Switching stick	Unsterile	Reusable

Small Joint Instrumentation					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10873U	-	Small Joint	1.8 Draw Tight, drill bit, w/positive stop	Unsterile	Reusable
10333U	2.8	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10874U	-	Small Joint	28 Knotless, drill bit, w/positive stop	Unsterile	Reusable
10482U	3	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10505U	3.2	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10823	3.5	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable
11000U	4	Small Joint	Drill bit	Unsterile	Reusable
11241	4	Small Joint	Drill guide	Unsterile	Reusable





GFS Ultimate is a suspensory fixation device recommended for use in the fixation of ligament or tendon repairs. It combines the convenience of adjustability with the strength and stiffness of conventional fixed-length loop devices.

Features & Benefits

Adjustable loop (Max:60mm to Min:12mm)

- Simplifies surgical procedure
- Eliminates the need to stock multiple sizes
- Can be both tightened and loosened

Loop made of Ultra High Molecular Weight Polyethylene (UHMWPE)

- High strength
- Non-absorbable

Button made of 6Al-4V ELI titanium alloy

- Provides the strength and stiffness required for successful ligament reconstruction

Designed to be used with various surgical techniques/ instrumentation


- Ideal for both transtibial and anterior medial approaches
- Ideal for both outside-in instrumentation and reverse cutting tunnel instrumentation
- Ideal for stepped femoral tunnels or a single diameter femoral tunnel

GFS Ultimate


Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
10972	3.9	12	GFS, ultimate mini	Max: 60, Min: 12	1
10974	3.9	16.5	GFS, ultimate large	Max: 60, Min: 12	1

Instrumentation for GFS Ultimate

Part #	Diameter (mm)	Joint	Description	Sterile/ Unsterile	Single-use/ Reusable
10057	-	Knee	GFS Depth Gauge	Unsterile	Reusable
10613U	5	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable



Knee



GFS Mini is a suspensory fixation device recommended for use in the fixation of ligament or tendon repairs. The smaller button size requires a stepped tunnel technique.

Features & Benefits

Loop made of Ultra High Molecular Weight Polyethylene (UHMWPE)

- High strength
- Non-absorbable

Button made of 6Al-4V ELI titanium alloy

- Provides the strength and stiffness required for successful ligament reconstruction


Pre-loaded with color-coded pulling suture and flipping suture

- Convenience in the operating room

GFS Mini					
Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
10713	3.9	12	GFS, mini	12	1
10714	3.9	12	GFS, mini	15	1
10715	3.9	12	GFS, mini	20	1
10716	3.9	12	GFS, mini	25	1
10717	3.9	12	GFS, mini	30	1
10718	3.9	12	GFS, mini	35	1
10719	3.9	12	GFS, mini	40	1
10720	3.9	12	GFS, mini	45	1
10721	3.9	12	GFS, mini	50	1
10722	3.9	12	GFS, mini	55	1

Instrumentation for GFS Mini					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10057	-	Knee	GFS Depth Gauge	Unsterile	Reusable
10613U	5	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable





GFS II is a suspensory fixation device recommended for use in the fixation of ligament or tendon repairs. The larger button may eliminate the stepped tunnel technique required by smaller buttons. It is an excellent choice for revision surgeries.

Features & Benefits

Loop made of Ultra High Molecular Weight Polyethylene (UHMWPE)

- High strength
- Non-absorbable

Button made of 6Al-4V ELI titanium alloy

- Provides the strength and stiffness required for successful ligament reconstruction


Pre-loaded with color-coded pulling suture and flipping suture

- Convenience in the operating room

GFS II Large					
Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
10702	4.4	16.5	GFS, II large	12	1
10703	4.4	16.5	GFS, II large	15	1
10704	4.4	16.5	GFS, II large	20	1
10705	4.4	16.5	GFS, II large	25	1

Instrumentation for GFS II Large					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10057	-	Knee	GFS Depth Gauge	Unsterile	Reusable





GFS II is a suspensory fixation device recommended for use in the fixation of ligament or tendon repairs. The larger button may eliminate the stepped tunnel technique required by smaller buttons. It is an excellent choice for revision surgeries.

Features & Benefits


Button made of 6Al-4V ELI titanium alloy

- Provides the strength and stiffness required for successful ligament reconstruction

GFS Naked

Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
10787	1.4	5.9	GFS, naked nano	-	6
10788	2	8	GFS, naked micro	-	6
10789	3.9	12	GFS, naked mini	-	6
10790	3.9	14	GFS, naked standard	-	6
10791	4.4	16.5	GFS, naked large	-	6
10792	4.4	21	GFS, naked XL	-	6





PEEK CF Interference Screws are recommended for the attachment of soft tissue to bone.

Features & Benefits

Made of carbon fiber-reinforced PEEK-OPTIMA

- Non-absorbable, radiolucent, and MR safe
- Modulus of elasticity closely matching cortical bone
- Naturally lubricious, minimizes “graft clocking”

Fully-threaded design

- Optimal fixation for both soft tissue and BTB grafts

Rounded edge

- Protects soft tissue grafts

Driver is cannulated, tapered & square

- Provides a positive driver-to-screw interface
- Distributes insertion torque and eliminates “driver capture”

PEEK CF Interference Screws


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10021	7	20	Interference screw	PEEK CF	1
10022	7	25	Interference screw	PEEK CF	1
10023	7	30	Interference screw	PEEK CF	1
10025	8	20	Interference screw	PEEK CF	1
10026	8	25	Interference screw	PEEK CF	1
10027	8	30	Interference screw	PEEK CF	1
10028	8	35	Interference screw	PEEK CF	1
10029	9	20	Interference screw	PEEK CF	1
10030	9	25	Interference screw	PEEK CF	1
10031	9	30	Interference screw	PEEK CF	1
10032	9	35	Interference screw	PEEK CF	1
10034	10	25	Interference screw	PEEK CF	1
10035	10	30	Interference screw	PEEK CF	1
10036	10	35	Interference screw	PEEK CF	1
10166	11	25	Interference screw	PEEK CF	1
10167	11	30	Interference screw	PEEK CF	1
10168	11	35	Interference screw	PEEK CF	1
10038	12	25	Interference screw	PEEK CF	1
10039	12	30	Interference screw	PEEK CF	1
10040	12	35	Interference screw	PEEK CF	1

Instrumentation for PEEK CF Interference Screws

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10838	4.3	Knee	Tunnel notcher	Unsterile	Reusable
10275	-	Knee	PEEK CF interference screw driver shaft, w/1.5mm cannulation	Unsterile	Reusable
10042	-	Knee	PEEK CF interference screw driver shaft, hudson, w/1.5mm cannulation	Unsterile	Reusable
10372	6.4	Knee	Interference screw threaded dilator, w/1.5mm cannulation	Unsterile	Reusable



Knee



Titanium Interference Screws are recommended for the attachment of soft tissue to bone.

Features & Benefits

Made of 6Al-4V ELI titanium alloy

- Provides the strength and stiffness required for successful ligament reconstruction

Fully-threaded design

- Optimal fixation for both soft tissue and BTB grafts

Rounded edge

- Protects soft tissue grafts

Titanium Interference Screws					
Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10001	7	20	Interference screw	Titanium	1
10002	7	25	Interference screw	Titanium	1
10003	7	30	Interference screw	Titanium	1
10004	7	35	Interference screw	Titanium	1
10005	8	20	Interference screw	Titanium	1
10006	8	25	Interference screw	Titanium	1
10007	8	30	Interference screw	Titanium	1
10008	8	35	Interference screw	Titanium	1
10009	9	20	Interference screw	Titanium	1
10010	9	25	Interference screw	Titanium	1
10011	9	30	Interference screw	Titanium	1
10012	9	35	Interference screw	Titanium	1
10014	10	25	Interference screw	Titanium	1
10015	10	30	Interference screw	Titanium	1
10016	10	35	Interference screw	Titanium	1
10163	11	25	Interference screw	Titanium	1
10164	11	30	Interference screw	Titanium	1
10165	11	35	Interference screw	Titanium	1

Instrumentation for Titanium Interference Screws					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10838	4.3	Knee	Tunnel notcher	Unsterile	Reusable
10274	3.5	Knee	Hex titanium interference screw driver shaft, w/1.5mm cannulation	Unsterile	Reusable
10041	3.5	Knee	Hex titanium interference screw driver shaft, hudson, w/1.5mm cannulation	Unsterile	Reusable
10372	6.4	Knee	Interference screw threaded dilator, w/1.5mm cannulation	Unsterile	Reusable





Parcus Knee Instruments are designed to provide precise preparation of implant sites critical to performance and reproducible outcomes. Available individually or as part of the Parcus ACL Set.

Features & Benefits

Designed to meet the needs of various orthopedic procedures

- Arthroscopic and open techniques
- Suspensory and aperture fixation

Laser depth marking (as applicable)

- Convenience in the operating room

ACL Set					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10077	-	Knee	Parcus, ACL Tray	Unsterile	Reusable

Tendon Harvesters					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10389	4.75	Knee	Closed tendor harvester	Unsterile	Reusable
10390	5.5	Knee	Closed tendor harvester	Unsterile	Reusable
10807	7	Knee	Closed tendor harvester	Unsterile	Reusable
10411	4.75	Knee	Slotted tendon harvester	Unsterile	Reusable
10421	5.5	Knee	Slotted tendor harvester	Unsterile	Reusable

Chondral Picks					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10554	-	Knee	Chondral pick (straight)	Unsterile	Reusable
10555	-	Knee	Chondral pick (15°)	Unsterile	Reusable
10556	-	Knee	Chondral pick (45°)	Unsterile	Reusable

Cannulated Headed Reamers					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10112	6	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10113	6.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10084	7	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10114	7.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10085	8	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10115	8.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10086	9	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10116	9.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10087	10	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10117	10.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10088	11	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10118	11.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10089	12	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable



Cannulated Drill Bits					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10173	6	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10174	6.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10078	7	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10175	7.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10079	8	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10176	8.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10080	9	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10177	9.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10081	10	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10178	10.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10082	11	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10179	11.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10083	12	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable

Slotted Graft Sizers & Sizing Block					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10090	7	Knee	Slotted graft sizer	Unsterile	Reusable
10091	8	Knee	Slotted graft sizer	Unsterile	Reusable
10092	9	Knee	Slotted graft sizer	Unsterile	Reusable
10093	10	Knee	Slotted graft sizer	Unsterile	Reusable
10094	11	Knee	Slotted graft sizer	Unsterile	Reusable
10095	12	Knee	Slotted graft sizer	Unsterile	Reusable
10127	-	Knee	Graft sizing block		

Parcus Graft Station					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10107	-	Knee	Parcus graft station tray	Unsterile	Reusable
10110	-	Knee	Graft station fixed post	Unsterile	Reusable
10111	-	Knee	Graft station grasper and tensioner	Unsterile	Reusable
10143	-	Knee	Graft station base	Unsterile	Reusable
10162	-	Knee	Graft station fixed clamp	Unsterile	Reusable
20021	-	Knee	Graft station prep board	Unsterile	Reusable

Offset Guides, Tunnel Notcher, & Guide Pins					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10096	5	Knee	Femoral offset guide	Unsterile	Reusable
10097	6	Knee	Femoral offset guide	Unsterile	Reusable
10098	7	Knee	Femoral offset guide	Unsterile	Reusable
10838	4.3	Knee	Tunnel notcher	Unsterile	Reusable
10304	2.4	Knee	Drill tip guide pin, 250mm	Unsterile	Single-use
10301	2.4	Knee	Drill tip guide pin, w/eyelet, 250mm	Unsterile	Single-use
10307	2.4	Knee	Drill tip guide pin, 320mm	Unsterile	Single-use
10306	2.4	Knee	Drill tip guide pin, w/eyelet, 420mm	Unsterile	Single-use
10300	2.6	Knee	Trocar tip guide pin, w/eyelet, 380mm	Unsterile	Single-use



Tibial Plugs					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10512	13	Knee	Tibial plug, w/2.8mm cannulation	Unsterile	Reusable
10500	13	Knee	Tibial plug	Unsterile	Reusable

Ratcheting Handle Drivers					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10041	-	Knee	Hex titanium interference screw driver shaft, hudson, w/1.5mm cannulation	Unsterile	Reusable
10042	-	Knee	PEEK CF interference screw driver shaft, hudson, w/1.5mm cannulation	Unsterile	Reusable
20010	-	Knee	Ratcheting handle, w/3.8mm cannulation	Unsterile	Reusable


Fixed Handle Drivers					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10274	-	Knee	Hex titanium interference screw driver shaft, w/1.5mm cannulation	Unsterile	Reusable
10275	-	Knee	PEEK CF interference screw driver shaft, w/1.5mm cannulation	Unsterile	Reusable

Nitinol Guide Wires					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
20098	1.1	Knee	Nitinol guide wire, 400mm	Unsterile	Single-use
20015	1.5	Knee	Nitinol guide wire, 300mm	Unsterile	Single-use
20009	1.5	Knee	Nitinol guide wire, 400mm	Unsterile	Single-use

Parcus Pin Packs & Depth Gauge					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10057	-	Knee	GFS depth gauge	Unsterile	Reusable
10498	1.1	Knee	Parcus pin pack, includes: 10306, 10307, 20155 (1 per box)	Sterile	Single-use
10499	1.5	Knee	Parcus pin pack, includes: 10306, 10307, 20015 (1 per box)	Sterile	Single-use

Tibial Drill Guide					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10291	-	Knee	Cobra tooth drill guide aiming arm	Unsterile	Reusable
10299	-	Knee	Adjustable tibial drill guide	Unsterile	Reusable





Parcus Hip Instruments are designed to provide precise preparation of implant sites critical to performance and reproducible outcomes. Parcus hip instruments along with Parcus anchors offer a complete solution to hip repair.

Features & Benefits


Extended length instrumentation

- Optimize access to the hip

Laser depth marking (as applicable)

- Convenience in the operating room

Hip Instrumentation					
Part #	Diameter (mm)	Joint	Description	Sterile/ Unsterile	Single-use/ Reusable
10615HU	-	Hip	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10446H	-	Hip	8-point drill guide, w/trocar tip obturator	Unsterile	Reusable
10924H	5.2	Hip	8-point slotted knotless drill guide, w/beaver tail handle	Unsterile	Reusable
10933H	4.8	Hip	Conical tip obturator, w/1.6mm cannulation ¹	Unsterile	Reusable
10771H	3.3	Hip	Conical tip obturator, w/1.8mm cannulation ²	Unsterile	Reusable
11002	-	Hip	Parcus GPS	Sterile	Single-use



PEEK CF is made of PEEK-OPTIMA™ (by Invibio) combined with 30% carbon fiber filler. The compound is comprised of short carbon fibers that are dispersed within a PEEK-OPTIMA polymer matrix.

The resulting material has enhanced physical strength, nearly twice as much as natural PEEK, and has mechanical characteristics much closer to cortical bone than natural PEEK, PLLA or titanium. The added mechanical strength in PEEK CF plays a key role in addressing the challenges of insertion torque in screw-in devices such as suture anchors and interference screws.


THE PARCUS PEEK CF DIFFERENCE

The PEEK CF Difference

- **Strong** and biocompatible
- **Radiolucent**, less imaging artifact, MR safe
- **Twice as strong** as the PEEK material used in other suture anchors
- **Mechanical properties** closer to cortical bone than titanium or biocomposites



PEEK CF Strength & Stiffness Comparison



	Ti 6Al-4V	PEEK CF	PEEK-OPTIMA	Cortical Bone	PLLA
■ Elastic Modulus GPa	120	18	3.5	15	2
■ Tensile Strength MPa	790	200	100	139	50



Parcus Medical has joined **Anika**

