

CHAMPIONS
for Foot & Ankle



TRILLIANT
SURGICAL

Hammer Toe Correction



► **INDEPENDENT AUTHORIZED REPRESENTATIVE:**

Garrett Amadon

Med G, LLC

Phone: (941) 587-4732

Email: Garrett.amadon@icloud.com

 Made in USA

727 North Shepherd Drive, Suite 100
Houston, TX 77007
Phone: 800-495-2919
Fax: 877-778-3864
www.trilliantsurgical.com

TWO-STEP

Hammer Toe Implant System


The Two-Step Hammer Toe Implant System¹ is a cannulated, titanium alloy, interphalangeal joint arthrodesis implant for fusions of the DIPJ and PIPJ with temporary stabilization of the MTP joint if desired.

Indications/Applications for use²

The Trilliant Surgical Two-step hammer toe implant is intended for use in the fusion of the PIP joint of the 2nd, 3rd, 4th, or 5th digits in a hammer, mallet, or claw toe repair procedure while providing stabilization of the DIP and MTP joint with temporary K-wire fixation.

Implant System Highlights¹

- ▶ Self-drilling, self-tapping threaded section for rapid placement down the central axis of the phalanx
- ▶ Temporary K-wire stabilization through the MTP joint if desired
- ▶ Optional spade placement in the proximal or distal direction
- ▶ Tri-spade stem for multiplane stabilization of the joint
- ▶ Available in a wide range of extended thread lengths for combination DIPJ and PIPJ fusions with a single implant for severe hammer toe/claw toe deformities



All associated instrumentation included in a single system



Spade Diameter	2.6mm	3.4mm	4.5mm
Spade Length	4.0mm	5.5mm	6.1mm
Thread Diameter	2.4mm	3.0mm	3.0mm
Thread Lengths*	6-18mm	6-30mm	6-30mm

**Offered in 2mm increments*

HTR[®] “HEATER”

Hammer Toe Reaming Implant System



Regulatory Information

FDA cleared 510(k) K111834

Coding Recommendations

CPT - 28285

HCPCS - C1713

Reaming System Highlights

- ▶ Concave and convex reamer set creates a perfectly matched surface each time no matter the anatomy
- ▶ Matching ball and socket geometry provides infinite degrees of freedom for correction while maintaining joint apposition
- ▶ Hemispherical reaming provides up to 200% more surface area compared to traditional linear cuts desired
- ▶ Allows for minimal joint resection to maintain toe length as needed for desired correction
- ▶ Included circumferential cutting concave reamer minimizes potential soft tissue interference (Patent Pending)

Patient Safety and Quality

- ▶ Cannulated implant allows for stabilization through DIP and MTP joints
- ▶ Implant allows for simultaneous arthrodesis of PIPJ and DIPJ for severe hammer toe deformities
- ▶ Reaming system designed for minimal shortening
- ▶ Hemispherical reaming provides 200% more bone to bone contact and a greater surface area for arthrodesis
- ▶ Reduced OR time with reaming technique compared to linear cuts

HTR[®] “HEATER”

Hammer Toe Reaming Implant System

Patient Safety and Quality

- ▶ Reaming system designed for minimal shortening
- ▶ Hemispherical reaming provides 200% more bone to bone contact and a greater surface area for arthrodesis
- ▶ Reduced OR time with reaming technique compared to linear cuts



Reimbursement

- ▶ The sterile reaming system's incorporation of a K-Wire for fusion allows your facility to bill out use as an implant for reimbursement.

Coding Recommendations

- ▶ HCPCS: C1713
- ▶ CPT: 28285