
Town of Maiden Rock Land Cover

Land Cover - WiscLand (Not land use)	Percent
Agriculture	43%
Barren	0%
Forest	34%
Grassland	10%
Open Water	8%
Urban/Developed	1%
Wetland	3%




Source: Wisconsin Land Cover Data (WISCLAND 2.0): https://dnr.wisconsin.gov/maps/WISCLAND

Town of Maiden Rock Groundwater Susceptibility to Contamination

Five factors contribute to groundwater susceptibility, including: type of soil, bedrock and materials between soil and bedrock; depth to bedrock; and depth to groundwater. Data from the Wisconsin Department of Natural Resources Groundwater Susceptibility Model was divided into five evenly spread categories ranging from high to low. Of the town's total acreage approximately 15% is ranked high susceptibility to contamination, 19% moderately high, 40% moderate, 26% moderately low, and 0% ranked low susceptibility.


Groundwater Susceptibility to				
Contamination	Percent of Total			
High	15%			
Moderately High	19%			
Moderate	40%			
Moderately Low	26%			
Low	0%			



Town of Maiden Rock Depth to Groundwater

Approximately 2% of Maiden Rock's total acres have groundwater within 20 feet of the land surface, 10% is 20 to 50 feet and 88% is over 50 feet from the land surface.

Depth to Groundwater	
1-20ft	2%
20ft - 50ft	10%
Over 50ft	88%



Depth to Groundwater: Maiden Rock, WI

Source: Wisconsin DNR Groundwater Susceptibility Model, Depth to Groundwater https://data-wi-dnr.opendata.arcgis.com/datasets/wi-dnr::gcsm-water-table-depth/about

Town of Maiden Rock Fragile Soil Index

Fragile soils are those that are most vulnerable to degradation. They are easily degraded and are highly susceptible to erosion with low resilience. They are characterized as having low organic matter contents, low water-stable

aggregates and low soil structure. Fragile soils are generally located on sloping ground, have sparse plant cover and tend to be in arid and semiarid regions. A fragile soil index interpretation was developed to rate soils based on their fragility. The index can be used in conservation and watershed planning to assist in identifying soils and areas with greater vulnerability to degradation.

Fragile Soils		
Moderately Fragile	2%	
Fragile	10%	
Slightly Fragile	88%	
Null or Not Rated	10.1%	

MAP LEGEND					
Area of Int	erest (AOI)		Not rated or not available		
	Area of Interest (AOI)	Water Feat	tures		
Soils		\sim	Streams and Canals		
Soil Rating Polygons		Transporta	ation		
	Extremely fragile	+++	Rails		
	Highly fragile	~	Interstate Highways		
	Fragile	\sim	US Routes		
	Moderately fragile	\sim	Major Roads		
	Slightly fragile	~	Local Roads		
	Not fragile	Background			
	Not rated or not available	and the second	Aerial Photography		
Soil Rat	ing Lines				
~	Extremely fragile				
~	Highly fragile				
~	Fragile				
~	Moderately fragile				
~	Slightly fragile				
~	Not fragile				
100	Not rated or not available				
Soil Rat	ing Points				
	Extremely fragile				
	Highly fragile				
	Fragile				
	Moderately fragile				
	Slightly fragile				
	Not fragile				




Source: National Cooperative Soil Survey, USDA – NRCS https://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm


Town of Maiden Rock Manure and Food-Processing Waste

These ratings are based on the soil properties that affect absorption, plant growth, microbial activity, erodibility, the rate at which the waste is applied, and the method by which the waste is applied. The properties that affect absorption

include saturated hydraulic conductivity (Ksat), depth to a water table, ponding, the sodium adsorption ratio, depth to bedrock or a cemented pan, and available water capacity. The properties that affect plant growth and microbial activity include reaction, the sodium adsorption ratio, salinity, and bulk density. The wind erodibility group, soil erosion factor K, and slope are considered in estimating the likelihood that wind erosion or water erosion will transport the waste material from the application site. Stones, cobbles, a water table, ponding, and flooding can hinder the application of waste. Permanently frozen soils are unsuitable for waste treatment.

- **68.2% Very Limited** indicates that soil has one or more features that are unfavorable for the specific use. Limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.
- **21.6% Somewhat Limited** indicates that the soil has features that are moderately favorable for specified use. Limitations can be overcome or minimized by special planning, design, or installation.
- 10.1 Not Limited or Not Rated






Source: National Cooperative Soil Survey, USDA: https://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm

Town of Maiden Rock Property Tax Values Within .5 mile Radius of 8 Randomly Selected Potential CAFO Sites

Property values within 1/2 mile of 8 randomly selected sites range in value from \$623,900 to \$1.86 million.




Source: County Parcel Data - Pierce County, WI

https://www.sco.wisc.edu/parcels/data-county/

Town of Maiden Rock Property Tax Values Within 1.5 mile Radius of 8 Randomly Selected Potential CAFO Sites

Property values within 1.5 miles of 8 randomly selected sites would range in value of \$2.2 million and \$24 million



Source: 2020Wisconsin County Parcel Data - Polk County, WI

https://www.sco.wisc.edu/parcels/data-county/