

Guide to the Science of Climate Change in the 21st Century

Chapter 20 IPCC 2014 AR5 - Mitigation

David H. Manz
PhD., P. Eng., AOE, FCAE
2020



Table of Contents

Chapter 20	IPCC 2014 AR5 - Mitigation
	20.1 Introduction
	20.2 The science
	20.3 Consequences of unconstrained continued emission of greenhouse gases.
	20.4 Strategies for limiting temperature increases to between 1-2 °C
	20.5 Mitigation strategies
	20.6 Paris Agreement
	20.7 Net-zero by 2050 objective and committed warming
	20.8 Information support

List of Figures

Figure 20.1 Energy budget as affected by humans.

Figure 20.2 Hydrological cycle. http://www.physicalgeography.net/fundamentals/5c_1.html

Figure 20.3 Carbon Cycle. (Office of Biological and Environmental Research of the U.S. Department of Energy Office of Science)

Figure 20.4 Observed and projected global surface temperature change 1850 – 2300. https://www.ipcc.ch/site/assets/uploads/2018/02/WG1AR5_Chapter12_FINAL.pdf

Figure 20.5 Representative concentration pathways or RCP's. Note that the name of the RCP; for example, RCP 8.5 refers to the radiative forcing in the year 2100. (See Strategies for mitigation of climate change: a review <https://link.springer.com/article/10.1007/s10584-011-0148-z>)

Figure 20.6 Greenhouse gas emissions to achieve the RCP outcomes. <https://www.climatechangeinaustralia.gov.au/en/climate-campus/modelling-and-projections/projecting-future-climate/greenhouse-gas-scenarios/>

Figure 20.7 (also Figure 15.9) Detailed global emissions by sector.

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

https://www.ipcc.ch/site/assets/uploads/2018/02/ipcc_wg3_ar5_chapter1.pdf

Figure 20.8 Committed temperature increases under the constant concentration scenario of CO₂ in the atmosphere and the zero emissions scenario https://www.carbonbrief.org/explainer-will-global-warming-stop-as-soon-as-net-zero-emissions-are-reached?utm_campaign=Daily%20Briefing&utm_content=20220224&utm_medium=email&utm_source=Revue%20newsletter.

Figure 20.9 Temperature increases under zero emission scenarios: zero CO₂ (no change in other GHGs or aerosols), zero CO₂ and aerosols, zero GHGs (no change in aerosols) and zero GHGs and aerosols https://www.carbonbrief.org/explainer-will-global-warming-stop-as-soon-as-net-zero-emissions-are-reached?utm_campaign=Daily%20Briefing&utm_content=20220224&utm_medium=email&utm_source=Revue%20newsletter.

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

Chapter 20.0 IPCC 2014 AR5 - Mitigation

20.1 Introduction

The most serious impacts of climate change can be avoided by implementing mitigation initiatives. (Mitigation is defined as ‘the action of reducing the severity, seriousness, or painfulness of something’.) We are talking about mitigating ‘climate change’.

IPCC AR5 Working Group Three in their report states: ‘Mitigation is a human intervention to reduce the sources or enhance the sinks of greenhouse gases.’ They continue ‘Mitigation, together with adaptation to climate change, contributes to the objective expressed in Article 2 of the United Nations Framework Convention on Climate Change (UNFCCC): *The ultimate objective of this Convention and any related legal instruments that the Conference of the Parties may adopt is to achieve, in accordance with the relevant provisions of the Convention, stabilization of greenhouse gas concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system. Such a level should be achieved within a time frame sufficient to allow ecosystems to adapt naturally to climate change, to ensure that food production is not threatened and to enable economic development to proceed in a sustainable manner.* Climate policies can be informed by the findings of science, and systematic methods from other disciplines.’

Pivotal to the success of mitigation initiatives is a clear understanding of what is being attempted and communicating it to those who must implement it or are affected by it. There must be ‘buy-in’ or even the best strategies will not gain support. Inclusivity in the decision-making process is important.

20.2 The science

The starting point is a close examination of the energy budget discussed in Chapter 4 reproduced here as Figure 20.1. The energy budget provides an intuitive model which puts human impacts and mitigation initiatives into context. It connects the objective to the science. The initiatives can then be promoted to a knowledgeable community including the policy makers and their constituency. From Figure 20.1 it is clear that there is human influence on the energy budget in a variety of ways including but not limited to:

1. The concentration of greenhouse gases and the amount of long-wave radiation that is radiated from the Earth’s surface that is absorbed, warms the atmosphere and radiated back to Earth and space.
2. Aerosols such as oxides of sulfur and nitrogen that will absorb both short-wave and long-wave radiation and warm the atmosphere.

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

3. Atmospheric particulate matter such as carbon black and dust that will absorb both short-wave and long-wave radiation and warm the atmosphere land.
4. Land surface modification which then affects amount of short-wave radiation reflected by surface, amount of short-wave radiation absorbed by surface and long-wave surface radiation emitted. Warmer land surface will affect cryosphere resulting in increased glacier melt, melt of Greenland and Antarctic ice sheets (increased sea level) and disappearance of sea ice (profound ecological effects).
5. Warmer land surface (including ocean surface) will impact the hydrological cycle which is discussed in Chapter 6. The hydrological cycle is shown in Figure 6.1 reproduced here as Figure 20.2. The result of a warmer land (and ocean) surface is greater evapotranspiration (evaporation and transpiration from plants), increased concentration of water vapour in atmosphere (water vapour is a greenhouse gas) and cloud formation (reflects short-wave radiation). Warmer land surface will also result in increased air circulation from lower troposphere to near the stratosphere where water vapour will be condensed to form precipitation events (some of which might be cyclonic in nature). Less precipitation in the form snow. Smaller accumulations of snow. Earlier snow melt.




Figure 20.1 Energy budget as affected by humans.

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

6. The concentration of greenhouse gases and the amount of long-wave radiation that is radiated from the Earth's surface and is absorbed, warms the atmosphere and radiated back to Earth and space.
7. Aerosols such as oxides of sulfur and nitrogen that will absorb both short-wave and long-wave radiation and warm the atmosphere.




Figure 20.2 Hydrological cycle. http://www.physicalgeography.net/fundamentals/5c_1.html

The carbon cycle is also affected by human activities which in turn impacts the energy cycle. The carbon cycle is discussed Chapter 5. The carbon cycle shown in Figure 5.1 is reproduced here as Figure 20.3.

Humans affect:

1. Production of greenhouse gases through mining and burning of fossil fuels.
2. Release of greenhouse gases through land use change, particularly the release of stored carbon from the soil and from the biomass destroyed as a result of deforestation.
3. Decrease in carbon storage as a result of deforestation (removal of carbon by photosynthesis and storage in plant biomass and soil).
4. Decrease in carbon sequestration by ocean uptake by reactive sediments (consequence of ocean acidification). Reactive sediments would ultimately settle to ocean floor.

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021




Figure 20.3 Carbon Cycle. (Office of Biological and Environmental Research of the U.S. Department of Energy Office of Science)

20.3 Consequences of unconstrained continued emission of greenhouse gases

The IPCC (https://ar5-syr.ipcc.ch/ipcc/ipcc/resources/pdf/IPCC_SynthesisReport.pdf page 72) identify five reasons for concern which are:

1. Unique and threatened systems: Some unique and threatened systems, including ecosystems and cultures, are already at risk from climate change (high confidence). The number of such systems at risk of severe consequences is higher with additional warming of around 1°C. Many species and systems with limited adaptive capacity are subject to very high risks with additional warming of 2°C, particularly Arctic-sea-ice and coral-reef systems.
2. Extreme weather events: Climate change related risks from extreme events, such as heat waves, extreme precipitation, and coastal flooding, are already moderate (high confidence) and high with 1°C additional warming (medium confidence). Risks associated with some types of extreme events (e.g., extreme heat) increase further at higher temperatures (high confidence).
3. Distribution of impacts: Risks are unevenly distributed and are generally greater for disadvantaged people and communities in countries at all levels of development. Risks are already moderate because of regionally differentiated climate change impacts on

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

crop production in particular (medium to high confidence). Based on projected decreases in regional crop yields and water availability, risks of unevenly distributed impacts are high for additional warming above 2°C (medium confidence).

4. Global aggregate impacts: Risks of global aggregate impacts are moderate for additional warming between 1–2°C, reflecting impacts to both Earth’s biodiversity and the overall global economy (medium confidence). Extensive biodiversity loss with associated loss of ecosystem goods and services results in high risks around 3°C additional warming (high confidence). Aggregate economic damages accelerate with increasing temperature (limited evidence, high agreement), but few quantitative estimates have been completed for additional warming around 3°C or above.
5. Large-scale singular events: With increasing warming, some physical systems or ecosystems may be at risk of abrupt and irreversible changes. Risks associated with such tipping points become moderate between 0–1°C additional warming, due to early warning signs that both warm-water coral reef and Arctic ecosystems are already experiencing irreversible regime shifts (medium confidence). Risks increase disproportionately as temperature increases between 1–2°C additional warming and become high above 3°C, due to the potential for a large and irreversible sea level rise from ice sheet loss. For sustained warming greater than some threshold, greater than ~0.5°C additional warming (low confidence) but less than ~3.5°C (medium confidence), near-complete loss of the Greenland ice sheet would occur over a millennium or more, eventually contributing up to 7 m to global mean sea level rise.

Limiting temperature increases between 1-2°C above pre-industrial by 2100 are the objective.

20.4 Strategies for limiting temperature increases to between 1-2°C.

The IPCC has identified four scenarios called representative concentration pathways, RCPs, that include time series of emissions and concentrations of greenhouse gases, aerosols, chemically active gases and changes in land cover to 2100. They are not the only options but they are representative of the sort of emission patterns that will lead to a specific outcome. These are shown in Figure 20.4 below taken directly from the IPCC report (also identified as Figure 18.3 in Chapter 18).

It is clear that only RCP2.6 leads to the temperature objective.




Figure 20.4 Observed and projected global surface temperature change 1850 – 2300. https://www.ipcc.ch/site/assets/uploads/2018/02/WG1AR5_Chapter12_FINAL.pdf

20.5 Mitigation strategies

The different representative concentration pathways are shown in Figure 20.5 (also identified as Figure 18.1 in Chapter 18). The names of the different pathways are derived from the resulting radiative forcing in the year 2100. For example, RCP6 will result in a radiative forcing of 6 Wm^{-2} , RCP2.6 will result in a radiative forcing of 2.6 Wm^{-2} and so on.

The pathway of interest is RCP2.6 since it is the only one of the four that will meet the temperature increase objective. It may be possible to follow one of the other pathways for a period of time and then abruptly adjust the emissions very low and realize the same objective but this is not considered likely.

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021




Figure 20.5 Representative concentration pathways or RPC's. Note that the name of the RPC; for example, RPC 8.5 refers to the radiative forcing in the year 2100. (See Strategies for mitigation of climate change: a review <https://link.springer.com/article/10.1007/s10584-011-0148-z>)

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021




Figure 20.6 Greenhouse gas emissions to achieve the RCP outcomes.

<https://www.climatechangeinaustralia.gov.au/en/climate-campus/modelling-and-projections/projecting-future-climate/greenhouse-gas-scenarios/>

Consideration of the energy budget, carbon cycle and hydrological cycle suggest several mitigation strategies. These include:

1. Limiting the GHG emission from use of fossil fuels by
 - a. Restricting use of fossil fuels.
 - b. Capturing GHGs, particularly carbon dioxide, resulting from use of fossil fuels before it can enter the atmosphere and permanently store it.
 - c. Decreasing demand for fossil fuels.
 - d. More efficient use of fossil fuels.
 - e. Use of alternative sources of energy.
2. Reducing energy demand.
3. Producing energy from renewable sources.
4. Stopping deforestation.
5. Starting reforestation.
6. Starting agricultural practices that preserve the soil as a place to store carbon and limit need for synthetic fertilizers and crop management chemicals.
7. Limiting the use of land for urban communities.
8. Removing carbon from the atmosphere and permanently store it.
9. Reducing consumption of food and other products whose production results in significant greenhouse gas production.
10. Modification of life-style to a 'low carbon footprint'.

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

The radiative forcing associated with each act of mitigation needs to be quantified and all of the contributions summed.

IPCC identifies strategies called 'mitigation pathways' which would limit the temperature increase in 2100 to 2°C above pre-industrial levels or an atmospheric concentration of in the range 430 to 530 ppm CO₂ equivalent (See Chapter 15). The IPCC AR5 WG3 report provides a discussion on this concept. Quantification of the various mitigation activities is necessary and performed using accepted methods.

A review of mitigation strategies is reported by Fawzy, Osman, Doran and Rooney (<https://link.springer.com/article/10.1007/s10311-020-01059-w>). This paper was published in July, 2020. It provides an update of what the IPCC AR5 considers.

Information on annual greenhouse gas inventories on a country-by-country basis is available. All countries prepare reports on their greenhouse gas inventories according to guidelines prepared by the IPCC Task Force on National Greenhouse Gas Inventories, <https://www.ipcc-nggip.iges.or.jp/index.html>.

The IPCC bases their mitigation strategy on the major economic sectors contributing to greenhouse gas emissions as recently updated as shown in Figure 15.10. The report considers each of the sectors and how emissions might be reduced.

It is intuitively clear that those countries that produce the most emissions have the greatest opportunity and responsibility to reduce global emissions. However, each country develops and manages their own policies for emission reduction and choose strategies to meet their unique challenges and take advantage of their unique opportunities.

Operational mitigation plans require detailed knowledge of GHG emissions originating from individuals, events, organizations, services and product expressed in carbon dioxide equivalent as discussed in Chapter 15.

20.6 Paris Agreement

At COP 21 in Paris on 12 December 2015, Parties to the UNFCCC reached a landmark agreement to combat climate change and to accelerate and intensify the actions and investments needed for a low carbon future. The Paris agreement builds upon the Convention (<https://unfccc.int/process-and-meetings/the-convention/what-is-the-united-nations-framework-convention-on-climate-change>) and – for the first time – brings all nations into a common cause to undertake ambitious efforts to combat climate change and adapt to its

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

effects, with enhanced support to assist developing countries to do so. As such, it charts a new course in the global climate effort.

The Paris Agreement, <https://www.unep.org/resources/adaptation-gap-report-2020>, is a legally binding international treaty on climate change adopted at COP 21 in Paris on 12 December 2015 and entered into force on 4 November 2016. Its goal is to limit global warming to well below 2 and preferably 1.5 degrees Celsius compared to pre-industrial levels. Countries submit their plans for climate action known as nationally determined contributions (NDCs) which includes long-term low greenhouse gas emission development strategies. Additionally, the agreement aims to increase the ability of countries to deal with the impacts of climate change, and at making finance flows consistent with a low GHG emissions and climate-resilient pathway <https://unfccc.int/process-and-meetings/the-paris-agreement/the-paris-agreement/key-aspects-of-the-paris-agreement>. Countries make their own commitments and clearly state how these will be fulfilled. Starting with 2023 and every five years thereafter the collective progress is evaluated. This is called the Global Stocktake.

20.7 Net-zero by 2050 objective and committed warming

The concepts of 'net zero' and 'committed warming' are actually part of the discussion of emission scenarios, namely, representative concentration pathways, (RCPs) which may be found in Section 18.2 and shared socio-economic pathways, (SSPs) which may be found in Section 21.3. The outcomes of following these emission scenarios are determined using various climate change models. The net zero objective is different in that it is simply the emission target for 2050. There is no attempt to describe the emission pathway to achieve this except to note that if this objective is achieved, the global temperature in year 2050 will not increase. (Intermediate emission targets for 2030 are encouraged to help ensure that the 2050 target can be achieved.) This has caused some confusion with all parties, governments at all levels, businesses and all other human activities who seem to be left to their own resources as to how they will achieve this objective (not quite true since governments at all levels are closely involved providing guidelines and incentives). The net zero objective is quite simple though and all parties are expected to achieve the objective independently following their own pathway. All stakeholders (parties) must be conversant in all aspects of greenhouse gas emissions as it relates to their activities and responsibilities. Their progress is reported and collated at a national level and so their success in achieving the 2050 objective can be monitored. A brief discussion of net zero and committed warming follows.

The UNFCCC Paris Agreement (<https://unfccc.int/process-and-meetings/the-paris-agreement/the-paris-agreement>), adopted by 196 Parties at COP21 in Paris on December 12 2015 and entered into force on November 4, 2016 committed the Parties (countries) to reducing their GHG emissions sufficiently to limit global warming to well below 2 °C. and

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

preferably 1.5°C.

The IPCC Special Report, Global Warming of 1.5 °C, outlines the impacts of global warming above this temperature and the pathways with which 1.5 °C may be achieved <https://www.ipcc.ch/sr15/>. The pathways with which the 1.5°C objective for 2100 can be achieved is thoroughly discussed in the In-depth Q&A article in Carbon Brief 08.10.2018 <https://www.carbonbrief.org/in-depth-qa-ipccs-special-report-on-climate-change-at-one-point-five-c> . Some involve ‘over-shoot’ of warming before 2100 but achieve 1.5°C by 2100 and others that do not over-shoot the temperature objective before 2100. Only those scenarios which did not over-shoot were considered acceptable; that is, aligned with the Paris Agreement’s real objective of 1.5°C limit for 2100.

The ‘net-zero’ emission objective is the commitment by all countries to net-zero CO₂ emissions by 2050. If this were achieved the global temperature at 2050 would gradually decrease from this year forward. The underlying hope is that the global temperature in 2050 will be less than 2°C and close to 1.5°C.

The ‘Explainer article’ in the newsletter, Carbon Brief, by Zeke Hausfather, 29.04.2021 that ‘The best available evidence shows that – warming is likely to more or less stop, that is, no over-shoot, once carbon dioxide emissions reach zero’, https://www.carbonbrief.org/explainer-will-global-warming-stop-as-soon-as-net-zero-emissions-are-reached?utm_campaign=Daily%20Briefing&utm_content=20220224&utm_medium=email&utm_source=Revue%20newsletter.

The author explains the difference in surface temperature between scenarios which maintain a constant concentration of CO₂ and the effect of achieving net-zero. This is illustrated in Figure 20.8. Additional warming would occur, (over-shoot), if the concentration of CO₂ was held constant after 2050, that is until the concentrations of CO₂ in the atmosphere, land and the ocean achieved equilibrium.

If CO₂ emissions decreased as per the net-zero emission scenario, the concentration of CO₂ in the atmosphere would decrease as a result of the CO₂ loss to the land and oceans. It is interesting to note that the IPCC 1.5°C objective for 2100, <https://www.ipcc.ch/sr15/>, can be achieved in a variety of other ways as discussed in the In-depth Q&A article in Carbon Brief 08.10.2018 <https://www.carbonbrief.org/in-depth-qa-ipccs-special-report-on-climate-change-at-one-point-five-c> that involve ‘over-shoot’ of warming before 2100 but achieve 1.5°C by 2100 and those that do not over-shoot the temperature objective before 2100. See Figure 20.9. Only those scenarios which did not over-shoot were considered acceptable; that is, aligned with the Paris Agreement’s 1.5°C limit for 2100.

It is important to emphasize that net-zero CO₂ will likely achieve the IPCC 1.5°C objective for

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

2100. The success of net-zero was determined using the models discussed in Chapter 17. The ways with which net-zero can be achieved are determined by individual governments.





Figure 20.8 Committed temperature increases under the constant concentration scenario of CO₂ in the atmosphere and the zero emissions scenario https://www.carbonbrief.org/explainer-will-global-warming-stop-as-soon-as-net-zero-emissions-are-reached?utm_campaign=Daily%20Briefing&utm_content=20220224&utm_medium=email&utm_source=Revue%20newsletter.

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

Future warming under different zero-emissions scenarios



Projected global surface temperature changes under zero CO₂ emissions (blue line), zero CO₂ and aerosol emissions (red), zero GHG emissions (yellow) and zero GHG and aerosol emissions (purple). Chart by Carbon Brief using Highcharts, adapted from Figure 1.5 in the IPCC SR15. Historical warming values (black) and combination with model simulations are estimated using the methods described in the first figure.

Figure 20.9 Temperature increases under zero emission scenarios: zero CO₂ (no change in other GHGs or aerosols), zero CO₂ and aerosols, zero GHGs (no change in aerosols) and zero GHGs and aerosols https://www.carbonbrief.org/explainer-will-global-warming-stop-as-soon-as-net-zero-emissions-are-reached?utm_campaign=Daily%20Briefing&utm_content=20220224&utm_medium=email&utm_source=Revue%20newsletter.

20.8 Information support

Key web sites:

1. IPCC AR5 Working Group Three: Mitigation of Climate Change. <https://www.ipcc.ch/report/ar5/wg3/>.

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021

2. Representative concentration pathways: an overview, van Vuuren, et al. <https://link.springer.com/article/10.1007/s10584-011-0148-z> .
3. IPCC Task Force on National Greenhouse Gas Inventories, <https://www.ipcc-nggip.iges.or.jp/index.html> .
4. Global emissions by sector. https://www.ipcc.ch/site/assets/uploads/2018/02/ipcc_wg3_ar5_chapter1.pdf .
5. Strategies for mitigation of climate change: a review by Fawzy, S., Osman, A. I., Doran, J., and Rooney, D. W. <https://link.springer.com/article/10.1007/s10311-020-01059-w> .
6. Greenhouse gas emission to meet RCP outcomes. <https://www.climatechangeinaustralia.gov.au/en/climate-campus/modelling-and-projections/projecting-future-climate/greenhouse-gas-scenarios/> .
7. Paris Agreement. <https://www.unep.org/resources/adaptation-gap-report-2020> and <https://unfccc.int/process-and-meetings/the-paris-agreement/the-paris-agreement/key-aspects-of-the-paris-agreement> .
8. United Nations Framework Convention on Climate Change. <https://unfccc.int/process-and-meetings/the-convention/what-is-the-united-nations-framework-convention-on-climate-change> .
9. Paris Agreement. <https://www.unep.org/resources/adaptation-gap-report-2020> .
10. IPCC Special Report, Global Warming of 1.5 °C. <https://www.ipcc.ch/sr15/> .
11. Q&A article in Carbon Brief 08.10.2018 <https://www.carbonbrief.org/in-depth-qa-ipccs-special-report-on-climate-change-at-one-point-five-c> .
12. ‘Explainer article’ in the newsletter, Carbon Brief, by Zeke Hausfather, 29.04.2021. https://www.carbonbrief.org/explainer-will-global-warming-stop-as-soon-as-net-zero-emissions-are-reached?utm_campaign=Daily%20Briefing&utm_content=20220224&utm_medium=email&utm_source=Revue%20newsletter .

December 12, 2020 – Fifth Anniversary of the Paris Agreement

August 9, 2021 – Publication of IPCC AR6 WG1, Climate Change, The Physical Science Basis, February 28, 2022 IPCC AR6 WGII, Climate Change: Impacts, Adaptability and Vulnerability and April 4, 2022 IPCC AR6 WGIII, Climate Change: Mitigation

Guide to the Science of Climate Change in the 21st Century, August 14, 2021